Excellent Vulkan Examples

From Sascha Willems

Vulkan- The new generation graphics and compute API from Khronos

- 1. Contents
 - 1. Shaders
 - 2. Examples
 - 1. Basics
 - 2. gITF
 - 3. Advanced
 - 4. Performance
 - 5. Physically Based Rendering
 - 6. Deferred
 - 7. Compute Shader
 - 8. Geometry Shader
 - 9. Tessellation Shader
 - 10. Hardware accelerated ray tracing
 - 11.Headless
 - 12.User Interface
 - 13.Effects
 - 14.Extensions
 - 15.Misc

Shaders

- 1. How Vulkan use Shaders?
 - Vulkan comsumes shaders in an intermediate representation called SPIR-V
 - 1. What is intermediate representation?
 - 1. Is a bytecode format as opposed to human-readable syntax like GLSL and HLSL.
 - 2. The bytecode format is called SPIR-V
 - 3. The bytecode format is a format that can used to write graphics and compute shaders
 - 2. Why use the bytecode format called SPIR-V?
 - 1. The compilers written by GPU vendors to turn shader code into native code are significantly less complex.
 - 2. If you use human-readable syntax like GLSL, some GPU vendors may rejecting your code due to syntax errors, even may compiler bugs, use SPIR-V can avoided such errors.

Shaders

- 1. How Vulkan use Shaders?
 - 3. How we write bytecode format shader?
 - We don't need to write the bytecode format by hand, Khronos released a compiler can compiles GLSL to SPIR-V.
 - 2. You can include this compiler as a library to produce SPIR-V at runtime.
 - 3. We can use compiler like glslangValidator.exe
 - 4. We can use compiler like glslc.exe
 - 1. What is good for using glslc?
 - 1. Glslc uses the same parameter format as well-known compilers like GCC and Clang and includes some extra functionality like includes.
 - glslangValidator.exe and glslc.exe are included in Vulkan SDK.

A note on synchronization

- 1. Why is Synchronization important?
 - 1. Vulkan is explicitly parallel and built for multithreading.
 - 2. Vulkan can render scenes with maximum efficiency and minimal wait time.
 - 3. The key is making sure that any parallel tasks wait only when they need to, and only for as long as necessary.

Vulkan C++ Examples and DemosA note on synchronization

- 2. How synchronization implemented in Vulkan?
 - 1. GPU queue
 - 1. Graphic operations
 - 2. CPU thread
 - 1. Command buffers
 - 2. Computing vertices
 - 3. Loading textures
 - 3. Cmd buffers from any CPU thread eventually inserted into the same GPU queue.
 - 4. The cmd in GPU queue can run in parallel, so no guarantee that the cmd will complete in the same order as in CPU thread.
 - 5. In-queue tools
 - 6. Pipeline barriers/ events/subpass dependencies