

Ex.1

```
public class Paper implements Serializable { ..... /31
    private String title;
    private int nbWords;
    private Author arAuth[]; ..... 1
    private int nbA; ..... 1
    public Paper(String title, int nbWords) { ..... /2
        this.title = title;
        this.nbWords = nbWords;
        nbA = 0; ..... 1
        arAuth = new Author[5]; ..... 1
    }

    public Author getSeniorFaculty(String p) { ..... /10
        int max = 0; ..... 1
        Faculty oldest = null; ..... 1
        Faculty f;
        for(int i=0; i<nbA; i++) { ..... 1
            if( (arAuth[i].getAge() > max) && (arAuth[i] instanceof Faculty) ) { ...1 + 1
                f = (Faculty) arAuth[i]; ..... 1
                if(f.getPosition().equals(p)) { ..... 1
                    max = arAuth[i].getAge(); ..... 1
                    oldest = f; ..... 1
                }
            }
        }
        Return oldest; ..... 1
    }

    public int averageAgeOfStudents() { ..... /8
        int j=0,sum = 0; ..... 1 + 1
        for(int i=0; i<nbA; i++) { ..... 1
            if(arAuth[i] instanceof Student) { ..... 1
                sum += arAuth[i].getAge(); ..... 1
                j++; ..... 1
            }
        }
        if(j != 0) ..... 1
        return sum/j; ..... 1
        return 0;
    }

    public Student[] youngStudent() { ..... /8
        Student[] s = new Student[nbA]; ..... 1
        int j = 0; ..... 1
        int avg = averageAgeOfStudents();

        for(int i=0; i<nbA; i++) { ..... 1
            if(arAuth[i] instanceof Student && arAuth[i].getAge() <= avg) ..... 1 + 1
                s[j++]=(Student) arAuth[i]; ..... 1 + 1
        }
        Return s; ..... 1
    }

    public int getNbWords() { ..... 1
        Return nbWords;
    }
}
```

Ex.2

```
import java.io.*;
```

```
public class Conference { ..... /28
```

```
    private String name;
    private String location;
    private Paper arPap[]; ..... 1
    private int nbP; ..... 1
```

```
    public Conference(String name, String location) { ..... /2
```

```
        this.name = name;
        this.location = location;
        arPap = new Paper[50]; ..... 1
        nbP = 0; ..... 1
```

```
    }
```

```
    public int readPapersFromFile(String filename) throws IOException { ..... /12
```

```
        File f = new File(filename); ..... 1
        FileInputStream fs = new FileInputStream(f); ..... 1
        ObjectInputStream os = new ObjectInputStream(fs); ..... 1
        int j = 0; ..... 1

        try { ..... 1
            while(true) { ..... 1

                arPap[nbP++] = (Paper) os.readObject(); ..... 1 + 1 + 1
                j++; ..... 1
            }
        }
```

```
        catch (EOFException e){}
        catch (IndexOutOfBoundsException e){} ..... 1
```

```
        os.close();
        return j; ..... 1
```

```
    }
```

```
    public int readPapersFromFile(String filename) throws IOException { ..... /12
```

```
        File f = new File(filename); ..... 1
        FileInputStream fs = new FileInputStream(f); ..... 1
        ObjectInputStream os = new ObjectInputStream(fs); ..... 1
```

```
        int j = 0; ..... 1
        Paper p;
```

```
        try { ..... 1
            while(true) { ..... 1
                p = (Paper) os.readObject(); ..... 1
                if (nbP < arPap.length) { ..... 1
                    arPap[nbP++] = p; ..... 1 + 1
                    j++; ..... 1
                }
            }
        }
```

```
        catch (EOFException e){os.close();}
```

```
        return j; ..... 1
```

```
    }
```

```

public Paper[] savePapersIntoFile(String filename) throws IOException { ..... /12
    File f = newFile(filename); ..... 1
    FileOutputStream fs = newFileOutputStream(f); ..... 1
    ObjectOutputStream os = new ObjectOutputStream(fs); ..... 1

    Paper p[] = new Paper[50]; ..... 1
    int j=0; ..... 1

    for(int i=0; i<nbP; i++) { ..... 1
        if(arPap[i].getNbWords() >= 500) ..... 1
            os.writeObject(arPap[i]); ..... 1
        else
            p[j++] = arPap[i]; ..... 1 + 1
    }

    os.close(); ..... 1
    return p; ..... 1
}
}

```

Ex.3

```
public class LinkedListOfPapers { ..... /22

    private Node head;

    public LinkedListOfPapers() { ..... /1
        head = null; ..... 1
    }

    public void insertAtBack(Paper p) { ..... /8
        Node newN = new Node(p); ..... 1

        if(head == null) { ..... 1
            head = newN; ..... 1
        }
        else { ..... 1
            Node current = head; ..... 1
            while(current.getNext() != null) ..... 1
                current = current.getNext(); ..... 1

            current.setNext(newN); ..... 1
        }
    }

    public int getTotalNbWords() { ..... /6
        int sum = 0; ..... 1
        Node current = head; ..... 1
        while(current != null) { ..... 1
            sum += current.getData().getNbWords(); ..... 1
            current = current.getNext(); ..... 1
        }

        return sum; ..... 1
    }

    public LinkedListOfPapers getPapers(int n) { ..... /7
        LinkedListOfPapers result = new LinkedListOfPapers(); ..... 1

        Node current = head; ..... 1
        while(current != null) ..... 1
        {
            if(current.getData().getNbWords() == n) ..... 1
                result.insertAtBack(current.getData()); ..... 1

            current = current.getNext(); ..... 1
        }
        return result; ..... 1
    }
}
```