

---

## **Chapter 3**

# **Software Requirements**

---

**King Saud University**  
**College of Computer and Information Sciences**  
**Department of Computer Science**

**Dr. S. HAMMAMI**

# Objectives

---

- ✧ To introduce the concepts of user and system requirements
- ✧ To describe functional and non-functional requirements
- ✧ To explain how software requirements may be organised in a requirements document

# Outcomes

---

- ✧ Understand the concepts of user requirements
- ✧ Understand the concepts of system requirements
- ✧ Understand why these requirements should be written in different ways
- ✧ Understand the differences between functional and non-functional software requirements
- ✧ Understand how requirements may be organized in a software requirements document.

# What is a requirement?

functional req  
+ constraints

---

- ✧ It may range from a high-level abstract statement of a service or of a system constraint to a detailed mathematical functional specification.

# Types of requirement

---

## ✧ User requirements

- Statements in natural language plus diagrams of the services the system provides and its operational constraints. Written for customers.

## ✧ System requirements

- A structured document setting out detailed descriptions of the system's functions, services and operational constraints. Defines what should be implemented so may be part of a contract between client and contractor.

ای پیکچرنون ایزراج stake holder:

# User and system requirements

## User requirements definition

→ non-fun-reg

1. The Mentcare system shall generate monthly management reports showing the cost of drugs prescribed by each clinic during that month.

## System requirements specification

→ in depth in details


- 1.1 On the last working day of each month, a summary of the drugs prescribed, their cost and the prescribing clinics shall be generated.
- 1.2 The system shall generate the report for printing after 17.30 on the last working day of the month.
- 1.3 A report shall be created for each clinic and shall list the individual drug names, the total number of prescriptions, the number of doses prescribed and the total cost of the prescribed drugs.
- 1.4 If drugs are available in different dose units (e.g. 10mg, 20mg, etc) separate reports shall be created for each dose unit.
- 1.5 Access to drug cost reports shall be restricted to authorized users as listed on a management access control list.

non-fun-reg ←

non-fun-reg ←  
(security)

## Readers of different types of requirements specification

---



# System stakeholders

---

*Stake holders:*

- ✧ Any person or organization who is affected by the system in some way and so who has a legitimate interest
- ✧ Stakeholder types
  - End users
  - System managers
  - System owners
  - External stakeholders



# Stakeholders in the Mentcare system

---

- ✧ Patients whose information is recorded in the system.
- ✧ Doctors who are responsible for assessing and treating patients.
- ✧ Nurses who coordinate the consultations with doctors and administer some treatments.
- ✧ Medical receptionists who manage patients' appointments.
- ✧ IT staff who are responsible for installing and maintaining the system.

## Stakeholders in the Mentcare system

---

- ✧ A medical ethics manager who must ensure that the system meets current ethical guidelines for patient care.
- ✧ Health care managers who obtain management information from the system.
- ✧ Medical records staff who are responsible for ensuring that system information can be maintained and preserved, and that record keeping procedures have been properly implemented.

---

# Functional and non-functional requirements

# Functional and non-functional requirements

## ✧ Functional requirements

- Statements of services the system should provide, how the system should react to particular inputs and how the system should behave in particular situations. → حث في fire detectors
- May state what the system should not do.

## ✧ Non-functional requirements

- Constraints on the services or functions offered by the system such as timing constraints, constraints on the development process, standards, etc. افضى, لنة البرمجة
- Often apply to the system as a whole rather than individual features or services. security, performance, time

## ✧ Domain requirements → non-functional

- Constraints on the system from the domain of operation:
  - Domain requirements reflect the environment in which the system operates so, when we talk about an application domain we mean environments such as train operation, medical records, e-commerce etc.

## Functional requirements

ويفصل الخدمة المقدمة

خدمة يقدّمها النظام / كيف النظام يتفاعل / وتحدد من النظام يسوي

- ✧ Describe **functionality** or **system services**.
- ✧ Depend on the **type** of **software**, expected users and the **type** of **system** where the **software** is used.
- ✧ Functional **user requirements** may be **high-level** statements of what the **system** should do.
- ✧ Functional **system requirements** should **describe** the **system services** in **detail**.

## Mentcare system: functional requirements

---

- ✧ A user shall be able to search the appointments lists for all clinics. → *func req*
- ✧ The system shall generate each day, for each clinic, a list of patients who are expected to attend appointments that day. → *func req*
- ✧ Each staff member using the system shall be uniquely identified by his or her 8-digit employee number.

↓  
۱. Security نیابتی یکنون *non-func req*  
لکن بعضی *func req* ہیں

# Requirements imprecision

کراوات

- ✧ Problems arise when functional requirements are not precisely stated.
- ✧ Ambiguous requirements may be interpreted in different ways by developers and users.
- ✧ Consider the term 'search' in requirement 1
  - User intention – search for a patient name across all appointments in all clinics;
  - Developer interpretation – search for a patient name in an individual clinic. User chooses clinic then search.

# Requirements completeness and consistency

---

- ✧ In principle, requirements should be both complete and consistent.
- ✧ Complete
  - They should include descriptions of all facilities required.
- ✧ Consistent
  - There should be no conflicts or contradictions in the descriptions of the system facilities.
- ✧ In practice, because of system and environmental complexity, it is impossible to produce a complete and consistent requirements document.




# Non-functional requirements

- هذه  
→ أمثلة  
non  
fun
- ✧ These define system properties and constraints e.g. reliability, response time and storage requirements. Constraints are I/O device capability, system representations, etc. , security, performance
  - ✧ Process requirements may also be specified mandating a particular programming language or development method. ➤
  - ✧ Non-functional requirements may be more critical than functional requirements. If these are not met, the system may be useless.

لغة برمجة ، نظام تشغيل ، environment  
{ CASE هي non fun req

هڪن جيڪا نوع ار non-fun

# Types of nonfunctional requirement



# Non-functional requirements implementation

---

- ✧ Non-functional requirements may affect the overall architecture of a system rather than the individual components.
  - For example, to ensure that performance requirements are met, you may have to organize the system to minimize communications between components.
- ✧ A single non-functional requirement, such as a security requirement, may generate a number of related functional requirements that define system services that are required.

# Non-functional classifications

---

## ✧ Product requirements

- Requirements which specify that the delivered product must behave in a particular way e.g. execution speed, reliability, etc.

## ✧ Organisational requirements

أمور تنظيمية

- Requirements which are a consequence of organisational policies and procedures e.g. process standards used, implementation requirements, etc.

## ✧ External requirements



أشياء خارجة عن النظام

- Requirements which arise from factors which are external to the system and its development process e.g. interoperability requirements, legislative requirements, etc.

# Examples of nonfunctional requirements in the Mentcare system

محل ATM یوں فعال 24/7

## Product requirement

fine

The Mentcare system shall be available to all clinics during normal working hours (Mon–Fri, 0830–17.30). Downtime within normal working hours shall not exceed five seconds in any one day.

→ response time

## Organizational requirement

Users of the Mentcare system shall authenticate themselves using their health authority identity card.

→ reliability

## External requirement

The system shall implement patient privacy provisions as set out in Human rights law.

ہیتم رفاہیہ  
بالتواضع والاحکامہ

# Metrics for specifying nonfunctional requirements

| Property    | Measure  |
|-------------|--|
| Speed       | Processed transactions/second<br>User/event response time<br>Screen refresh time                                   |
| Size        | Mbytes<br>Number of ROM chips  |
| Ease of use | Training time<br>Number of help frames   |
| Reliability | Mean time to failure<br>Probability of unavailability<br>Rate of failure occurrence<br>Availability                |
| Robustness  | Time to restart after failure<br>Percentage of events causing failure<br>Probability of data corruption on failure |
| Portability | Percentage of target dependent statements<br>Number of target systems  |

---

# Requirements specification

# Requirements specification

---

- ✧ The process of writing down the user and system requirements in a requirements document.
- ✧ User requirements have to be understandable by end-users and customers who do not have a technical background.
- ✧ System requirements are more detailed requirements and may include more technical information.
- ✧ The requirements may be part of a contract for the system development
  - It is therefore important that these are as complete as possible.



# Ways of writing a system requirements specification

| Notation                     | Description  |
|------------------------------|--|
| Natural language             | The requirements are written using numbered sentences in natural language. Each sentence should express one requirement.   |
| Structured natural language  | The requirements are written in natural language on a standard form or template. Each field provides information about an aspect of the requirement.   |
| Design description languages | This approach uses a language like a programming language, but with more abstract features to specify the requirements by defining an operational model of the system. This approach is now rarely used although it can be useful for interface specifications.  |
| Graphical notations          | Graphical models, supplemented by text annotations, are used to define the functional requirements for the system; UML use case and sequence diagrams are commonly used.   |
| Mathematical specifications  | These notations are based on mathematical concepts such as finite-state machines or sets. Although these unambiguous specifications can reduce the ambiguity in a requirements document, most customers don't understand a formal specification. They cannot check that it represents what they want and are reluctant to accept it as a system contract |


# Natural language specification

---

- ✧ Requirements are written as natural language sentences supplemented by diagrams and tables.
- ✧ Used for writing requirements because it is expressive, intuitive and universal. This means that the requirements can be understood by users and customers.

# Guidelines for writing requirements

---

- ✧ Invent a standard format and use it for all requirements.
- ✧ Use language in a consistent way. Use **shall** for mandatory requirements, **should** for desirable requirements.
- ✧ Use text highlighting to identify key parts of the requirement.
- ✧ Avoid the use of computer jargon. → 
- ✧ Include an explanation (rationale) of why a requirement is necessary.

# Problems with natural language

---

1

## ✧ Lack of clarity

- Precision is difficult without making the document difficult to read.

2-

## ✧ Requirements confusion

- Functional and non-functional requirements tend to be mixed-up.

3-

## ✧ Requirements amalgamation

- Several different requirements may be expressed together.

## Structured specifications

---

- ✧ An approach to writing requirements where the freedom of the requirements writer is limited and requirements are written in a standard way.
- ✧ This works well for some types of requirements e.g. requirements for embedded control system but is sometimes too rigid for writing business system requirements.

## Form-based specifications

---

- ✧ Definition of the function or entity.
- ✧ Description of inputs and where they come from.
- ✧ Description of outputs and where they go to.
- ✧ Information about the information needed for the computation and other entities used.
- ✧ Description of the action to be taken.
- ✧ Pre and post conditions (if appropriate).
- ✧ The side effects (if any) of the function.



## Tabular specification

---

- ✧ Used to supplement natural language.
- ✧ Particularly useful when you have to define a number of possible alternative courses of action.
- ✧ For example, the insulin pump systems bases its computations on the rate of change of blood sugar level and the tabular specification explains how to calculate the insulin requirement for different scenarios.

# Use cases


---

- ✧ Use-cases are a kind of scenario that are included in the UML.
- ✧ Use cases identify the actors in an interaction and which describe the interaction itself.
- ✧ A set of use cases should describe all possible interactions with the system.
- ✧ High-level graphical model supplemented by more detailed tabular description (see Chapter 5).
- ✧ UML sequence diagrams may be used to add detail to use-cases by showing the sequence of event processing in the system.



# Use cases for the Mentcare system

---



لذا بعد ما نخلص activity وقت Req  
يكون فيه اثنين document


## The software requirements document

واحد User Requirement يكون معلومات سطحية  
والاخر System Requirement يكون معلومات مفصلة

- ✧ The software requirements document is the official statement of what is required of the system developers.
- ✧ Should include both a definition of user requirements and a specification of the system requirements.
- ✧ It is NOT a design document. As far as possible, it should set of WHAT the system should do rather than HOW it should do it.

# Users of a requirements document

---



# Requirements document variability

---

- ✧ Information in requirements document depends on type of system and the approach to development used.
- ✧ Systems developed incrementally will, typically, have less detail in the requirements document.
- ✧ Requirements documents standards have been designed e.g. IEEE standard. These are mostly applicable to the requirements for large systems engineering projects.

# The structure of a requirements document

---

|     | Chapter                      | Description   |
|-----|------------------------------|---|
| 1 - | Preface                      | This should define the expected readership of the document and describe its version history, including a rationale for the creation of a new version and a summary of the changes made in each version.   |
| 2 - | Introduction                 | This should describe the need for the system. It should briefly describe the system's functions and explain how it will work with other systems. It should also describe how the system fits into the overall business or strategic objectives of the organization commissioning the software.                                |
| 3 - | Glossary                     | This should define the technical terms used in the document. You should not make assumptions about the experience or expertise of the reader.   |
| 4 - | User requirements definition | Here, you describe the services provided for the user. The nonfunctional system requirements should also be described in this section. This description may use natural language, diagrams, or other notations that are understandable to customers. Product and process standards that must be followed should be specified. |
| 5 - | System architecture          | This chapter should present a high-level overview of the anticipated system architecture, showing the distribution of functions across system modules. Architectural components that are reused should be highlighted.  |

# The structure of a requirements document

| Chapter                              | Description   |
|--------------------------------------|---|
| 6- System requirements specification | This should describe the functional and nonfunctional requirements in more detail. If necessary, further detail may also be added to the nonfunctional requirements. Interfaces to other systems may be defined.  |
| 7- System models                     | This might include graphical system models showing the relationships between the system components and the system and its environment. Examples of possible models are object models, data-flow models, or semantic data models.  |
| 8- System evolution                  | This should describe the fundamental assumptions on which the system is based, and any anticipated changes due to hardware evolution, changing user needs, and so on. This section is useful for system designers as it may help them avoid design decisions that would constrain likely future changes to the system.  |
| 9- Appendices                        | These should provide detailed, specific information that is related to the application being developed; for example, hardware and database descriptions. Hardware requirements define the minimal and optimal configurations for the system. Database requirements define the logical organization of the data used by the system and the relationships between data. |
| 10- Index                            | Several indexes to the document may be included. As well as a normal alphabetic index, there may be an index of diagrams, an index of functions, and so on.   |