

Worksheet 03: Critical Analysis - Level up

Methods and results

Dr. Gordon Wright

October 17, 2023

Critical Proposal preparation

! Recommendation

Please read the Critical Proposal Coursework Briefing document. This is important information and the accompanying Rubric will give you all the information you could possibly need.

It is compulsory to include the coversheet information. You can just copy and paste the content onto the front of whatever document you submit, but the most important feature is a FULL APA format reference (including direct link) to your Target paper.

It is ALSO COMPULSORY to include:

- An effect size for at least one of your IVs
- This must be in the Design Schematic image - editable in www.draw.io using the template file in the Coursework Information section of the VLE

💡 Tip

The only other thing to bear in mind is that the selection of a 'good paper' is part of the assessment! But you are strongly advised to **show it to your Lab Tutor** for immediate feedback on screen. NOT VIA EMAIL.

| Everything I will need to know about my study Andy Student (33412345) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------------------------|--------------|--------------------|---------|------|----------------------------|-------------|----------------------------|--|---|---|--|----------------------|--|-------|---|------------------------|---|-----|----|------------------------|----|--------------|--------------|----|--------------|--------------|---|--|-------------------|--|---|----------------|---|-------------------|---|-------|
| <table border="1"> <thead> <tr> <th colspan="2">IV(A)</th> </tr> </thead> <tbody> <tr> <td>A1</td> <td>Level 1</td> </tr> <tr> <td>A2</td> <td>Level 2</td> </tr> <tr> <td>Type</td> <td>Between/Within?</td> </tr> </tbody> </table> | | IV(A) | | A1 | Level 1 | A2 | Level 2 | Type | Between/Within? | <table border="1"> <thead> <tr> <th colspan="4">The Relationship between IV(A), IV(B) and DV</th> </tr> <tr> <th colspan="2" rowspan="2"></th> <th colspan="2">Independent Variable B</th> </tr> <tr> <th>B1</th> <th>B2</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Independent Variable A</td> <td>A1</td> <td>DV for A1,B1</td> <td>DV for A1,B2</td> </tr> <tr> <td>A2</td> <td>DV for A2,B1</td> <td>DV for A2,B2</td> </tr> </tbody> </table> | | The Relationship between IV(A), IV(B) and DV | | | | | | Independent Variable B | | B1 | B2 | Independent Variable A | A1 | DV for A1,B1 | DV for A1,B2 | A2 | DV for A2,B1 | DV for A2,B2 | <table border="1"> <thead> <tr> <th colspan="2">This is my design</th> </tr> </thead> <tbody> <tr> <td>?</td> <td>Between Groups</td> </tr> <tr> <td>?</td> <td>Repeated Measures</td> </tr> <tr> <td>?</td> <td>Mixed</td> </tr> </tbody> </table> | | This is my design | | ? | Between Groups | ? | Repeated Measures | ? | Mixed |
| IV(A) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A1 | Level 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A2 | Level 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | Between/Within? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The Relationship between IV(A), IV(B) and DV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Independent Variable B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | B1 | B2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Independent Variable A | A1 | DV for A1,B1 | DV for A1,B2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | A2 | DV for A2,B1 | DV for A2,B2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| This is my design | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ? | Between Groups | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ? | Repeated Measures | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ? | Mixed | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="2">IV(B)</th> </tr> </thead> <tbody> <tr> <td>B1</td> <td>Level 1</td> </tr> <tr> <td>B2</td> <td>Level 2</td> </tr> <tr> <td>Type</td> <td>Between/Within?</td> </tr> </tbody> </table> | | IV(B) | | B1 | Level 1 | B2 | Level 2 | Type | Between/Within? | | | <table border="1"> <thead> <tr> <th colspan="2">Effect Sizes</th> </tr> </thead> <tbody> <tr> <td>IV(A)</td> <td>?</td> </tr> <tr> <td>IV(B)</td> <td>?</td> </tr> <tr> <td>A*B</td> <td>?</td> </tr> </tbody> </table> | | Effect Sizes | | IV(A) | ? | IV(B) | ? | A*B | ? | | | | | | | | | | | | | | | | | |
| IV(B) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B1 | Level 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B2 | Level 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | Between/Within? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Effect Sizes | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV(A) | ? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV(B) | ? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A*B | ? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="2">Dependent Variable</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td>My Dependent Variable</td> </tr> <tr> <td>Measurement</td> <td>How my DV is measured</td> </tr> <tr> <td>Type</td> <td>Continuous</td> </tr> </tbody> </table> | | | | Dependent Variable | | Name | My Dependent Variable | Measurement | How my DV is measured | Type | Continuous | <table border="1"> <thead> <tr> <th colspan="2">Sample Size Required</th> </tr> </thead> <tbody> <tr> <td>IV(A)</td> <td>?</td> </tr> <tr> <td>IV(B)</td> <td>?</td> </tr> <tr> <td>A*B</td> <td>?</td> </tr> </tbody> </table> | | Sample Size Required | | IV(A) | ? | IV(B) | ? | A*B | ? | | | | | | | | | | | | | | | | | |
| Dependent Variable | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Name | My Dependent Variable | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Measurement | How my DV is measured | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | Continuous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample Size Required | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV(A) | ? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV(B) | ? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A*B | ? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="2">Hypotheses</th> </tr> </thead> <tbody> <tr> <td>H1</td> <td>Main effect of IV(A) on DV</td> </tr> <tr> <td>H2</td> <td>Main effect of IV(B) on DV</td> </tr> <tr> <td>H3</td> <td>Interaction effect of IV(A) * IV(B) on DV</td> </tr> </tbody> </table> | | | | Hypotheses | | H1 | Main effect of IV(A) on DV | H2 | Main effect of IV(B) on DV | H3 | Interaction effect of IV(A) * IV(B) on DV | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypotheses | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H1 | Main effect of IV(A) on DV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H2 | Main effect of IV(B) on DV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H3 | Interaction effect of IV(A) * IV(B) on DV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Figure 1: DesignSchematic

Get the methods section of your Target Paper on screen!

Up to this point, you've likely read a few methods sections.

Maybe it hasn't fully occurred to you yet, but you will be relying on this information HEAVILY!

I believe this is a dramatic change in perspective. And one that forces a re-appraisal of quality.

Question

Now, without assuming too much, how successfully could you replicate your chosen paper's study?

It's ok if you don't fully understand any highly technical aspects, such as fMRI procedures or any descriptions of delivery or stimulus presentation, such as computer programmes or survey software (that's for week 6!)

Note

Think more carefully about each of the following aspects and jot down some ideas for your Critical Proposal:

1. Design of the study
2. Participants and recruitment
3. Materials
4. Procedure

Design

Note

Jot down some immediate impressions around:

How easily can you identify the design?

It may not be a fully experimental design. It may be quasi-experimental or even correlational.

What is the design? What are the IVs?

Are these between- or within-subject? Or a mix?

What is/are the DV(s)?

Participants

Note

Can you establish:

Who took part in the study?

Numbers, background, age range and demographics?

Where did they come from?

How heterogeneous a sample is it?

Do you see any problems with the sample that might impact the results?

Does this sound like a 'high-quality' sample?

Does this sample appear to generalize to the entire population of interest? Were there any exclusion criteria? Or inclusion criteria? Was there any deception or information about the study retained in recruitment? This may only come to light in the procedure section. Was this necessary?

If you had to replicate this exact sample, how easy would that be to do? If you could make the sample 'better' in any way, what would you do to achieve this? Does the paper mention how participants were allocated to condition or 'categorised'.

! Power Calculation

Did the researchers perform a Power Calculation to estimate a suitable sample size? We will be talking about Power Calculations next week.

Materials

You will need 'materials' to run your study. Many of you will build upon the tools used in the papers you critique.

Now is an excellent time to start looking at these in detail.

Does the research use any questionnaires or psychometric measures? Can you identify these?

Note

Can you FIND any questionnaires or measures mentioned in the paper?

It's always important to carefully consider the heritage and development of any questionnaires you use, either as a means of categorizing participants into groups (e.g. based on Anxiety).

In future lectures we go in to more detail on Psychometrics and Scale design, so thinking about this is useful.

Are there any tasks employed? How are they designed and delivered?

Is any stimulus material described?

If music or faces are used, where are these sourced, and how are they selected?

Would you be able to replicate all the necessary stimulus materials? Can you be confident that you have similar stimulus sets after this replication process?

Are you able to, for example, correctly replicate a stimulus set of Happy and Sad music? Or Angry and Fearful faces?

Can you find enough to build the entire experiment?

Are any of the materials piloted to make sure they work? Are there any manipulation or attention checks? What about awareness of research hypotheses? Could a participant identify these?

Note

Are any of the materials included with the paper? Do they have Supplementary Materials or Open Materials*?

Is there any specialist equipment involved? Is there anything particular about the physical space employed if testing f2f?

This may be relevant for next year. It is a good idea to think about the challenges of running a study online. Can you capture the appropriate data? If your chosen study includes anything like an intervention, or presentation of music or visual stimulus, how confident are you this is done well?

Tip

When your mark is awarded for the Final Year Dissertation, all the decisions you make to ensure quality and accuracy of data will count towards that grade.

Procedure

Note

Can you determine when and how all the materials are put to use?

Was there room for the experimenter to exert any bias? Was there consistency between experimenters or confederates? How was this achieved?

What is the order of the various parts of the study? Is this the same for all participants? Are any elements counterbalanced? If so, how?

If you had to estimate how long the procedure lasts, how long would it be? Do you get a sense that participants were looked after properly? Do you get a sense that optimal performance was obtained from the participants? Thinking about the duration and complexity of the task, to what extent is fatigue an issue?

Is there a chance that performance may change in other ways over time? If a control condition was used, how closely did this match the experimental condition? If data are collected in a way dependent on the participant (e.g. diary study, “over the course of a week” between sessions), how reliable is the resultant data?

Closing considerations

You have taken part in a few experiments yourself.

The chances are, you were an excellent participant. How do you think the majority of participants may respond? How closely do you think they follow instructions?

Running studies online can be tricky, but can offer new opportunities. Can you think of any obstacles? What about potential benefits of online research?

You won't be able to pay or incentivise participants to take part in your research. How are you going to get the best performance out of them? How would you like to be treated as a participant in your first experiment?

I hope you have started making notes

If you don't start jotting down ideas it might be that you end up relying on the first few ideas that spring to mind nearer the deadline.

You will need to focus on a few, high-quality points. If you don't give yourself time to consider the most meaningful points to critique, you may limit how effective the exercise is, and the marks you are awarded.

Get started early!