云南大学数学与统计学院 《运筹学通论实验》上机实践报告

课程名称:运筹学实验	年级: 2015 级	上机实践成绩:
指导教师: 李建平	姓名: 刘鹏	专业: 信息与计算科学
上机实践名称:两阶段法求线性规划问题	学号: 20151910042	上机实践日期: 2018-05-21
上机实践编号: 3	组号:	

一、实验目的

- 1. 通过对两阶段法进行编程实现,让自己对单纯形算法理解得更加透彻;
- 2. 通过对 MATLAB 的 linprog 程序进行调用,学习使用 MATLAB 的优化功能。

二、实验内容

- 1. 写出两阶段法[1]的算法;
- 2. 用 C 语言^[2]编程实现两阶段算法。

三、实验平台

Microsoft Windows 10 Pro Workstation 1803;

MathWorks MATLAB R2018a.

四、算法设计

(为了避免复杂冗长的循环,以下两个算法都采用 MATLAB 风格的伪代码进行描述,数学对象的除法与乘法具体是矩阵之间的运算还是矩阵的对应元素之间的运算,由采取的符号确定,具体风格与MATLAB相同。)

Algorithm: Simplex Method

Input: (1) Coefficient Matrix $\mathbf{A} = (a_{ij})_{m \times n}$ which has been standardized, $\mathbf{A} = (\mathbf{A}_1, \mathbf{A}_2, \cdots, \mathbf{A}_m)^T$;

(2) Value vector $\boldsymbol{c} = (c_{ij})_{n \times 1}$;

(3) Preprocess: Let $\mathbf{\textit{A}}'=(\mathbf{\textit{c}}^{\mathrm{T}},\mathbf{\textit{A}}_{1},\mathbf{\textit{A}}_{1},\cdots,\mathbf{\textit{A}}_{m})^{\mathrm{T}};$

(4) $b = ((b_{ij})_{m \times 1})^{\mathrm{T}};$

It means to find Max(cx), s.t. $Ax \leq b$, and $x \geq 0$.

Output: if this problem has at least one BFS, then output it or them together with the value of cx; else output "No BFS."

Begin

Step 1: find the biggest (if more than one, then choose the first one) element larger than 0 in c and name it PIVOT, whose location is L.

Step 2: find the biggest element in $\{b_i/a_{i,L} \mid a_{i,L} > 0, i = 0,1,\cdots,m\}$ (if more than one, then choose the first one), whose location is i and name i C.

Step 3:

 \mathbf{End}

Algorithm: Double Simplex Method

Input: $\boldsymbol{A} = (a_{ij})_{m \times n}, \ \boldsymbol{b} = ((b_{ij})_{m \times 1})^{\mathrm{T}}, \ \boldsymbol{c} = (c_{ij})_{n \times 1}$

Output: if this problem has (a) BFS(s), then output is as $x = (x_{ij})_{m \times 1}$; if not, then output "No Solution"

Begin

Step 1:

Step 2:

Step 3:

End

五、程序代码

5.1 程序描述

5.2 程序代码

程序代码 1

六、运行结果

代码分析

七、实验体会

八、参考文献

- HILLIER F S, LIEBERMAN G J. 运筹学导论 [M]. 9th ed. 北京: 清华大学出版社, 2010. **林锐**. 高质量 C++/C 编程指南 [M]. 1.0 ed., 2001. [1]
- [2]