Comparison of Versions of Kinship Links Joe Rodger's BG Team

September 29, 2015

 ${\bf Outcome} \hbox{: } {\rm HeightZGenderAge};$

Relationship Paths: (Gen2Siblings) [IDs:(2)];

R Groups specifically excluded: { }

Drop pair if housemates are not confirmed in the same generation: FALSE

1 Subgroups – R

\overline{R}	Included in SEM	N_{Pairs}	\bar{x}_1	\bar{x}_2	s_{1}^{2}	s_{2}^{2}	$s_{1,2}$	r	Determinant	PosDefinite
0.250	TRUE	951	-0.02	-0.06	1.04	1.06	0.25	0.24	1.0	TRUE
0.375	TRUE	18	0.32	0.07	1.11	0.99	0.45	0.43	0.9	TRUE
0.500	TRUE	1968	0.00	0.00	0.96	0.95	0.37	0.39	0.8	TRUE

Table 1: R

2 Subgroups – RFull

RFull	Included in SEM	N_{Pairs}	\bar{x}_1	\bar{x}_2	s_{1}^{2}	s_{2}^{2}	$s_{1,2}$	r	Determinant	PosDefinite
0.250	TRUE	951	-0.02	-0.06	1.04	1.06	0.25	0.24	1.0	TRUE
0.375	TRUE	18	0.32	0.07	1.11	0.99	0.45	0.43	0.9	TRUE
0.500	TRUE	1968	0.00	0.00	0.96	0.95	0.37	0.39	0.8	TRUE

Table 2: RFull

3 Subgroups – RExplicit

RExplicit	Included in SEM	N_{Pairs}	\bar{x}_1	\bar{x}_2	s_{1}^{2}	s_2^2	$s_{1,2}$	r	Determinant	PosDefinite
0.250	TRUE	906	-0.02	-0.07	1.04	1.05	0.27	0.26	1.0	TRUE
0.375	TRUE	84	0.06	0.14	0.92	1.18	0.24	0.23	1.0	TRUE
0.500	TRUE	1926	-0.00	0.00	0.97	0.95	0.37	0.39	0.8	TRUE

Table 3: RExplicit

${\bf 4}\quad Subgroups-RImplicit$

RImplicit	Included in SEM	N_{Pairs}	\bar{x}_1	\bar{x}_2	s_{1}^{2}	s_{2}^{2}	$s_{1,2}$	r	Determinant	PosDefinite
0.250	TRUE	913	-0.01	-0.06	1.06	1.05	0.28	0.26	1.0	TRUE
0.500	TRUE	1903	-0.01	-0.00	0.97	0.96	0.38	0.39	0.8	TRUE

Table 4: RImplicit

$5\quad Subgroups-RImplicit 2004$

RImplicit2004	Included in SEM	N_{Pairs}	\bar{x}_1	\bar{x}_2	s_1^2	s_{2}^{2}	$s_{1,2}$	r	Determinant	PosDefinite
0.250	TRUE	761	-0.03	-0.04	1.02	1.04	0.29	0.28	1.0	TRUE
0.375	TRUE	476	-0.04	-0.08	1.04	0.92	0.28	0.28	0.9	TRUE
0.500	TRUE	1682	0.01	0.02	0.96	0.97	0.37	0.39	0.8	TRUE

Table 5: RImplicit2004

6 Ace - Comparison of R Variants

(See the final table for an explanation of the different R variants.)

dAcePretty[, 1]	a^2	c^2	e^2	se_{a^2}	se_{c^2}	se_{e^2}	N
R	.67	.06	.26	.13	.06	.08	2,937
RFull	.67	.06	.26	.13	.06	.08	2,937
RExplicit	.62	.08	.29	.14	.06	.08	2,916
RImplicit	.58	.11	.31	.14	.06	.08	2,816
RImplicit2004	.51	.13	.36	.15	.06	.08	2,919

Table 6: Comparison of R Variants (by rows) and of Links Versions (left vs right side).

7 Explanation of R Variants

Variant	Explanation
R	We recommend researchers typical use this version.
R_{Full}	The most complete version we have; doesn't exclude groups like $R=0$.
R_{Pass1}	Supposed to be fooled only by errors in the subject's/mother's knowledge
RImplicit	Uses only implicit items
$RImplicit_{Pass1}$	Uses only implicit items & supposed to be fooled only by knowledge errors
$RImplicit_{Mother}$	Uses only mother's implicit items (exists only for Gen2)
$RImplicit_{Subject}$	Uses only subject's implicit items
$RImplicit_{2004}$	The state of the links in 2004. Rodgers & Rowe for Gen1; Rodgers, Johnson & Bard for Gen2
RExplicit	Uses only explicit items
$RExplicit_{Pass1}$	Uses only explicit items & supposed to be fooled only by knowledge errors