



# **FALTA TITOL CATALA!**



- 1 one inch + \hoffset
- $3 \setminus oddsidemargin = -13pt$
- 5 \headheight = 14pt
- $7 \setminus \text{textheight} = 699\text{pt}$
- 0 \marginparsep = 0pt
- 11 \footskip = 19pt
   \hoffset = 0pt
   \paperwidth = 597pt
- 2 one inch + \voffset
- 4  $\setminus$ topmargin = -38pt
- 6 \headsep = 22pt
- 8 textwidth = 469pt
- 10 \marginparwidth = Opt
  \marginparpush = 7pt (not shown)
  \voffset = Opt
  \paperheight = 845pt



- 1 one inch + \hoffset
- $3 \cdot \text{evensidemargin} = -13pt$
- 5 \headheight = 14pt
- 7 textheight = 699pt
- 0 \marginparsep = 0pt
- 11 \footskip = 19pt
   \hoffset = 0pt
   \paperwidth = 597pt
- 2 one inch +  $\voffset$
- 4  $\land$  topmargin = -38pt
- 6 \headsep = 22pt
- $8 \setminus \text{textwidth} = 469 \text{pt}$
- 10 \marginparwidth = 0pt
  \marginparpush = 7pt (not shown)
  \voffset = 0pt
  \paperheight = 845pt

Some text here to see the typographi

# **CHAPTER 1. INTRODUCTION**

# 1.1 Motivation of the Project

# CHAPTER 2. MODELING MAGNETIC INDUCTION SYSTEM

# CHAPTER 3. ARCHITECTURE AND DESIGN OF THE WPT SYSTEM

# **CHAPTER 4. EXPERIMENTAL RESULTS**

# **CONCLUSIONS**

#### **BIBLIOGRAPHY**

#### **CHAPTER 5. INDUCTANCE CHARACTERIZATION**

- 5.1 Inductance Estimation Table
- 5.2 Equivalent coil impedance

# **CHAPTER 6. MODEL EQUATIONS**

#### 6.1 Secondary capacitor in series

#### 6.2 Secondary capacitor in parallel

The same steps as above are followed for obtaining the impedances  $Z_2$  and  $Z_R$  when the secondary capacitor is placed in parallel:

#### **CHAPTER 7. COILS EXPERIMENTAL RESULTS**

- 7.1 Inductance and Resistance
- 7.2 Quality Factor

# **CHAPTER 8. CIRCUIT SCHEMATICS**

# 8.1 Voltage Regulator