




Short Term Hospitalization Projection




Long Term Hospitalization Projection




Short Term ICU Projection




Long Term ICU Projection




Short Term Death Projection



Long Term Death Projection





Effective Reproduction Number





Rt as of 2021-01-30


5%	10%	25%	50%	75%	90%	95%
0.36	0.41	0.49	0.58	0.66	0.73	0.77
















duration_pre_hosp











A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and ranges from 0 to 1.5 with major ticks at 0.5, 1.0, and 1.5. The y-axis represents frequency, with a scale from 0 to 10. The distribution is unimodal and slightly right-skewed, peaking at 0.5 children with a frequency of approximately 10.5.

Number of children	Frequency
0.0	1.0
0.1	2.0
0.2	4.0
0.3	6.0
0.4	9.0
0.5	10.5
0.6	9.0
0.7	7.0
0.8	5.0
0.9	4.0
1.0	3.0
1.1	2.0
1.2	1.0
1.3	0.5
1.4	0.5
1.5	0.5

A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and ranges from 0 to 2.0 with major ticks at 0.5, 1.0, 1.5, and 2.0. The y-axis represents frequency, with a scale from 0 to 10. The distribution is roughly bell-shaped, centered around 1.0 child per family. The bars are light blue with black outlines.

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency, ranging from 0 to 10. The distribution is roughly bell-shaped, centered around 1.0 to 1.25, with a peak frequency of 10.

Number of Correct Answers	Frequency
0.5	1
0.6	2
0.7	3
0.8	4
0.9	5
1.0	6
1.1	7
1.2	8
1.25	10
1.3	9
1.4	7
1.5	6
1.6	5
1.7	4
1.8	3
1.9	2
2.0	1

A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and ranges from 0 to 2.0 with major ticks at 0.5, 1.0, 1.5, and 2.0. The y-axis represents frequency, with a scale from 0 to 10. The distribution is roughly bell-shaped, centered around 1.0 child per family. The bars are light blue with black outlines.

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.0 to 2.0 with major ticks at 0.5, 1.0, 1.5, and 2.0. The y-axis represents frequency, with a scale from 0 to 10. The distribution is roughly bell-shaped, centered around 1.0, with a range from 0.0 to 2.0.

Number of Correct Answers	Frequency
0.0	1
0.1	2
0.2	3
0.3	4
0.4	5
0.5	6
0.6	7
0.7	8
0.8	9
0.9	10
1.0	10
1.1	9
1.2	8
1.3	7
1.4	6
1.5	5
1.6	4
1.7	3
1.8	2
1.9	1
2.0	1

A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and ranges from 0 to 1.5 with major ticks at 0.5, 1.0, and 1.5. The y-axis represents frequency, with a scale from 0 to 10. The distribution is roughly bell-shaped, centered around 0.75 children per family, with a slight right skew. The bars are light blue with black outlines.

A histogram representing the distribution of the number of clusters per node. The x-axis ranges from 0.0 to 1.6 with major ticks at 0.4, 0.8, 1.2, and 1.6. The y-axis represents frequency, with a maximum value of 10 indicated by a tick mark. The distribution is unimodal and slightly right-skewed, peaking at approximately 11 bars around the 0.7 mark on the x-axis. Most of the data falls between 0.2 and 1.4.

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.4 to 1.6 with major ticks every 0.4 units. The y-axis represents the frequency, ranging from 0 to 10 with major ticks every 2 units. The distribution is roughly bell-shaped, centered around 8 correct answers.

Number of Correct Answers	Frequency
4	1
5	2
6	3
7	4
8	5
9	6
10	7
11	8
12	9
13	10
14	9
15	8
16	7
17	6
18	5
19	4
20	3
21	2
22	1
23	1
24	1

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency, ranging from 0 to 10. The distribution is unimodal and slightly right-skewed, with a peak frequency of 10 at 1.25 correct answers.

Number of Correct Answers	Frequency
0.5	1
0.6	1
0.7	2
0.8	3
0.9	5
1.0	7
1.1	9
1.2	10
1.3	9
1.4	7
1.5	5
1.6	4
1.7	3
1.8	2
1.9	1
2.0	1

A histogram showing the distribution of the number of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency of correct answers. The distribution is roughly bell-shaped, centered around 1.0 to 1.25, with a range from 0.5 to 2.0.

Number of Correct Answers	Frequency
0.5	1
0.6	2
0.7	3
0.8	4
0.9	6
1.0	10
1.1	10
1.2	9
1.3	7
1.4	5
1.5	3
1.6	2
1.7	1
1.8	1
1.9	1

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0 to 2.0 with major ticks at 0.5, 1.0, 1.5, and 2.0. The y-axis represents frequency, with a scale from 0 to 10. The distribution is roughly bell-shaped, centered around 1.25 correct answers. The bars are light blue with black outlines.

Number of Correct Answers	Frequency
0.0	0
0.1	0
0.2	1
0.3	2
0.4	3
0.5	4
0.6	5
0.7	6
0.8	7
0.9	8
1.0	9
1.1	10
1.2	11
1.3	10
1.4	9
1.5	8
1.6	7
1.7	6
1.8	5
1.9	4
2.0	3

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency, ranging from 0 to 10. The distribution is roughly bell-shaped, centered around 1.0, with a range from 0.5 to 2.0.

A histogram showing the frequency of correct answers for a 10-item test. The x-axis is labeled with values 0.5, 1.0, 1.5, and 2.0. The y-axis represents frequency, with a scale from 0 to 10. The distribution is unimodal and slightly right-skewed, with a peak frequency of 10 at 1.0 correct answers.


Number of Correct Answers	Frequency
0.5	1
0.6	2
0.7	3
0.8	4
0.9	6
1.0	10
1.1	8
1.2	6
1.3	4
1.4	3
1.5	2
1.6	1
1.7	1
1.8	0
1.9	0
2.0	0


Number of Correct Answers	Frequency
4	1
5	2
6	3
7	5
8	10
9	8
10	6
11	4
12	3
13	2
14	1
15	1
16	0

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, with labels at 0.5, 1.0, and 1.5. The y-axis represents the frequency, with a maximum of 10. The distribution is roughly bell-shaped, centered around 7 correct answers.


A histogram showing the distribution of the number of trials until the first success. The x-axis is labeled with values 0.8, 1.0, 1.2, and 1.4. The distribution is unimodal and slightly right-skewed, with a peak around 1.0.

A histogram showing the distribution of the sample mean of 1000 samples of size 100. The distribution is centered at 0.5000, with x-axis labels at 0.4998, 0.5000, and 0.5002.







sigma_obs[1]



sigma_obs[2]



sigma_obs[3]



sigma_obs[4]

