




Short Term Hospitalization Projection




Long Term Hospitalization Projection




Short Term ICU Projection




Long Term ICU Projection




Short Term Death Projection



Long Term Death Projection





Effective Reproduction Number





Rt as of 2020-12-16


5% 10% 25% 50% 75% 90% 95%
0.92 0.95 0.98 1.02 1.06 1.10 1.12


























A histogram showing the distribution of the number of correct answers for a 10-item test. The x-axis is labeled 'Number of correct answers' and has major ticks at 0.5, 1.0, 1.5, and 2.0. The y-axis represents frequency, with a peak of 10 at 1.0 correct answers. The distribution is roughly bell-shaped, centered around 10 correct answers.

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers (0.5 to 2.0), and the y-axis represents the frequency (0 to 10). The distribution is roughly bell-shaped, centered around 1.0 correct answers.

Number of Correct Answers	Frequency
0.5	1
0.6	2
0.7	3
0.8	4
0.9	6
1.0	10
1.1	9
1.2	8
1.3	7
1.4	6
1.5	5
1.6	4
1.7	3
1.8	2
1.9	1

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency, ranging from 0 to 10. The distribution is unimodal and slightly right-skewed, with a peak frequency of 10 at 1.25 correct answers.

Number of Correct Answers	Frequency
0.5	1
0.6	2
0.7	3
0.8	4
0.9	6
1.0	8
1.1	10
1.2	11
1.3	10
1.4	8
1.5	6
1.6	4
1.7	3
1.8	2
1.9	1
2.0	1

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency, ranging from 0 to 10. The distribution is roughly bell-shaped, centered around 1.25 correct answers.

Number of Correct Answers	Frequency
0.5	1
0.6	2
0.7	3
0.8	4
0.9	6
1.0	8
1.1	9
1.2	10
1.3	9
1.4	8
1.5	6
1.6	4
1.7	3
1.8	2
1.9	1
2.0	1

A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and has major ticks at 0.4, 0.8, 1.2, and 1.6. The y-axis is labeled 'Frequency' and has major ticks at 0, 10, 20, 30, 40, and 50. The histogram consists of 15 bars, each with a width of 0.2. The distribution is unimodal and slightly right-skewed, with the highest frequency of 50 occurring for 0.6 children.

Number of children (bin center)	Frequency
0.4	2
0.5	5
0.6	12
0.7	25
0.8	48
0.9	45
1.0	35
1.1	28
1.2	20
1.3	15
1.4	10
1.5	5
1.6	2

Number of Correct Answers	Frequency
4	1
5	2
6	4
7	8
8	10
9	9
10	7
11	6
12	4
13	3
14	2
15	1
16	1

A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 1.5. The y-axis represents the frequency, ranging from 0 to 10. The distribution is unimodal and slightly right-skewed, with a peak frequency of 10 at 10 correct answers.

A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and has major tick marks at 0.8, 1.2, and 1.6. The y-axis represents frequency, with a maximum value of 10. The distribution is roughly bell-shaped, centered around 1.0 child per family. The bars are light blue with black outlines.


A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, ranging from 0.5 to 2.0. The y-axis represents the frequency, ranging from 0 to 10. The distribution is roughly bell-shaped, centered around 1.0 to 1.25.


Number of Correct Answers	Frequency
0.5	1
0.6	1
0.7	2
0.8	3
0.9	5
1.0	10
1.1	10
1.2	9
1.25	9
1.3	8
1.4	7
1.5	5
1.6	4
1.7	3
1.8	2
1.9	1
2.0	1

A histogram showing the frequency of the number of children per family. The x-axis is labeled 'Number of children' and ranges from 0 to 2.5 with major ticks at 1.0, 1.5, and 2.0. The y-axis represents frequency, with a scale from 0 to 10. The distribution is roughly bell-shaped, centered around 1.25 children, with a peak frequency of approximately 10 for 1.25 children.


A histogram showing the frequency of correct answers for a 10-item test. The x-axis represents the number of correct answers, with labels at 0.75, 1.00, 1.25, and 1.50. The y-axis represents the frequency, with labels at 0, 5, and 10. The distribution is roughly bell-shaped, centered around 9 correct answers. The highest frequency is 10, occurring at 9 correct answers.

A histogram showing the distribution of the number of trials until the first success. The x-axis is labeled with values 0.8, 1.0, 1.2, and 1.4. The distribution is right-skewed, with a peak around 1.0 and a long tail extending to the right.







sigma_obs[1]



sigma_obs[2]



sigma_obs[3]



sigma_obs[4]

