## **Learn Mininet**

`	1. 左左 十日	144	44	CCOOC
r	「見州」	ואאן	犸	CS339

李子龙 518070910095 2021 年 10 月 30 日

## 目录

1 第一节 - - - - - - - - - - - - - - 2

## 1 第一节

## Listing 1: lab02/task1.py

```
# 1. Simulate the following topology in Mininet. Set the link bandwidth for (
       s1,s2) and (s1,s3) as 10Mbps. Use Iperf to test the TCP throughput
       between every host pair.
2
   # h1--s1--s2--h2
3
4
   #
5
   #
          s3
   #
6
   #
          h3
7
8
   from mininet.link import TCLink
9
   from mininet.topo import Topo
10
   from mininet.net import Mininet
11
   from mininet.log import lg, info
12
   from mininet.util import dumpNodeConnections
13
   class NetworkTopo(Topo):
15
        "Topology of task 1."
16
17
       def build(self):
18
19
            # Create switchs and hosts
            h1, h2, h3 = [self.addHost(h) for h in ('h1', 'h2', 'h3')]
20
            s1, s2, s3 = [self.addSwitch(s) for s in ('s1', 's2', 's3')]
21
22
            # Wire up switches with constriants
23
            self.addLink(s1, s2, bw=10)
24
            self.addLink(s1, s3, bw=10)
25
26
            self.addLink(h1, s1)
27
            self.addLink(h3, s3)
self.addLink(h2, s2)
28
29
30
   def perfTest():
31
32
        "Use Iperf to test the TCP throughput between every host pair."
33
        topo = NetworkTopo()
       # The constructor of TCLink is required
34
       # to get the constraints from topo.
35
36
       net = Mininet(topo=topo,link=TCLink,autoStaticArp=True)
37
       net.start()
       dumpNodeConnections(net.hosts)
38
       h1, h2, h3 = net.getNodeByName('h1','h2','h3')
39
       net.iperf((h1,h2))
40
       net.iperf((h1,h3))
41
        net.iperf((h2,h3))
42
43
       net.stop()
44
   if __name__ == "__main__":
45
        # lg.setLogLevel( 'info' )
46
47
       perfTest()
```