OPERATING SYSTEM - CS23431

EXP 6(A)

FIRST COME FIRST SERVE

NAME: LOKAA V

ROLL NO: 231501085

PROGRAM:

```
#include <stdio.h>
int main() {
int n, i; printf("Enter number of processes: "); scanf("%d", &n);
int bt[n], wt[n], tat[n];
printf("\nEnter burst time for each process:\n");
for (i = 0; i < n; i++) {
printf("P[%d]: ", i + 1);
scanf("%d", &bt[i]);
}
wt[0] = 0;
for (i = 1; i < n; i++)
wt[i] = wt[i-1] + bt[i-1];
}
for (i = 0; i < n; i++)
tat[i] = bt[i] + wt[i];
int total wt = 0, total tat = 0;
for (i = 0; i < n; i++) {
total_wt += wt[i];
total_tat += tat[i];
```

```
 printf("\nProcess\tBurst Time\tWaiting Time\tTurnaround Time\n"); for (i = 0; i < n; i++) { \\ printf("P[\%d]\t\%5d\t\t\%5d\t\t\%5d\n", i + 1, bt[i], wt[i], tat[i]); } \\ printf("\nTotal waiting time = \%d\n", total_wt); \\ printf("Total turnaround time = \%d\n", total_tat); \\ printf("Average waiting time = \%.2f\n", (float)total_wt / n); \\ printf("Average turnaround time = \%.2f\n", (float)total_tat / n); \\ return 0; \\ \}
```

OUTPUT:

```
[student@localhost ~]$ vi fcfs164.c
[student@localhost ~]$ ./a.out
Enter number of process: 3

Enter burst time for each process: 24

3

3

Process Burst time Waiting time Turn Around Time
0 24 0 24
1 3 24 27
2 3 27 30

Total waiting time is: 51
Total turn around time is: 81
Average waiting time is: 17
Average turn around time is: 27
[student@localhost ~]$ ■
```