# **Experiment 1.3**

Student Name: Shivam Kumar Branch: BE-CSE

UID: 21BCS2124 Section/Group: 21BCS-605(A)

Date of performance: 25/08/2022 Subject name: Data Structures

#### AIM:

Write a menu driven program that maintains a linear linked list whose elements are stored in on ascending order and implements the following operations (using separate functions):

- a) Insert a new element
- b) Delete an existing element
- c) Search an element
- d) Display all the elements

#### CODE:

```
#include <iostream>
using namespace std;

struct Node
{
    int data;
    struct Node *next;
};

// Function to print Linked List
void printList(Node *node)
{
    while (node != NULL)
    {
        cout << " " << node->data;
        node = node->next;
    }
}

// Function to traverse the Linked List
void linkedlisttraverse(struct Node *ptr)
{
```

```
while (ptr != NULL)
        cout << "Element: " << ptr->data;
        cout << "\n";</pre>
        ptr = ptr->next;
// Function to insert at first in the linked list
struct Node *insertatfirst(struct Node *head, int data)
    struct Node *ptr = (struct Node *)malloc(sizeof(struct Node));
    ptr->next = head;
    ptr->data = data;
    return ptr;
// Function to insert at any index in the Linked list
struct Node *insertatindex(struct Node *head, int data, int index)
    struct Node *ptr = (struct Node *)malloc(sizeof(struct Node));
    struct Node *p = head;
    int i = 0;
    while (i !=index - 1)
        p = p->next;
        i++;
    }
    ptr->data = data;
    ptr->next = p->next;
    p->next = ptr;
    return head;
// Function to insert at the end of Linked list
struct Node *insertAtEnd(struct Node *head, int data)
    struct Node *ptr = (struct Node *)malloc(sizeof(struct Node));
    ptr->data = data;
    struct Node *p = head;
    while (p->next != NULL)
        p = p->next;
    p->next = ptr;
```

```
ptr->next = NULL;
   return head;
// Function to delete at first
struct Node *deleteatfirst(struct Node *head)
    struct Node *ptr = head;
   head = head->next;
   free(ptr);
   return head;
// function to delete at any index
struct Node *deleteatindex(struct Node *head, int index)
{
   struct Node *p = head;
    struct Node *q = head->next;
   for (int i = 0; i < index - i; i++)
    {
        p = p->next;
        q = q->next;
    p->next = q->next;
   free(q);
   return head;
// Function to delete at the end
struct Node *deleteatend(struct Node *head)
    struct Node *end = head;
    struct Node *prev = NULL;
   while (end->next)
    {
        prev = end;
        end = end->next;
   prev->next = NULL;
   free(end);
    return head;
void push(Node **head_ref, int new_key)
   Node *new node = new Node();
```

```
new_node->data = new_key;
    new node->next = (*head ref);
    (*head ref) = new node;
/st Checks whether the value x is present in linked list st/
bool search(Node *head, int x)
{
    Node *current = head;
    while (current != NULL)
        if (current->data == x)
            return true;
        current = current->next;
    return false;
int main()
{
    cout<<"Name - Shivam Kumar\n";</pre>
    cout<<"UID - 21BCS2124\n";</pre>
    cout<<"Section - 21BCS-605(A)\n";</pre>
    bool exit = false;
    char YesNo;
    while (!exit)
        struct Node *head;
        struct Node *second;
        struct Node *third;
        struct Node *fourth;
        // Allocate memory for nodes in the linked list in heap
        head = (struct Node *)malloc(sizeof(struct Node));
        second = (struct Node *)malloc(sizeof(struct Node));
        third = (struct Node *)malloc(sizeof(struct Node));
        fourth = (struct Node *)malloc(sizeof(struct Node));
        // link first and second node
        head->data = 7;
        head->next = second;
        // Link second and third node
        second->data = 11;
        second->next = third;
```

```
// Link second and thirth node
third->data = 25;
third->next = fourth;
// terminate the list at fourth node
fourth->data = 66;
fourth->next = NULL;
// Printing all the operations performed by function calling
cout << "\nLinked list after traversing: " << endl;</pre>
linkedlisttraverse(head);
cout << endl;</pre>
int n;
cout << "1. Insert a new Element\n";</pre>
cout << "2. Delete an existing element\n";</pre>
cout << "3. Search an Element\n";</pre>
cout << "4. Display all Elements\n";</pre>
cout << "Enter Between 1-4: ";</pre>
cin >> n;
cout << endl;</pre>
switch (n)
{
case 1:
    cout << "Linked list before Insertion: " << endl;</pre>
    printList(head);
    cout << endl;</pre>
    cout << "\nPerforming Insertion Operations....\n\n";</pre>
    cout << "\nLinked list after insertion at first: " << endl;</pre>
    head = insertatfirst(head, 56);
    printList(head);
    cout << endl;</pre>
    cout << "\nLinked list after insertion at any index: " << endl;</pre>
    insertatindex(head, 1, 2);
    printList(head);
    cout << endl;</pre>
    cout << "\nLinked list after insertion at end: " << endl;</pre>
    head = insertAtEnd(head, 25);
    printList(head);
    cout << endl;</pre>
    break;
case 2:
    cout << "Linked list before Deletion: " << endl;</pre>
```

```
printList(head);
             cout << endl;</pre>
             cout << "\nPerforming Deletion Operations....\n\n";</pre>
             cout << "\nLinked list after deletion at first: " << endl;</pre>
             head = deleteatfirst(head);
             printList(head);
             cout << endl;</pre>
             cout << "\nLinked list after deletion at any index: " << endl;</pre>
             head = deleteatindex(head, 2);
             printList(head);
             cout << endl;</pre>
             cout << "\nLinked list after deletion at end: " << endl;</pre>
             head = deleteatend(head);
             printList(head);
             cout << endl;</pre>
             break;
        case 3:
             cout << "\nPerforming Searching....\n\n";</pre>
             search(head, 66) ? cout << "\nElement is present in the Linked</pre>
List\n" : cout << "\nElement is not present in the Linked List\n";</pre>
             break;
        case 4:
             cout << "\nDisplaying Array....\n\n";</pre>
             cout << "\nLinked list after all operations: " << endl;</pre>
             printList(head);
             break;
        default:
             cout << "\nInvalid Input!!!";</pre>
             break;
         }
        //Wish to continue or not
        cout << " \n \n Do you want to continue? (Y or N) \n";</pre>
        cin >> YesNo;
        if (YesNo == 'N' || YesNo == 'n')
         {
             exit = true;
        system("pause");
    return 0;
```

#### **OUTPUT:**

```
Name - Shivam Kumar
UID - 21BCS2124
Section - 21BCS-605(A)
Linked list after traversing:
Element: 7
Element: 11
Element: 25
Element: 66

    Insert a new Element

2. Delete an existing element
3. Search an Element
4. Display all Elements
Enter Between 1-4: 1
Linked list before Insertion:
7 11 25 66
Performing Insertion Operations....
Linked list after insertion at first:
 56 7 11 25 66
Linked list after insertion at any index:
 56 7 1 11 25 66
Linked list after insertion at end:
 56 7 1 11 25 66 25
Do you want to continue? (Y or N)
n
Press any key to continue . . .
```

```
Linked list after traversing:
Element: 7
Element: 11
Element: 25
Element: 66
1. Insert a new Element
2. Delete an existing element
3. Search an Element
4. Display all Elements
Enter Between 1-4: 2
Linked list before Deletion:
7 11 25 66
Performing Deletion Operations....
Linked list after deletion at first:
 11 25 66
Linked list after deletion at any index:
 11 25
Linked list after deletion at end:
 11
 Do you want to continue? (Y or N)
Press any key to continue . . .
```

```
Linked list after traversing:
Element: 7
Element: 11
Element: 25
Element: 66

1. Insert a new Element
2. Delete an existing element
3. Search an Element
4. Display all Elements
Enter Between 1-4: 3

Performing Searching....

Element is present in the Linked List

Do you want to continue? (Y or N)

y
Press any key to continue . . .
```

```
Linked list after traversing:
Element: 7
Element: 11
Element: 25
Element: 66

1. Insert a new Element
2. Delete an existing element
3. Search an Element
4. Display all Elements
Enter Between 1-4: 4

Displaying Array....

Linked list after all operations: 7 11 25 66

Do you want to continue? (Y or N) y
Press any key to continue . . .
```

Linked list after traversing:
Element: 7
Element: 11
Element: 25
Element: 66

1. Insert a new Element
2. Delete an existing element
3. Search an Element
4. Display all Elements
Enter Between 1-4: 5

Invalid Input!!!

Do you want to continue? (Y or N)
n
Press any key to continue . . .

## **Learning outcomes:**

- 1. Learned Singly Linked List
- 2. Learned about Insertion, Deletion and Searching in Linked List.
- 3. Learned use of Functions for different operations.
- 4. Learned concepts of NULL and head in Linked List.

### **Evaluation Grid:**

Sr. No.	Parameters	Marks Obtained	Maximum Marks
1.	Student Performance (Conduct of experiment) objectives/Outcomes.		12
2.	Viva Voce		10
3.	Submission of Work Sheet (Record)		8
	Total		30