

Data Structures

Experiment 1.2

Student Name: Shivam Kumar Branch: BE-CSE

UID: 21BCS2124 Section/Group: 21BCS-605(A)

Date of performance: 18/08/2022 Subject name: Data Structures

AIM:

Write a program to demonstrate the use of linear and binary search to find a given element in an array.

PROGRAM CODE:

```
#include <iostream>
using namespace std;
int main()
    // Declaring variables and taking array as input from the user
    int size;
    int position, fact = 0, n;
    cout << "\n";</pre>
    cout << "Name - Shivam Kumar \n";</pre>
    cout << "UID - 21BCS2124 \n";</pre>
    cout << "Section - 21BCS-605(A) \n";</pre>
    cout << "\n";</pre>
    cout << "Enter number of elements - ";</pre>
    cin >> size;
    int a[size], arr[size];
    cout << "\nEnter Elements of the array: " << endl;</pre>
    for (int i = 0; i < size; i++)</pre>
        cin >> a[i];
    }
    cout << "Enter element to search: ";</pre>
    cin >> f;
    //performing Linear Search
    cout << "\n-----" << endl;</pre>
    for (int j = 0; j < size; j++)</pre>
```



Data Structures

```
{
        if (a[j] == f)
            fact = 1;
            position = j;
        }
    }
   if (fact == 1)
        cout << "\nElement is found at index " << position << endl;</pre>
        cout << "\n";</pre>
    }
   else
        cout << "\nElement not found in the array.";</pre>
        cout << "\n";</pre>
    }
   //performing Binary Search
    cout << "\n-----" << endl;</pre>
    {
        int low, high, mid;
        int temp;
        //Sorting array because Binary search can only be implemented on sorted
array.
        for (int j = 0; j < size; j++)</pre>
            for (int i = 0; i < size; i++)</pre>
            {
                 if (a[i] > a[i + 1])
                 {
                     temp = a[i];
                     a[i] = a[i + 1];
                     a[i + 1] = temp;
            }
        cout << "\nSorted Array : " << endl;</pre>
        for (int i = 0; i < size; i++)</pre>
            cout << a[i] << " ";
        cout << "\n\n";</pre>
        high = 0;
        low = size - 1;
        mid = \overline{((high + low) / 2);}
        while (high <= low)</pre>
```



Data Structures

```
{
    if (a[mid] < f)
    {
        high = mid + 1;
    }
    else if (a[mid] == f)
    {
        cout << "Number Found at index " << mid;
        cout << "\n\n";
        break;
    }
    else
    {
        low = mid - 1;
    }
    mid = (high + low) / 2;
}
if (high > low)
    cout << "Element not found in the array.";
}
</pre>
```

OUTPUT:

```
Name - Shivam Kumar
UID - 21BCS2124
Section - 21BCS-605(A)

Enter number of elements - 4

Enter Elements of the array:
5
8
2
4
Enter element to search: 2
------LINEAR SEARCH-----
Element is found at index 2

Sorted Array:
2 4 4 5

Number Found at index 0
```