Hands-on Lab: Working with Networking Commands



Estimated time needed: 30 minutes

Learning Objectives

After completing this lab, you will be able to:

- View your network configuration using the hostname and ifconfig commands
- Test a network connection using the ping command
- Transfer data using the curl and wget commands

About Skills Network Cloud IDE

Skills Network Cloud IDE (based on Theia and Docker) provides an environment for hands on labs for course and project related labs. Theia is an open source IDE (Integrated Development Environment), that can be run on desktop or on the cloud. To complete this lab, you will be using the Cloud IDE based on Theia.

Important notice about this lab environment

Please be aware that sessions for this lab environment are not persisted. Thus, every time you connect to this lab, a new environment is created for you and any data or files you may have saved in a previous session will be lost. To avoid losing your data, plan to complete these labs in a single session.

Exercise 1 - View configuration info about your network

1.1. Display your system's hostname and IP address

hostname

A hostname is a name that is assigned to a computer or device on a network, and it is used to identify and communicate with that device.

To view the current hostname, run the command below:

- 1. 1
- 1. hostname

Copied!

An IP address (Internet Protocol address) is a numerical label assigned to each device connected to a computer network that uses the Internet Protocol for communication.

You can use the -i option to view the IP address of the host:

- 1. 1
- 1. hostname -i

Copied!

1.2. Display network interface configuration

ifconfig

The ifconfig command is used to configure or display network interface parameters for a network.

To display the configuration of all network interfaces of your system, enter:

- 1. 1
- 1. ifconfig

Copied!

To display the configuration of a particular device, such as the ethernet adapter etho, enter:

- 1. 1
- 1. ifconfig eth0

Copied!

etho is usually the primary network interface that connects your server to the network.

You can see your server's IP address in line 2 after the word inet.

Exercise 2 - Test network connectivity

2.1. Test connectivity to a host

ping

Use the ping command to check if www.google.com is reachable. The command keeps pinging data packets to server at www.google.com and prints the response it gets back. (Press Ctrl+c to stop pinging.)

- 1. 1
- 1. ping www.google.com

Copied!

If you want to ping only a limited number of times, use -c option.

- 1. 1
- 1. ping -c 5 www.google.com

Copied!

Exercise 3 - View or download data from a server

3.1. Transfer data from a server

curl

You can use curl to access the file at the following URL and display the file's contents on your screen:

- 1. 1
- 1. curl https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/usdoi.txt

Copied!

To access the file at the given URL and also save it in your current working directory, use the -0 option:

- 1. 1
- $\textbf{1. curl -0 https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based and the storage appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based and the storage appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash\%20Scripting/usdoi.txt-based appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Based appd$

Copied!

You can also use curl to view the HTML code for any web page if you know its URL.

3.2. Download file(s) from a URL

wget

The wget command is similar to cur1, however its primary use is for file downloading. One unique feature of wget is that it can recursively download files at a URL.

To see wget in action, first remove usdoi.txt from your current directory:

- 1. 1
- 1. rm usdoi.txt

Copied!

then download it again using wget as follows:

1. wget https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBM-DB0250EN-SkillsNetwork/labs/Bash%20Scripting/usdoi.txt

Copied!

Practice exercises

Before you begin, ensure you're in your /home/project directory by entering:

- 1. 1
- 2. 2
- 1. cd `/home/project`
- 2. pwd

Copied!

- 1. Display your host's IP address.
- ▶ Click here for Hint
- ► Click here for Solution
- 2. Get connectivity stats on your connection to www.google.com.
- ► Click here for Hint
- ► Click here for Solution
- 3. View info about your ethernet adapter etho.
- ► Click here for Hint
- ▶ Click here for Solution
- 4. View the HTML code for www.google.com's landing page.
- ▶ Click here for Hint
- ▶ Click here for Solution
- 5. Download the HTML code for www.google.com's landing page.
- ► Click here for Hint
- ► Click here for Solution

Summary

In this lab, you learned how to:

- View your network configuration using the hostname and ifconfig commands
- Test a network connection using the ping command
- Transfer data using the curl and wget commands

Authors

Jeff Grossman Ramesh Sannareddy Sam Prokopchuk

Other contributors

Rav Ahuja

© IBM Corporation. All rights reserved.