# CSC148 Summer 2016, Lab #03

### learning goals

In this lab you will practice using stacks, implement a queue, then practice using them.

You should work on these on your own before Monday, and you are certainly welcome to come and get some guidance from your TA on working through these exercises. There will be a short quiz in the lab based on these exercises.

### setup stacks

- 1. Navigate to sub-directory of csc148 called lab03, and copy the file stack.py into it
- 2. Open stack.py in PyCharm
- Create a new file in lab03 called stack client.py.

You'll probably need to import the **stack** module to get started in **stack** client.py.

#### use stacks

Now write code in the if name == " main "block of stack client.py that will:

- 1. Create a new stack.
- 2. Read text typed from the keyboard, using input('Type a string:').
- 3. Add the typed string to the stack.
- 4. Repeat the first two steps until the string end is typed
- 5. Remove the strings, one-by-one, from the stack and print them.

Above the **if** \_\_name\_\_ == "\_\_main\_\_" block, write a function called **list\_stack** that takes a list and a stack as arguments, has a **None** return, and does the following:

- 1. Adds each element of the list to the stack.
- 2. Removes the top element from the stack. If the element is a non-list, it prints it. If the element is a list, it stores each of its elements on the stack.
- 3. Continue the previous step until the stack is empty. Check for an empty stack, rather than causing an exception to be raised!

Try out your list stack function on:

```
[1, 3, 5]
[1, [3, 5], 7]
[1, [3, [5, 7], 9], 11]
```

Log on to MarkUs, find the Lab03 submission page, and submit your file stack\_client.py.

## implement queue

A queue is another abstract data type (ADT) that stores a sequence of values. Unlike a stack, where the last item in is the first item out (LIFO), a queue makes sure that the first item in is the first item out (FIFO).

This models the lineup at a coffee shop or vending machine. The operations your queue will support are: **add**: add an object at the end of the queue.

remove: remove and return the object at the beginning of the queue.

is empty: return True if this queue is empty, False otherwise.

To implement a queue you should

- 1. Open csc148 queue.py in PyCharm.
- 2. Complete all the unimplemented methods and store csc148 queue.py in your lab03 directory.
- 3. Download <u>testqueue.py</u>, open it in PyCharm, and run it to see whether your implementation of **Queue** passes the unit tests in it.

Create an if \_\_name\_\_ == "\_\_main\_\_" block in a new file queue\_driver.py¹ and add some more code to:

- 1. Create a new queue.
- 2. Prompt for an integer at the keyboard, and add it to the queue. Remember that the built-in function input (...) returns a string, from which you can construct an integer using int (...).
- 3. Repeat the previous step until you have read in, but not stored, 148.
- 4. Print the sum of all the numbers that were in the queue.

Now above the **if** \_\_\_name\_\_ == "\_\_main\_\_\_" block, create a function **list\_queue** which takes a list and a queue as arguments, and does the following:

- 1. Adds each element of the list to the queue.
- 2. Removes the top element from the queue. If the element is a non-list, print it. If the element is a list, store each of its elements on the queue.
- 3. Continue the previous step until the queue is empty. Check for an empty queue, rather than causing an exception to be raised!

Try out your queue list function on:

[1, 3, 5] [1, [3, 5], 7] [1, [3, [5, 7], 9], 11]

Log on to MarkUs, find the Lab03 submission page, and submit your files csc148\_queue.py and queue\_driver.py.

Show your work to your TA before proceeding

<sup>&</sup>lt;sup>1</sup> Of course, you'll need to use csc148\_queue

# create unit tests for sack

Emulate (that is, copy intelligently) the unit tests from testqueue.py or teststack.py to create unit tests for our Sack class. Of course you will slightly modify the tests, since a sack isn't a queue or a stack. Save your sack tests in testsack.py.

Log on to MarkUs, find the Lab03 submission page, and submit your files testsack.py.

### addition exercises

For the examples above that use <code>list\_stack</code> and <code>list\_queue</code>, draw a diagram that shows the elements remaining on the stack/queue after each <code>print</code> statement. Show the elements in order, labelling the top/bottom or front/back.