CS228 Logic for Computer Science 2021

Lecture 4: Formal proofs

Instructor: Ashutosh Gupta

IITB, India

Compile date: 2021-01-08

Topic 4.1

Formal proofs



Consequence to derivation

Let us suppose for a (in)finite set of formulas Σ and a formula F, we have $\Sigma \models F$.

Can we syntactically infer $\Sigma \models F$ without writing the truth tables, which may be impossible if the size of Σ is infinite?

We call the syntactic inference "derivation". We derive the following statements.

$$\Sigma \vdash F$$

Example: derivation

Example 4.1

Let us consider the following simple example.


$$\underbrace{\Sigma \cup \{F\}}_{Left\ hand\ side(lhs)} \vdash F$$

If F occurs in lhs, then F is clearly consequence of the lhs.

Therefore, we should be able to derive the above statement.

Proof rules

A proof rule provides us a means to derive new statements from the old statements.



A derivation proceeds by applying the proof rules.

What rules do we need for the propositional logic?

Proof rules - Basic

$$\operatorname{Assumption}_{\overline{\Sigma} \vdash F} F \in \Sigma$$

$$\mathrm{Monotonic}\frac{\Sigma \vdash F}{\Sigma' \vdash F}\Sigma \subseteq \Sigma'$$

Derivation

Definition 4.1

A derivation is a list of statements that are derived from the earlier statements.

Example 4.2

A derivation due to the previous rules

- 1. $\{p \lor q, \neg \neg q\} \vdash \neg \neg q$
- 2. $\{p \lor q, \neg \neg q, r\} \vdash \neg \neg q$

Since assumption does not depend on any other statement, no need to refer.

Assumption

Monotonic applied to 1

We need to point at an earlier statement.

Proof rules for Negation

$$\mathrm{DoubleNeg} \frac{\Sigma \vdash \mathcal{F}}{\Sigma \vdash \neg \neg \mathcal{F}}$$

Example 4.3

The following is a derivation

- 1. $\{p \lor q, r\} \vdash r$
- 2. $\{p \lor q, \neg \neg q, r\} \vdash r$
- 3. $\{p \lor q, \neg \neg q, r\} \vdash \neg \neg r$

Assumption

Monotonic applied to 1

DoubleNeg applied to 2

Proof rules for \wedge

$$\land - \text{INTRO} \frac{\Sigma \vdash F \quad \Sigma \vdash G}{\Sigma \vdash F \land G} \quad \land - \text{ELIM} \frac{\Sigma \vdash F \land G}{\Sigma \vdash F} \quad \land - \text{Symm} \frac{\Sigma \vdash F \land G}{\Sigma \vdash G \land F}$$

Example 4.4

The following is a derivation

- 1. $\{p \land q, \neg \neg q, r\} \vdash p \land q$
 - 2. $\{p \land q, \neg \neg q, r\} \vdash p$
- 3. $\{p \land q, \neg \neg q, r\} \vdash q \land p$

Assumption

^-Elim applied to 1

∧-Symm applied to 1

Proof rules for ∨

$$\vee - \mathrm{INTRO} \frac{\Sigma \vdash F}{\Sigma \vdash F \lor G} \qquad \vee - \mathrm{Symm} \frac{\Sigma \vdash F \lor G}{\Sigma \vdash G \lor F}$$

$$\vee - \mathrm{DEF} \frac{\Sigma \vdash F \lor G}{\Sigma \vdash \neg (\neg F \land \neg G)} \quad \vee - \mathrm{DEF} \frac{\Sigma \vdash \neg (\neg F \land \neg G)}{\Sigma \vdash F \lor G}$$

$$\vee - \text{ELIM} \frac{\Sigma \vdash F \lor G \qquad \Sigma \cup \{F\} \vdash H \qquad \Sigma \cup \{G\} \vdash H}{\Sigma \vdash H}$$

Commentary: We will use the same rule name if a rule can be applied in both the directions. For example, V - DEF.

Example: distributivity

Example 4.5

Let us show if we have $\Sigma \vdash (F \land G) \lor (F \land H)$, we can derive $\Sigma \vdash F \land (G \lor H)$.

1.
$$\Sigma \vdash (F \land G) \lor (F \land H)$$

Premise

2.
$$\Sigma \cup \{F \land G\} \vdash F \land G$$

3.
$$\Sigma \cup \{F \land G\} \vdash F$$

4.
$$\Sigma \cup \{F \land G\} \vdash G \land F$$

5.
$$\Sigma \cup \{F \land G\} \vdash G$$

6.
$$\Sigma \cup \{F \land G\} \vdash G \lor H$$

7.
$$\Sigma \cup \{F \land G\} \vdash F \land (G \lor H)$$

$$\land$$
-Elim applied to 2

$$\land$$
-Symm applied to 2

$$\wedge$$
-Intro applied to 3 and 6

Example: distributivity (contd.)

8.
$$\Sigma \cup \{F \land H\} \vdash F \land H$$

9.
$$\Sigma \cup \{F \wedge H\} \vdash F$$

10.
$$\Sigma \cup \{F \wedge H\} \vdash H \wedge F$$

11.
$$\Sigma \cup \{F \wedge H\} \vdash H$$

12.
$$\Sigma \cup \{F \land H\} \vdash H \lor G$$

13.
$$\Sigma \cup \{F \land H\} \vdash G \lor H$$

14.
$$\Sigma \cup \{F \wedge H\} \vdash F \wedge (G \vee H)$$

15.
$$\Sigma \vdash F \land (G \lor H)$$

$$\wedge$$
-Intro applied to 9 and 13

$$\vee$$
-elim applied to 1, 7, and 14

Topic 4.2

Rules for implication and others



Proof rules for \Rightarrow

$$\Rightarrow -\text{Intro} \frac{\Sigma \cup \{F\} \vdash G}{\Sigma \vdash F \Rightarrow G} \qquad \Rightarrow -\text{Elim} \frac{\Sigma \vdash F \Rightarrow G \quad \Sigma \vdash F}{\Sigma \vdash G}$$

$$\Rightarrow -\text{DEF} \frac{\Sigma \vdash F \Rightarrow G}{\Sigma \vdash \neg F \lor G} \qquad \Rightarrow -\text{DEF} \frac{\Sigma \vdash \neg F \lor G}{\Sigma \vdash F \Rightarrow G}$$

Example: central role of implication

Example 4.6

Let us prove $\{\neg p \lor q, p\} \vdash q$.

1.
$$\{\neg p \lor q, p\} \vdash p$$

2.
$$\{\neg p \lor q, p\} \vdash \neg p \lor q$$

3.
$$\{\neg p \lor q, p\} \vdash p \Rightarrow q$$

3.
$$\{\neg p \lor q, p\} \vdash p \Rightarrow q$$

4.
$$\{\neg p \lor q, p\} \vdash q$$

Assumption

Assumption

 \Rightarrow -Def applied to 2

All the rules so far

 $\Rightarrow -\text{Intro} \frac{\Sigma \cup \{F\} \vdash G}{\Sigma \vdash F \Rightarrow G} \Rightarrow -\text{Elim} \frac{\Sigma \vdash F \Rightarrow G}{\Sigma \vdash G} \Rightarrow -\text{Def} \frac{\Sigma \vdash F \Rightarrow G}{\Sigma \vdash G} *$

* Works in both directions

@(I)(S)(D)

Example: another proof

Example 4.7

Let us prove $\emptyset \vdash (p \Rightarrow q) \lor p$.

1.
$$\{\neg p\} \vdash \neg p$$

2.
$$\{\neg p\} \vdash \neg p \lor q$$

3.
$$\{\neg p\} \vdash (p \Rightarrow q)$$

4.
$$\{\neg p\} \vdash (p \Rightarrow q) \lor p$$

6.
$$\{p\} \vdash p \lor (p \Rightarrow q)$$

7. $\{p\} \vdash (p \Rightarrow q) \lor p$

$$(n \rightarrow n)$$

8.
$$\{\} \vdash (p \Rightarrow p)$$

9. $\{\} \vdash (\neg p \lor p)$

5. $\{p\} \vdash p$

10. $\{\} \vdash (p \Rightarrow q) \lor p$ CS228 Logic for Computer Science 2021 $\begin{array}{c} \textit{Assumption} \\ \lor \textit{-Intro applied to 1} \\ \Rightarrow \textit{-Def applied to 2} \\ \lor \textit{-Intro applied to 3} \end{array} \right\} \textit{Case 1}$

 \Rightarrow -Intro applied to 5 \Rightarrow -Def applied to 8 Only two cases ∨-Elim applied to 4, 7, and 9

IITB. India

17

Proof rules for punctuation

$$()-{\rm Intro}\frac{\Sigma\vdash F}{\Sigma\vdash (F)} \qquad ()-{\rm Elim}\frac{\Sigma\vdash (F)}{\Sigma\vdash F}$$

$$\wedge - \operatorname{PAREN} \frac{\Sigma \vdash (F \land G) \land H}{\Sigma \vdash F \land G \land H} \quad \vee - \operatorname{PAREN} \frac{\Sigma \vdash (F \lor G) \lor H}{\Sigma \vdash F \lor G \lor H}$$

Proof rules for ⇔

$$\Leftrightarrow -\mathrm{DEF} \frac{\Sigma \vdash F \Leftrightarrow G}{\Sigma \vdash G \Rightarrow F} \qquad \Leftrightarrow -\mathrm{DEF} \frac{\Sigma \vdash F \Leftrightarrow G}{\Sigma \vdash F \Rightarrow G}$$

$$\Leftrightarrow -\mathrm{DEF} \frac{\Sigma \vdash G \Rightarrow F \qquad \Sigma \vdash F \Rightarrow G}{\Sigma \vdash G \Leftrightarrow F}$$

Exercise 4.1

Define rules for \oplus

Commentary: this set of proof rules does not cover \oplus . We will cover them in greater detail.

Topic 4.3

Soundness



Soundness

We need to show that

Theorem 4.1

if

proof rules derive a statement $\Sigma \vdash F$

then

 $\Sigma \models F$.

Proof.

We will make an inductive argument. We will assume that the theorem holds for the premises of the rules and show that it is also true for the conclusions.

Proving soundness

Proof(contd.)

Consider the following rule

$$\wedge - \text{ELIM} \frac{\Sigma \vdash F \wedge G}{\Sigma \vdash F}$$

Consider model $m \models \Sigma$. By the induction hypothesis, $m \models F \land G$.

Using the truth table, we can show that if $m \models F \land G$ then $m \models F$.

| m(F) | m(G) | $m(F \wedge G)$ |
|------|------|-----------------|
| 0 | 0 | 0 |
| 0 | 1 | 0 |
| 1 | 0 | 0 |
| 1 | 1 | 1 |

Therefore, $\Sigma \models F$.

Proof

Proof.

Consider one more rule

$$\Rightarrow -\text{Intro}\frac{\Sigma \cup \{F\} \vdash G}{\Sigma \vdash F \Rightarrow G}$$

- Consider model $m \models \Sigma$. There are two possibilities.
 - ightharpoonup case $m \models F$:

Therefore, $m \models \Sigma \cup \{F\}$. By the induction hypothesis, $m \models G$. Therefore, $m \models (F \Rightarrow G)$.

- ▶ case $m \not\models F$: Therefore, $m \models (F \Rightarrow G)$.
- Therefore, $\Sigma \vdash F \Rightarrow G$.

Similarly, we draw truth table or case analysis for each of the rules to check the soundness.

Topic 4.4

Problems



Exercise: the other direction of distributivity

Exercise 4.2

Show if we have $\Sigma \vdash F \land (G \lor H)$, we can derive $\Sigma \vdash (F \land G) \lor (F \land H)$.

Hint: Case split on G and $\neg G$.

\sigma I- F \sigma I- G v H \sigma

Exercise: proving a puzzle

Exercise 4.3

a. Convert the following argument into a propositional statement, i.e., $\Sigma \vdash F$.

If the laws are good and their enforcement is strict, then crime will diminish. If strict enforcement of laws will make crime diminish, then our problem is a practical one. The laws are good. Therefore our problem is a practical one. (Hint: needed propositional variables G, S, D, P) (Source: Copi, Introduction of logic)

b. Write a formal proof proving the statement in the previous problem.

End of Lecture 4

