



Exercise — Hello World

version #1.0.0



Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2024-2025 Assistants [<assistants@tickets.assistants.epita.fr>](mailto:assistants@tickets.assistants.epita.fr)

The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

Contents

1 Objectives	3
2 Specifications	3
3 Expected output	4

*<https://intra.forge.epita.fr>

File Tree

```
helloWorld/
├── pom.xml
└── src/
    ├── main/
    │   └── java/
    │       ├── fr/
    │       │   └── epita/
    │       │       ├── assistants/
    │       │       │   └── helloworld/
    │       │       │       └── HelloWorld.java (to submit)
```

Authorized imports

- java.*

1 Objectives

You have to implement a Java class, `HelloWorld`, that contains two methods, `printHelloWorld` and `printHelloWorldErr` (methods are not static, if you don't understand this word don't worry it will be seen later). These methods should print on the standard output and the standard error respectively.

2 Specifications

The `HelloWorld` class contains :

- `printHelloWorld()`, which prints **"Hello World!"**, not followed by a new line on the standard output.
- `printHelloWorldErr()`, which prints **"Hello World!"**, followed by a new line on the error output.

Tips

For this exercise, you do not need to worry about class and method visibility. You can safely use `public` visibility.

3 Expected output

The following code :

```
HelloWorld hello = new HelloWorld();  
hello.printHelloWorldErr();  
hello.printHelloWorld();
```

Should produce :

```
Hello World! # Print on standard error  
Hello World! # Print on standard output
```

Being a hero means fighting back even when it seems impossible.