ADVANCED DATA ANALYSIS FOR PSYCHOLOGICAL SCIENCE

Introduction and general course information

Luca Menghini Ph.D.

luca. menghini@unipd.it

Master degree in Developmental and Educational Psychology
University of Padova
2023-2024



My career path



Luca Menghini Ph.D. Work & Org. Psychologist Postdoc in Applied psychology & Quantitative research methods @uniTN


- 2014: Bsc in Work & Social Psych Sciences @uniPD Biofeedback training for work stress management
- 2016: Msc in Social, Work, & Communication Psych @uniPD Psychophysiological workplace stress assessment protocol
- 2017: Psychology consultance internship @InsidePerformance Stress managament & biofedback training in professional sport drivers + Research internship @uniPD Actigraphy in sleep research \leftarrow 😯 😉
- 2020: Ph.D. in Psychological Sciences @uniPD Ecological momentary assessment of workplace stress $\leftarrow \bigcirc \bigcirc$



- 2020: Visiting scholar @SRI International (CA, USA) Wearable sleep trackers, sleep and stress in adolescent insomnia
- 2021: Postdoc @uniBO Workaholism and daily fluctuations in blood pressure, emotional exhaustion, and sleep quality
- 2022: Postdoc @uniTN Youth, transitions, challenges, & opportunities

The prof

Some of my studies related to the course content



- Multilevel: Menghini et al. (2023). Wearable and mobile technology to characterize daily patterns of sleep, stress, pre-sleep worry, and mood in adolescent insomnia. Sleep Health 9(1), 108-116. [FULL-TEXT] [R CODE]
- Multivariate: Menghini et al. (2022). Italian adaptation
 of the Warr's Job-related Affective Wellbeing Scale:
 Factorial structure and relationships with the HSE
 Management Standards Indicator Tool. TPM, 29(3),
 309-325. [FULL-TEXT] [R CODE]
- Multilevel & Multivariate: Menghini et al. (2022).
 Workplace Stress in Real Time: Three Parsimonious Scales for the Experience Sampling Measurement of Stressors and Strain at Work. European Journal of Psych Assessment.
 [FULL-TEXT] [R CODE]

Warnings

- I'm not a statistician
- I'm not a mathematical psychologist
- I'm not a programmer

I'm an Applied psychologist passionate about modeling and psychometrics.

Plus, this is my first time with this course: suggestions and critiques are welcomed!

Ethical code for psychology research: Explicit aknowledgement of limitations

The prof

Contact, office hours, & master theses

Contact: Moodle or mail to: luca.menghini@unipd.it

Office hours: Wednesday 3.30 PM - 5.30 PM

Where: Psico 1 pink building, ground floor, between the computer rooms

We can also schedule Zoom meetings



Theses: As a contracted professor, I can only accept up to 2 master students **Ongoing projects**: Ambulatory: Workaholism daily diary; In-lab: ECG smart t-shirt, rumination & response inhibition

Advanced data analysis for psychological science

This course aims at providing basic notions of **multi-level & multi-variate** linear regression modeling, focusing on applications in developmental, educational, and applied psychology.

The course aims at transmitting **basic knowledge** on *linear mixed-effects regression* (LMER) and two common examples of multivariate techniques within the structural equation modeling (SEM) framework, namely *path analysis* & *confirmatory factor analysis* (CFA).

The course also aims at providing **practical competences** on advanced data analysis, with a particular emphasis on data preparation and pre-processing, model fit and evaluation, coefficient interpretation, and data visualization. Also, we'll try to understand the results reported in published papers.

The course is characterized by an **applied approach** that prioritizes real case studies and includes **practical exercises** (optional) using R.

Prerequisites

Students should have good knowledge about basic concepts linked to probability theory and associated topics (e.g., random variables, probability distributions, hypothesis testing), including **linear regression modeling** (but we will review that).

Course contents

1. Intro and course info •

Multi-level

- 2. Introduction: From lm() to lmer()
- 3. Data preparation **Q**
- 4. Model fit & random effects **Q**
- 5. Coefficient interpretation **Q**
- 6. Model evaluation & selection **Q**
- Generalized models glmer(),
 Bayesian LMER, power analysis \$\rmathbf{\su}\$

Multi-variate

- 8. Introduction: From lm() to sem()
- 9. Observed variables & path analysis
- 10. Model fit and coefficient interpretation \mathbf{Q}
- 11. Mediation analysis **Q**
- 12. Latent variables & CFA 🛂
- 13. Model evaluation and comparison 🛂

The course program will end where we arrive.

 \mathbf{Q} = Practical exercise sessions with R (bring your PC!)

 $\underline{\bullet}$ = In-depth topics (not for the exam!)

When & where

The course will last 42 hours (6 ECTS).

All lectures will be delivered in the Psico 2 gray building, room 3F - via Venezia 12.

Day	Date	Time	Room
1	10-4 (wed)	12:30-14:30	3F
2	10-5 (thu)	08:30-10:30	3F
3	10-11 (wed)	12:30-14:30	3F
4	10-12 (thu)	08:30-10:30	3F
5	10-18 (wed)	12:30-14:30	3F
6	10-19 (thu)	08:30-10:30	3F
7	10-25 (wed)	12:30-14:30	3F
8	10-26 (thu)	08:30-10:30	3F
9	11-2 (thu)	08:30-10:30	3F
10	11-8 (wed)	12:30-14:30	3F

Day	Date	Time	Room
11	11-9 (thu)	08:30-10:30	3F
12	11-15 (wed)	12:30-14:30	3F
13	11-16 (thu)	08:30-10:30	3F
14	11-22 (wed)	12:30-14:30	3F
15	11-23 (thu)	08:30-10:30	3F
16	11-29 (wed)	12:30-14:30	3F
17	11-30 (thu)	08:30-10:30	3F
18	12-6 (wed)	12:30-14:30	3F
19	12-7 (thu)	08:30-10:30	3F
20	12-13 (wed)	12:30-14:30	3F
21	12-14 (thu)	08:30-10:30	3F

Course materials

All course materials can be accessed from the Moodle page of the course and from https://github.com/Luca-Menghini/advancedDataAnalysis-course


The contents required by the exam are exhaustively covered in the main course slides:

- 1. Intro & course info (the present slides)
- 2. Multilevel modeling
- 3. Multivariate modeling

Suggested textbooks to deepen the topics of the course:

- Finch, W. H., Bolin, J. E., Kelley, K., Multilevel Modeling Using R (2nd edition). Boca Raton: CRC Press, 2014
- Beaujean, A. A., Latent Variable Modeling Using R. A Step-by-Step Guide. New York: Routledge, 2014





Course slides

The course slides are structured by intermixing theory, R code, plots, examples, and exercises. The slides are *dense* but we'll stay on each slide as long as needed;)

The R code used in any exercise/example is also provided.

Slides and sentences with the microscope icon cover in-depth but still useful topics that will be possibly presented but are not part of the core course topics and not required for the exam!

All course materials can be accessed from Moodle **and** from https://github.com/Luca-Menghini/advancedDataAnalysis-course

Additional resources & extra slides

Additional resources that are not presented during classes will be also available from Moodle and Github. These will include published papers and online resources, R code and exercises, extra slides, and other.

For instance, you can already find the R-intro.pdf extra slides (introduction to R), and you can already give a first look at the "Latent Variable Modeling using R" book website (e.g., "R syntax" section): https://blogs.baylor.edu/rlatentvariable/

PSICOSTAT meetings & workshops:

Interdisciplinary research group on quantitative psychology, psychometrics, psychological testing, & statistics - monthly online meetings + weekly in person workshops https://psicostat.dpss.psy.unipd.it/index.html



Teaching modalities

Frontal theoretical sessions on the rationale of the analytical techniques focused by the course

☐ Practical sessions with individual and group exercises Practical sessions will be based on the freely-available ♠ software. Students are encouraged to bring their laptops, if possible. The course will emphasize practical examples and cases studies

The course will emphasize practical examples and **cases studies** in developmental, educational, and applied psychology.

Case studies:

What are your research and/or applied interests?

psychology observational steaching surveymentoring intensive societies parenting caregiving eractions experiment

Attending the course: "PACATE"

Participation: You are expected to contribute to the class by participating in class discussion and working with each other during practical sessions. If you find something unclear or discordant with other information, please tell it to the professor. If you find it uncomfortable to speak up in class, feel free to contact the professor and work on this skill.

Attendance: Class attendance is not mandatory but encouraged. It is recommended to gradually but constantly familiarize with the content of the course.

Collaboration: Please, help each other, for instance, by working together on practical sessions and assignments, and/or by exchanging notes and useful materials for the exam.

Assignments: Over the course, several exercises/homework will be *suggested* to consolidate the course contents. While some of these will be discussed in class, feel free to contact the professor if you find any issue with the assignments.

Timekeeping: You are expected to be on time. You should be in your seat and ready to begin class when the class starts.



An inseparable companion



R is a programming language and a programming environment for **statistical computing** and **graphics**.

It is based on the S language (Becker & Chambers, 1984), subsequently used to develop the S-Plus sofware and then R, originally created in 1996 by Ross Ihaka and Robert Gentleman.

Today, it is supported by an international research group (R Core Team and R Foundation for Statistical Computing) that periodically update (each year) the base sofware $(Base\ R)$.

Progressive and exponential inclusion of new $\mathbf{packages}$ that extend its capabilities.

https://www.r-project.org/

A bottom-up resource



R provides a wide range of statistical and graphical techniques. It is designed to be user-friendly but at the same time to generate **high-quality outputs** (graphics, tables, and reports with equations, mathematical symbols, etc.).

Optimized default functions

- + dedicated packages
- + possibility to fully control.

Differently from other statistical software that implement multilevel and multivariate analyses (e.g., Mplus), R is a free sofware (GNU General Public Licence) that can be used anywhere worldwide, it is an open-source software (all functions are documented and can be inspected in detail), and works on all main OS: Windows, MacOS, and UNIX (e.g. Linux)


Moreover, there is a massive community of useRs: For any issue, just Google it!



Even better than googling

Try https://chat.openai.com/ or https://rtutor.ai/

How can I compute the mean of 3, 5, and 8 in one line of R code?



Introduction to **Q**: Additional materials

Extra slides on Moodle/GitHub

extra/R-intro.pdf: How to install and get started with R and RStudio, elementary
commands, R objects, functions, and workspace, how to read and export datasets,
R graphics, and linear models. Link to extra slides

Free tutorials

- Navarro, D. Learning statistics with R: A tutorial for psychology students and other beginners - https://learningstatisticswithr.com/
- learnr: an R package for learning how to use R https://rstudio.github.io/learnr/
- excellent STAT545: Data wrangling, exploration, and analysis with R https://stat545.com/

Key R packages used in the course

The course uses several packages with customized and optimized functions. Here are the main packages used in the course (and the code to install all of them):

To install a single package, just run:

```
install.packages("package_name")
```

To load an installed package:

```
library("package_name")
```

Some key **R** functions used in the course

```
# Aggregating scores by group
aggregate(x = sleep$extra,
          by = list(sleep$group), FUN = mean)
  Group.1
        1 0.75
        2 2.33
# Merging wide- and long-form datasets
plyr::join(long, wide, by = "ID", type = "left")
# Fitting LMER models and printing fixed effects
fit <- lmer(extra ~ group + (1|ID), data = sleep)
fixef(fit)
(Intercept)
                 group2
       0.75
                   1.58
```

```
# Fitting SEM and printing coefficients
fit \leftarrow sem("visual =~ x1 + x2 + x3
            textual = x4 + x5 + x6
            visual ~ textual",
            data=HolzingerSwineford1939)
standardizedsolution(fit)[1:7,1:4]
```

lhs	op	rhs	est.std
visual	=~	x1	0.78
visual	=~	x2	0.43
visual	=~	x 3	0.57
textual	=~	x4	0.85
textual	=~	x5	0.85
textual	=~	x6	0.84
visual	~	textual	0.46

When & where (updated)

Definitive exam coordinates:

All exam sessions will be in Room 4M, Psico 2 gray building, via Venezia 12. Room 4M has 30 seats equipped with computers. If more than 30 students register to a session, then we will organize two separate shifts (e.g., 11:30 - 12:10; 12:30 - 13:10).

Session	Date	Time	Room
1. Jan	2024-01-22	11:30	4M
2. Feb	2024-02-14	14:30	4M
3. Jun	2024-06-17	15:30	4M
4. Jul	2024-07-10	14:30	4M
5. Sept	2024-09-10	15:30	4M

Exam structure & contents

The final exam will be **written**, computerized (on Moodle), and will last **40 min**. The exam will consist of **31 closed-ended (multi-choice) questions** on:

- theoretical topics covered by the course
- interpretation of data analysis outputs
- interpretation of paper results

Exam contents: The contents required by the exam are exhaustively covered in the main course slides. Note that the required contents will depend on where we arrive at the end of the course

Exam scores: The exam score will be computed as the sum of the scores obtained to the 31 questions (right answer = 1; wrong/missing answer = 0; 18+ right answers = exam passed; 31 right answers = 30 cum laude).

Example questions

• Theoretical topics:

What does "ME" mean in the "LMER" achronym?

Mean Effect | Mixed Effects | Multilevel Effects | Multivariate Errors
Which of the following is a fixed effect?

Intercept | Residual variance | Cluster variance | None

Output interpretation:

Which is the variance of the random slope in the following table?

0.75 | 0.76 | 2.85 | Not shown

Which of the following random effects are shown in the table?

Random slope | R. Intercept & residuals | Residuals & R. slope | None

	Predictors	b (SE)	CI	P	
	(Intercept)	9.45 (0.59)	8.28 - 10.62	< 0.001	
	phase [post]	-0.98 (0.41)	-1.780.18	0.016	
	CG	1.96 (0.30)	1.37 - 2.55	< 0.001	
	sex [f]	$0.20 \ (0.44)$	-0.67 - 1.06	0.656	
Random Effects					
	σ^2	16.92			
	$ au_{00 \mathrm{school}}$	0.49			

Multi-LEVEL & Multi-VARIATE

Advanced statistical techniques to deal with large & complex data structures:

Multilevel regression model To be used with hierarchical data where statistical units are nested within higher-level variables (clusters):

- students → classes → schools
- experiences → days → individuals
- trials → items & individuals

Linear mixed-effects regression (LMER) allows to estimate fixed effects that are constant across all clusters + random effects varying from cluster to cluster.

Multivariate regression model To be used to account for modeling mutliple variables interacting at the same time (e.g., multiple outcomes, mediation).

Path model = Pictorial representation of a theory of variable relationships

 $Measurement \ model = relationships \ that \ form$ a latent variable from multiple observed variables

Structural equation model (SEM) = measurement + structural model


Linear models as the common root

Linear regression models allow to determinate the link between two variables as expressed by a linear function: $y_i = \beta_0 + \beta_1 x_i + \epsilon_i$

Such a function can be graphically represented as a **straight line** where β_0 is the **intercept** (value assumed by y when x = 0)

 β_1 is the ${\bf slope}$ (predicted change in ${\tt y}$ when ${\tt x}$ increases by 1 unit)

 ϵ_i is the **error** (distance between observation i and the regression line)



The only three formulas to keep in mind

Linear model:

$$y_i = \beta_0 + \beta_1 x_i + \epsilon_i$$

Mixed-effects model:

$$y_{ij} = (\beta_{00} + \lambda_{0j}) + (\beta_{10} + \lambda_{1j})x + \epsilon_{ij}$$

For each observation i and each cluster j, the intercept and the slope are decomposed into the **fixed** components β_0 and β_1 referred to the whole sample, and the **random** components λ_{0j} and λ_{1j} randomly varying between clusters

Structural equation model:

$$\begin{cases} y = \Lambda \eta + \epsilon \; (measurement) \\ \\ \eta = B \eta^* + \zeta \; (structural) \end{cases}$$

The measurement model clarifies the relationships Λ between the observed variables y and the corresponding latent variables η , whereas the structural model clarifies the relationship B between two or more latent variables η^* .

Multilevel models: Let the visuals talk


Visual introduction to multilevel modeling:

http://mfviz.com/hierarchical-models

Between & Within

When a random variable y is measured from multiple data points per subject (or group), multilevel modeling **partition the** y **variance** into the *within-subject* (level 1) & between-subject (level 2) components.

The same applyes when multiple individuals (e.g., students) are nested within a number of groups (e.g., schools) \rightarrow within-group vs. between-group



Multilevel models: Fixed vs. Random effects


In the literature, multilevel modeling is sometimes called with different terms, e.g., hierarchical linear modeling, random slope models, variance component models, . . .

All these models are part of the broader *mixed-effects models* family, identifying models with both fixed and random effects:

- **Fixed effects**: effects that remains constant across all clusters, whose *levels* are exhaustively considered (e.g., gender, levels of a Likert scale) and generally controlled by the researcher (e.g., experimental conditions)
- Random effects: effects that vary from cluster to cluster, whose levels are randomly sampled from a population (e.g., schools, participants, days, experimental stimuli)

Multivariate models: Let the visuals talk


Linear regression: determining the link between a dependent and an independent variables through linear functions like: $y = \beta_1 x_1 + \beta_2 X_2 + \epsilon$




As a limitation, linear models can only predict **one dependent variable at time** with a single equation. They can be *univariate* (without predictors) or *bivariate* (with predictors).

Structural equation models (SEM) are multivariate models that allow simultaneously modeling multiple dependent endogenous variables with a system of equations:

$$\begin{cases} y_2 = \beta_{21}x_1 + \epsilon_2 \\ \\ y_3 = \beta_{31}x_1 + \beta_{32}Y_2 + \epsilon_3 \end{cases}$$




Multivariate models: observed vs. latent




Observed variables: directly observable and measurable (e.g., heart rate), represented by squares and the $lowercase\ letters\ x$ (exogenous) and y (endogenous)

Latent variables: hypothetical and not directly measurable but indexed by one or multiple observed variables (e.g., happiness), represented by circles and the greek letter η

When including **observed variables only**, SEM are called path analysis



When both observed and latent variables are included, we can talk of 'full SEM'



Multilevel & multivariate models: It's a matter of theory!

While any model is a formal representation of a theory (Bollen, 1989), multilevel and multivariate models are particularly directly linked to the underlying theoretical model.

Multilevel modeling:

Theories determinate whether a clustering variable is meaningful or not, the number of levels to be considered (e.g., individuals, days, weeks, schools), and whether a given construct can be meaningfully attributed to a given level (e.g., happy people, happy days, happy schools).

SEM:

Theory determines how a latent variable is reflected by a set of observed variables (measurement model) and what are the regression-like relationships among the variables (structural model).

That's all for now!

- Any question?
- Next lecture: LM recap, ok?
- Needed a recap on how to use R?

Credits

The present slides are partially based on:

- Altoè, G. (2023) Corso Modelli lineari generalizzati ad effetti misti 2023. https://osf.io/b7tkp/
- Beaujean, A. A. (2014) Latent Variable Modeling Using R. A Step-by-Step Guide. New York: Routledge
- Finch, W. H., Bolin, J. E., Kelley, K. (2014). Multilevel Modeling Using R (2nd edition). Boca Raton: CRC Press
- Pastore, M. (2015). Analisi dei dati in psicologia (e applicazioni in R). Il Mulino.

Useful resources: Multilevel

- Baayen, R. H., Davidson, D. J., & Bates, D. M. (2008). Mixed-effects modeling
 with crossed random effects for subjects and items. *Journal of memory and*language, 59(4), 390-412.
- Bliese, P. (2022). Multilevel modeling in R (2.7).
 https://cran.r-project.org/doc/contrib/Bliese_Multilevel.pdf
- McElreath, R. (2020). Statistical rethinking: A Bayesian course with examples in R and Stan. Chapman and Hall/CRC.
- Pinheiro, J., & Bates, D. (2006). Mixed-effects models in S and S-PLUS. Springer science & business media.
 see also Bates, D. (2022). lme4: Mixed-effects modeling with R. https://stat.ethz.ch/~maechler/MEMo-pages/lMMwR.pdf

Useful resources: Multivariate

- Kline, R.B. (2005). Principles and Practice of Structural Equation Modeling. Guilford Press, NY.
- Lin, J. Introduction to structural equation modeling (SEM) in R with lavaan. https://stats.oarc.ucla.edu/r/seminars/rsem/
- Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48, 1-36.