## Certificate of Analysis List For request number 1050813

Catalog	Lot	Related	Relate	ed		
Number	Number Entered	Catalog Number	Lot			
Entered			Code	Description		
246149	8156	N/A	N/A	Formazin Turbidity Standard 4000 NTU		

Total Enclosures: 1



P.O.Box 389 Loveland, CO 80539 (970) 669-3050

## Certificate of Analysis

Page 1

COMMODITY: Formazin Turbidity Standard 4000 NTU

COMMODITY NUMBER: 246149 MANUFACTURE DATE: DATE OF ANALYSIS: LOT NUMBER: A8156 6/14/2018 6/15/2018

TEST	SPECIFICATIONS	RESULTS
Turbidity of 40 NTU formazin dilution of this lot compared to lab standard and measured on a Hach 2100 AN Turbidimeter.	39.2 to 40.8 NTU	40.10 NTU
Turbidity of 100 NTU formazin dilution of this lot compared to lab standard and measured on a Hach 2100 AN Turbidimeter.	98 to 102 NTU	101.0 NTU
Turbidity of 400 NTU formazin dilution of this lot compared to lab standard and measured on a Hach 2100 AN Turbidimeter.	392 to 408 NTU	398.0 NTU
Turbidity of 1000 NTU formazin dilution of this lot compared to lab standard and measured on a Hach 2100 AN Turbidimeter.	980 to 1020 NTU	1009.0 NTU
Turbidity of the standard undiluted.	3920 to 4080 NTU	3993.3 NTU

The expiration date is Jun 2020

Formazin and StablCal® solutions provided by Hach are not NIST traceable because the NIST does not carry turbidity standards. However, the use of Formazin and StablCal®  $\$ 

## **HACH COMPANY**



P.O.Box 389 Loveland, CO 80539 (970) 669-3050

## Certificate of Analysis

Page 2

COMMODITY: Formazin Turbidity Standard 4000 NTU

COMMODITY NUMBER: 246149

LOT NUMBER: A8156

MANUFACTURE DATE:

6/14/2018

DATE OF ANALYSIS:

6/15/2018

TEST SPECIFICATIONS RESULTS

as used in Hach method 8195 are accepted by the EPA as a primary standard to be used in the calibration of turbidity instruments.

Scott als
Certified by \_\_\_\_\_

Scott Als Analytical Services Chemist