

Summary of: Neutrophil-to-Lymphocyte Ratio: A Biomarker to Monitor the Immune Status of Astronauts

Key findings:

- [illegible]

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- Elevated neutrophil-to-lymphocyte ratio (NLR) is a biomarker to monitor astronaut immune status.

- [illegible]