

Knapsack 1

Problem Statement

There are N items, numbered $1, 2, \dots, N$. For each i ($1 \leq i \leq N$), Item i has a weight of w_i and a value of v_i .

Taro has decided to choose some of the N items and carry them home in a knapsack. The capacity of the knapsack is W , which means that the sum of the weights of items taken must be at most W .

Find the maximum possible sum of the values of items that Taro takes home.

Constraints

- All values in input are integers.
- $1 \leq N \leq 100$
- $1 \leq W \leq 10^5$
- $1 \leq w_i \leq W$
- $1 \leq v_i \leq 10^9$

Input

Input is given from Standard Input in the following format:

```
 $N$   $W$   
 $w_1$   $v_1$   
 $w_2$   $v_2$   
:  
 $w_N$   $v_N$ 
```

Output

Print the maximum possible sum of the values of items that Taro takes home.

Sample Input 1

[Copy](#)

```
3 8  
3 30  
4 50  
5 60
```

[Copy](#)

Sample Output 1

[Copy](#)

```
90
```

[Copy](#)

Items 1 and 3 should be taken. Then, the sum of the weights is $3 + 5 = 8$, and the sum of the values is $30 + 60 = 90$.

Sample Input 2

[Copy](#)

```
5 5
1 1000000000
1 1000000000
1 1000000000
1 1000000000
1 1000000000
1 1000000000
```

[Copy](#)

Sample Output 2

[Copy](#)

```
5000000000
```

[Copy](#)

The answer may not fit into a 32-bit integer type.

Sample Input 3

[Copy](#)

```
6 15
6 5
5 6
6 4
6 6
3 5
7 2
```

[Copy](#)

Sample Output 3

[Copy](#)

```
17
```

[Copy](#)

Items 2, 4 and 5 should be taken. Then, the sum of the weights is $5 + 6 + 3 = 14$, and the sum of the values is $6 + 6 + 5 = 17$.