

Find the Derangement of An Array

In combinatorial mathematics, a derangement is a permutation of the elements of a set, such that no element appears in its original position.

There's originally an array consisting of n integers from 1 to n in ascending order, you need to find the number of derangement it can generate.

Also, since the answer may be very large, you should return the output mod $10^9 + 7$.

Example 1:

Input: 3

Output: 2

Explanation: The original array is [1,2,3]. The two derangements are [2,3,1] and [3,1,2].

Note:

n is in the range of $[1, 10^6]$.

Solution 1

Details can be found from wiki:

https://en.wikipedia.org/wiki/Derangement#Counting_derangements

```
private static final int M = 1000000007;
public int findDerangement(int n) {
    long ans = 1;
    for (int i = 1; i <= n; i++)
        ans = (i * ans % M + (i % 2 == 0 ? 1 : -1)) % M;
    return (int) ans;
}
```

written by [MichaelPhelps](#) original link [here](#)

Solution 2

The Staggered formula is $D(n) = (n-1) [D(n-2) + D(n-1)]$:

For the k th element, it has $k-1$ positions and there are two possibilities for its position

- 1.It's not in the first element, so it's going to be the same thing as $D(n - 1)$
- 2.It's in the position of the first element,so there are two elements in the deranged position.

So it's going to be the same thing as $D(n - 2)$

so $res = ((i-1)(dn1+dn2))\%1000000007$;

why we use long not int:

$a(11) = 14684570$

$a(12) = 176214841$

$a(13) = 12 * (a(12) + a(11)) = 2290792932 > Integer.MAX_VALUE$

```
public int findDerangement(int n) {
    long dn2 = 0, dn1 = 1;
    long res = n==1 ? 0 : 1;
    for (int i = 3; i <= n; i++){
        res = ((i-1) * (dn1+dn2))%1000000007;
        dn2 = dn1;
        dn1 = res;
    }
    return (int) res;
}
```

written by [LeiYu](#) original link [here](#)

Solution 3

Recursion Formula:

$$D(n) = (n-1) [D(n-2) + D(n-1)]$$

```
public class Solution {  
    public int findDerangement(int n) {  
        if (n<2) return 0;  
        long f[]=new long[n+1];  
        f[1]=0;f[2]=1;  
        for (int i=3;i<=n;i++) f[i]=(f[i-1]+f[i-2])*(i-1)%1000000007;  
        return (int)f[n];  
    }  
}
```

written by [KakaHiguain](#) original link [here](#)

From [LeetCoder](#).