

SiFri-Mail: A Pertinent Communication and Categorization Tool through the E-mail Protocol using Natural Language Processing and Support Vector Mechanism

Luis Anton Imperial

De La Salle University – Dasmariñas
+63 0976 048 2659
ilp0824@dlsud.edu.ph

Christian Friolo

De La Salle University – Dasmariñas
+63 0961 816 3017
fcc2386@dlsud.edu.ph

Timothy Allen Sicad

De La Salle University - Dasmariñas
+63 0956 887 6420
stn0169@dlsud.edu.ph

ABSTRACT

Natural Language Processing (NLP) has emerged as a powerful tool for analyzing and categorizing text-based data, such as emails. The "Sifri-Mail" project is a proof-of-concept for a cross-platform, Artificial Intelligence (AI)-powered electronic mail (e-mail) client application program that will simplify the daily workflow of users by linking all their email accounts into one place before categorizing them by topic and priority through Natural Language Processing (NLP) and Support Vector Machines (SVM). It seeks to leverage these technologies to develop a platform- and provider-agnostic email categorization tool. By using NLP and SVM, Sifri-Mail aims to automatically categorize emails, enhancing efficiency and ensuring that important messages are prioritized.

Keywords

categorization, email, email client, natural language processing, social networks, support vector mechanism, language model, artificial intelligence.

1. INTRODUCTION

1.1. PROJECT CONTEXT

In today's digital landscape, email has become an essential communication tool, with billions of messages exchanged daily. However, the increasing volume of emails has led to challenges in effectively managing and categorizing incoming messages. This issue is particularly problematic in professional settings, where efficient communication is crucial for maintaining productivity and ensuring that important messages are not overlooked. Studies indicate that the number of emails sent and received globally is expected to exceed 347 billion per day by 2023, underscoring the need for more advanced solutions to manage this communication flow.

To address these challenges, Natural Language Processing (NLP) has emerged as a powerful tool for analyzing and categorizing text-based data, such as emails. NLP techniques enable systems to comprehend and process human language with a high degree of accuracy, making it possible to categorize emails based on their content rather than just keywords. When combined with Support Vector Machines (SVM), which are effective for text classification, these

technologies can significantly improve the accuracy and efficiency of email categorization [3].

The "Sifri-Mail" project seeks to leverage these technologies to develop a platform- and provider-agnostic email categorization tool. By using NLP and SVM, Sifri-Mail aims to automatically categorize emails, enhancing efficiency and ensuring that important messages are prioritized. This approach is particularly relevant in today's fast-paced digital environment, where efficient communication is key to organizational success. [1]

1.2. PURPOSE AND DESCRIPTION

The purpose of the SiFri-Mail project is to create an intelligent tool that streamlines email management by automatically categorizing emails based on their content. By employing advanced technologies like Natural Language Processing (NLP) and Support Vector Machines (SVM), the tool is capable of understanding and analyzing the text of incoming emails with a high degree of accuracy. This ensures that important messages are promptly identified and prioritized, while less relevant ones are effectively organized. The tool aims to improve the overall efficiency of managing large volumes of emails, reducing the time and effort required for manual sorting, and helping users maintain a more organized and functional inbox. This enhanced email management will contribute to better communication and productivity, especially in environments where the timely processing of information is critical.

1.3. STATEMENT OF THE PROBLEM

The main problem is the inefficiency and inaccuracy of current email management systems in handling the growing volume and complexity of email communications. Traditional methods, such as manual sorting and keyword-based filtering, often fail to effectively manage the diverse and voluminous nature of modern email content. This inadequacy leads to important emails being overlooked, miscategorized, or lost in the clutter, which can result in missed opportunities, decreased productivity, and communication breakdowns.

- How might the system handle ambiguous or contextually complex emails that could lead to incorrect categorization?
- What challenges could arise in ensuring that the categorization system adapts to evolving email content and user needs over time?
- How can the system balance accuracy and speed in processing large volumes of emails without compromising on either?

1.4. RESEARCH OBJECTIVE

The research objectives for SiFri-Mail aim to address the growing complexities of email management in both personal and professional environments. With the daily volume of emails reaching unprecedented levels, traditional methods of email organization, such as manual sorting and basic keyword filtering, no longer suffice. This project seeks to enhance email management by leveraging advanced technologies, specifically Natural Language Processing (NLP) and Support Vector Mechanism (SVM), to create an intelligent, automated system capable of classifying and prioritizing emails based on their content. By doing so, SiFri-Mail strives to improve productivity, reduce the time spent on email management, and ensure that critical communications are not lost in the clutter of inboxes.

The objectives outlined below encompass both the general goal of developing a robust email categorization tool and the specific technical and functional milestones that will guide the development and evaluation of the system.

1.4.1. GENERAL OBJECTIVES

The general objective of the SiFri-Mail project is to develop a pertinent communication and categorization tool through the email protocol using natural language processing and support vector mechanism.

1.4.2. SPECIFIC OBJECTIVES

1. To design and implement a machine learning-based email categorization system using NLP and SVM that automatically sorts emails according to their content and relevance.
2. To evaluate the accuracy of the email categorization system by comparing its performance against traditional keyword-based filtering methods in real-world scenarios.
3. To ensure the scalability of the system in handling large volumes of emails without compromising processing speed or accuracy.
4. To adapt the system for evolving email content and user needs through continuous learning and updates to the classification model, ensuring long-term relevance and accuracy.
5. To conduct user testing and feedback collection to refine the tool's user interface and functionality,

ensuring it meets the practical needs of its users across different platforms.

6. To minimize the manual effort involved in email management by providing users with customizable categorization options, enabling personalized organization and prioritization of emails.

1.5. SIGNIFICANCE OF THE STUDY

Due to the lack of an intuitive, affordable, AI-powered communication tool on the market, this study aims to simplify daily organizational workflows by providing our target customer base with an easy-to-use email app that incorporates natural language processing technology to minimize the busywork of categorization and sorting.

1.6. SCOPE AND DELIMITATION

The scope of this research covers the analysis of email categorization using Natural Language Processing (NLP) techniques with a specific focus on sentiment analysis. The primary objective is to assess the effectiveness of sentiment-based email classification to improve user prioritization and management of emails. This involves categorizing emails by urgency, relevance, and context using a support vector mechanism to train the sentiment analysis model.

Data collection for this research includes testing by 20 to 50 respondents, who will use the application and provide feedback. The feedback will be gathered through structured online surveys hosted on Google Forms, focusing on user experience, accuracy of email categorization, and overall satisfaction with the tool. Questions will cover the clarity of categorization, perceived accuracy, ease of use, and areas for improvement.

Delimitation of this study excludes the technical specifications of the application, such as programming languages and platforms used. The research will not explore technical development or backend processing. Additionally, email content data will be anonymized to preserve privacy, and the study will avoid any long-term monitoring of user email habits post-research. Questions unrelated to sentiment accuracy, such as in-depth technical feedback on interface design, will not be included in the survey.

2. RELATED WORK AND TERMINOLOGY

This chapter contains the researched review done by the proponents about the related ideas regarding the proposed system. It includes the differences and similarities found among other email management systems. This chapter constitutes more on the study of system literature and also covers related views and ideas presenting other email categorization systems made possible by other proponents and programmers. The review encompasses the critical aspect of the email management system study, focusing on the role of Natural Language Processing (NLP) and Support Vector Mechanism (SVM) in categorizing and managing emails.

In this chapter, the proposed study aims to address the inefficiencies of current email management systems by utilizing NLP and SVM techniques. The review includes both local and foreign literature and studies, each contributing insights into how these technologies can enhance the accuracy and speed of email categorization.

"Land Cover Classification of the Abra River Basin with Remote Sensing and Machine Learning Algorithms" by Matso (2022) uses machine learning algorithms such as Support Vector Machine and Random Forest to classify the land cover of the Abra River Basin. The support vector machine classifier produced the highest accuracy. The land cover map produced can be used as input in preparing a watershed management plan for each of the municipalities covered by the Abra river basin. [4]

"Application of Support Vector Machine in Corn Disease Detection" by Sherlyn Avendaño (2019) conducted research on detecting common corn leaf diseases using the Support Vector Machines (SVM) algorithm. Their study found that 92.73% of the total corn leaf samples were accurately classified by the system. This study highlights the potential of SVM in handling subjectivity and categorizing image data accurately. [5]

"Stressor Classification of Filipino Political Tweets Using LDA, SVM, XGBoost, Logistic Regression" by Mark Gabriel E. Edaña, Ryan Joseph S. Gonzales, Raphael Carlo B. Laguda, and Joel C. De Goma (2020) explored the use of SVM for classifying stressors in Filipino political tweets. Their study utilized various machine learning techniques, including Latent Dirichlet Allocation (LDA), SVM, XGBoost, and Logistic Regression, to categorize tweets. The results provided insights into the application of SVM for text categorization in social media contexts, relevant to email categorization tasks. [6]

"Baybayin Character Recognition Using Support Vector Machine" by Rodney Pino, Dr. Renier Mendoza, and Dr. Rachele Sambayan (2020) focused on developing an AI-powered Baybayin translator using SVM. This project involved applying SVM for character recognition in the ancient Filipino Baybayin writing system. This study showcases SVM's versatility in text categorization tasks across different applications, including historical and cultural contexts. [7]

An article by Dagooc (2023) describes a report done by the cybersecurity company Kaspersky back in 2022, observing 4,559,288 reported phishing incidents in the Philippines, making it the fifth ranked Southeast Asian country experiencing the most phishing attacks. These primarily come in the form of fake emails pretending to be well known delivery companies containing fraudulent links. [10]

In a November 2023 FICO survey of 1,001 adults, 98% of adults have used real-time payment services, and with it over

35% of Filipino respondents have expressed concern with being scammed into sending money to criminals. [8]

Email is ubiquitous at the workplace. By examining email traffic in a convenience sample of 55 employees who used their business email address daily during a typical workweek, results revealed that employees' workplace telepressure was positively related to their email reply quantity and, surprisingly, unrelated to their email response latency. [14]

Business email compromise (BEC) attacks are a real concern for businesses, as human error is a consistent vulnerability. Rather than target the network perimeter itself, there is a chance hackers and malicious actors might go for the users of a system instead. [9] With the rising threat of online and electronic safety and privacy risks, especially through email, ways to manage your emails become more valuable.

However, this is where concepts such as artificial intelligence come into play, which can be indispensable tools for a user or company. Through this technology, it is possible to scan through billions of transactions for suspicious activity and give real time alerts, which are concepts that can be applied for NLP for categorizing emails by topic and priority. [11]

Furthermore, it has been found that one contributor to work-related stress is the blurring of boundaries between work and home domains, known as work-home interference (WHI). In a study done by Braitwaite et al. (2024), participants who reported that email was highly important and/or felt overloaded by emails were more likely to engage with work emails during leisure time. Additionally, email engagement in leisure time was associated with poorer physical and psychological health, but not productivity. [12]

A study on chatbots by Ortiz-Garces et al. (2024) stated the importance of syntactic structure analysis in the performance of NLP models when it comes to processing ideas found inside human language, which can often be variable and ambiguous. The study found a model with advanced syntactic analysis capabilities is more able to adapt to different linguistic contexts and process it with more coherence, accuracy, and respect to real-world scenarios. [15]

A paper by Karim et al. (2019) gathered a collection of methods used to detect spam in emails and reported their findings. The section about Support Vector Machines (SVM) emphasizes the importance of optimization of the kernel type and kernel parameters. Additionally, a positive correlation has been found between improved performance of the model as the amount of features available for feature selection and extraction increases. [13]

Natural language processing (NLP) is a branch of artificial intelligence that helps computers understand, interpret and manipulate human language. It draws from many disciplines, including computer science and computational linguistics, in its pursuit to fill the gap between human communication and computer understanding. [20]

NLP goes hand in hand with text analytics, which counts, groups and categorizes words to extract structure and meaning from large volumes of content. Text analytics is used to explore textual content and derive new variables from raw text that may be visualized, filtered, or used as inputs to predictive models or other statistical methods.[20]

Text classification in NLP involves categorizing and assigning predefined labels or categories to text documents, sentences, or phrases based on their content. It aims to automatically determine the class or category to which a piece of text belongs. Text classification algorithms analyze the features and patterns within the text to make accurate predictions about its category, enabling machines to organize, filter, and understand large volumes of textual data.[19]

For instance, a form of text analytics is sentiment analysis, wherein NLP can help interpret reams of user comments, social media posts, or customer service requests. [16]

A popular algorithm for NLP is the Support Vector Machines (SVM) algorithm. [17] SVMs are a supervised learning method used to perform binary classification on data. They are motivated by the principle of optimal separation, the idea that a good classifier finds the largest gap possible between data points of different classes. [18]

3. DESIGN AND METHODOLOGY

This chapter presents the research methodology used in the present study. This chapter includes the research paradigm, concept of the study, conceptual operation, development planning and evaluation of the project.

Additionally, researchers will discuss the project's design, key functions, and the objectives that each interface is trying to achieve. JavaScript and React Native for the graphical user interface will be explored in the following if it is found to be important in terms of user-friendliness and experience.

3.1. RESEARCH PARADIGM

The waterfall model provides for the division of the software development process into multiple phases, wherein the team can focus on each one before moving on to the next.

Considering the short timetable for planning and executing the research and development (R&D) project, we believe that the aforementioned process model will help us to build a more holistic, well-thought-out proof-of-concept by the end of the semester.

By creating a design prototype and defining requirements early on in the process, the project can get off the ground and avoid hasty modifications that can derail the entire team's workflow.

3.2. PROJECT DESIGN

The overall design of the SiFri-Mail email app project consists of a user interface that presents a user's inbox, other folders, and customization settings.

The current existing pages for the application can be subdivided into five different sections, which are named as follows.

1. Main Inbox
2. Expanded Thread View
3. Folders
4. Folder Inbox
5. Compose Email

3.3. PROJECT DEVELOPMENT

With the use of Visual Studio Code and the JavaScript and Python programming languages along with their libraries, the software was built starting with the development of a classification model that utilizes the SVM algorithm.

3.4. DEVELOPMENT PLANNING

3.4.1. *Software Used*

The researchers used the following software in the development of the application.

3.4.1.1. *Visual Studio Code*

Visual Studio Code is a lightweight but powerful source code editor which runs on your desktop and is available for Windows, macOS and Linux. It comes with built-in support for JavaScript, TypeScript and Node.js and has a rich ecosystem of extensions for other languages and runtimes (such as C++, C#, Java, Python, PHP, Go, .NET). [21]

3.4.1.2. *Expo Go*

Expo Go is a sandbox environment that enables software developers to quickly experiment with building native Android and iOS apps. It is considered to be an excellent starting point for both beginners and more experienced developers transitioning to cross-platform mobile development. [22]

3.4.1.3. *Firebase*

Firebase is a platform backed by Google to build & run modern, AI-powered experiences users love. It accelerates app development with managed infrastructure and provides tools to optimize an app's quality and experience. [23]

3.4.2. *Languages Used*

3.4.2.1. *Python*

Python is an interpreted object-oriented programming language, comparable to Perl, Ruby, Scheme, or Java. It uses an elegant syntax by prioritizing indentation, which promotes the development of logical codebases.

The backend that SiFri-Mail's classifier service and API runs on is written in Python.

3.4.2.2. *JavaScript*

JavaScript is the default programming language of the Web. It was designed with a write-once-run-anywhere approach, with debuggers built into popular browsers such as Chrome and Edge.

The frontend is written in JavaScript through the React Native, making it highly adaptable to different viewport sizes and technical demographics.

3.5. EVALUATION OF THE PROJECT

3.5.1. Respondents of the Study

The participants of this research are students from the Greater Manila Area (consisting of the National Capital Region, Cavite, Laguna, Rizal and Bulacan[24]) who are at least 18 years old, can read and type, and have a computing device with a stable Internet connection.

3.5.2. Research Instruments and Techniques

The researchers primarily collected their data by means of survey questionnaires, which were then distributed with the assistance of Google Forms. They have made continued efforts to increase the quantity of respondents through public information campaigns on social media and instant messaging platforms.

3.5.3. Data Gathering

The researchers of the study used the data gathered from the questionnaires to analyse the benefits and shortcomings of their software project. This will be used to improve the application software in future iterations.

3.5.4. Questionnaire and Survey

Survey sampling was selected as the method to acquire information from the aforementioned target demographics. This method of gathering data has been common among different research groups in De La Salle University – Dasmariñas and in academic communities of Cavite province.

3.5.5. Evaluation Scale

The researchers used the Likert scale to evaluate the performance of the system. A Likert scale is a rating system that asks respondents to choose from a range of answers to measure their opinions, attitudes, or perceptions.

The questionnaire provides for five different levels of agreement for each statement, with the value of each answer being determined as such in Table 3.5.5.

Table 3.5.5 Likert Scale Scoring Range

	Value	Range
Strongly Disagree	1	1.00 - 1.80
Disagree	2	1.81 - 2.60
Neutral	3	2.61 - 3.40
Agree	4	3.41 - 4.20

Strongly Agree	5	4.21 - 5.00
-----------------------	---	-------------

Table 3.5.5 Likert Scale Scoring Range (Reversed Scale)

	Value	Range
Strongly Agree	1	1.00 - 1.80
Agree	2	1.81 - 2.60
Neutral	3	2.61 - 3.40
Disagree	4	3.41 - 4.20
Strongly Disagree	5	4.21 - 5.00

Diversity in the prompt of questioning has been deliberately made to avoid monotony and encourage survey takers to carefully read through the questionnaire. Thus, some sentences in each prompt are written as opinionated statements, while others are written as questions.

Similarly, the researchers have written some questions with positive framing, with others having negative framing. This approach aims to avoid bias towards socially desirable behavior, and check whether participants' responses are reliable and consistent.[25]

3.5.6. Questionnaire Medium

The researchers made use of Google Forms to distribute online survey questionnaires and collect the data provided by respondents. Online platforms used for the dissemination of the surveys include Facebook, Messenger, and Discord.

The questionnaires provided respondents with information on contacting the researchers via e-mail and social media. This open line of communication lent a helping hand to respondents wishing to clarify the relevant procedures.

4. RESULTS

4.1. Demographics

The survey was completed by 61 respondents, mostly students from the Greater Manila Area, aged between 18 and 23 years old. The majority of respondents (41%) were in the 20–21 age range, followed by 30% in the 22–23 range. The remaining 29% were spread across other age brackets.

In terms of device ownership, most respondents owned both a laptop and a phone, making up 31% of the group. Other respondents owned a mix of devices, such as desktops, laptops, phones, and smartwatches. Some participants owned just a laptop or phone, while a few had a combination of different devices.

Table 4.1 Demographic Table

Category	Details	Respondent count	Percentage
Age Bracket	18-19	6	9.8%
	20-21	25	41%
	20-23	18	29.5%
	Others	12	19.7%
Device Ownership	Laptop, Phone	19	31.1%
	Desktop, Laptop, Phone, SmartWatch	10	16.4%
	Laptop Only	15	24.6%
	Phone Only	8	13.1%
	Others	9	14.8%

This demographic breakdown provides a clear understanding of the respondents' age and device usage, offering valuable context for evaluating the SiFri-Mail application and its functionality.

4.2. Functionality

Table 4.2.1 Likert Scale Functionality Responses

Questions	Scale	Responses
Q1: SiFriMail can easily synchronize my e-mail messages.	1	0
	2	1
	3	8
	4	23
	5	28
Q2: SiFriMail lets me compose new emails quickly.	1	1
	2	0

	3	7
	4	21
	5	31
Q3: SiFriMail lets me view my email folders easily.	1	0
	2	1
	3	5
	4	21
	5	33
Q4: SiFriMail does not classify my emails properly.	1	16
	2	10
	3	9
	4	13
	5	12
Q5: SiFriMail can connect to my preferred e-mail account.	1	1
	2	0
	3	6
	4	18
	5	35

Table 4.2.2 Likert Scale Functionality Interpretation

Questions	Average	Interpretation
Q1: SiFriMail can easily synchronize my e-mail messages.	4.30	Strongly Agree
Q2: SiFriMail lets me compose new emails quickly.	4.35	Strongly Agree
Q3: SiFriMail lets me view my email folders easily.	4.43	Strongly Agree
Q4: SiFriMail does not classify my emails properly.	2.92	Neutral

Q5: SiFriMail can connect to my preferred e-mail account.	4.43	Strongly Agree
---	------	-----------------------

4.3. Reliability

Table 4.3.1 Likert Scale Reliability Responses (Reversed Scale)

Questions	Scale	Responses
Q1: SiFriMail does not authenticate with my chosen e-mail service provider.	1	1
	2	6
	3	19
	4	13
	5	21
Q2: SiFriMail opens my inbox every time I launch the app.	1	18
	2	6
	3	19
	4	12
	5	5
Q3: SiFriMail always works with my Internet connection.	1	22
	2	9
	3	7
	4	14
	5	8
Q4: SiFriMail consistently obtains my latest e-mail messages.	1	22
	2	8
	3	9
	4	13
	5	8
	6	8
Q5: SiFriMail reliably utilizes my configuration settings.	1	20

	2	7
	3	10
	4	18
	5	5

Table 4.3.2 Likert Scale Reliability Interpretation (Reversed Scale)

Questions	Average	Interpretation
Q1: SiFriMail does not authenticate with my chosen e-mail service provider.	3.78	Disagree
Q2: SiFriMail opens my inbox every time I launch the app.	2.67	Neutral
Q3: SiFriMail always works with my Internet connection.	2.62	Neutral
Q4: SiFriMail consistently obtains my latest e-mail messages.	2.62	Neutral
Q5: SiFriMail reliably utilizes my configuration settings.	2.68	Neutral

4.4. User Interface Design

Table 4.4.1 Likert Scale UI Responses (Mixed Scale)

Questions	Scale	Responses
Q1: SiFriMail is pleasing to the eyes. (Normal Scale)	1	1
	2	5
	3	6
	4	25
	5	23
Q2: SiFriMail has a poorly thought-out logo and color scheme. (Reversed Scale)	1	3
	2	12

	3	13
	4	12
	5	20
Q3: SiFriMail lets me access every feature I need easily. (Normal Scale)	1	0
	2	2
	3	9
	4	24
	5	25
Q4: SiFriMail displays my e-mails properly. (Reversed Scale)	1	17
	2	6
	3	6
	4	20
	5	11
Q5: SiFriMail does not look professionally made. (Normal Scale)	1	18
	2	10
	3	10
	4	14
	5	8

Table 4.4.2 Likert Scale UI Interpretation (Mixed Scale)

Questions	Average	Interpretation
Q1: SiFriMail is pleasing to the eyes. (Normal Scale)	4.07	Agree
Q2: SiFriMail has a poorly thought-out logo and color scheme. (Reversed Scale)	3.57	Disagree
Q3: SiFriMail lets me access every feature I need easily. (Normal Scale)	4.20	Agree
Q4: SiFriMail displays my e-mails properly. (Reversed Scale)	3.03	Neutral

Q5: SiFriMail does not look professionally made. (Normal Scale)	2.73	Neutral
---	------	----------------

4.5. Other Matters

Of the 61 respondents in the survey, 7 comments were written in the optional comments field. The broad sentiment shared is concerned with matters regarding the User Interface Design (UI), noting possible improvements with the overall layout, folder organization, color scheme, and clearer use of icons.

5. DISCUSSION AND CONCLUSION

5.1. Conclusion

The SiFri-Mail project successfully demonstrated its capability as an intelligent email management tool that leverages Natural Language Processing (NLP) and Support Vector Machines (SVM) to streamline email organization. The results from the survey respondents validate the system's potential to enhance productivity through features like automatic categorization, ease of use, and seamless integration of multiple email accounts.

Key insights from user feedback highlighted the following:

- **Strengths:** The application excels in simplifying email management tasks, providing a clean and user-friendly interface, and effectively synchronizing and organizing emails.
- **Areas for Improvement:** Respondents suggested enhancements to the user interface, particularly in the visual design and inclusion of more advanced organizational features such as additional folder options or clearer iconography.

While some respondents raised questions about the differentiation from manual sorting methods, the majority recognized the system's value in reducing time and effort associated with email management. These insights underscore the effectiveness of integrating AI-driven tools into everyday communication workflows.

In conclusion, SiFri-Mail addresses critical challenges in email overload by offering a scalable, efficient, and intuitive solution. Future developments should focus on refining the interface design, incorporating user feedback, and expanding its functionalities to ensure continued relevance and adoption across broader user demographics.

5.2. Recommendations

Future research could examine the scalability of the current system by assessing the feasibility of implementing more versatile models capable of assessing and handling a wider range of different subjects and labels.

The study investigates the application's effects on the user's productivity. The scope of the study focuses only on students in the Greater Manila Area, but can easily be applied to any demographic who regularly make use of email (i.e. office workers, etc.). A natural extension of this study in the future is the possible exploration of the results when applied to other applicable demographics.

6. REFERENCES

- [1] Haigh, C. (2018, March 15). Because we are social beings: why our gatherings are key to our approach. The Collaborate Out Louder, via Medium.
<https://medium.com/the-collaborate-out-louder/because-we-are-social-beings-why-our-gatherings-are-key-to-our-approach-2e6ac6ad4d22>
- [2] Radicati Group. (2020). Email Statistics Report, 2020-2024. Palo Alto, CA: The Radicati Group.
<https://radicati.com/wp/wp-content/uploads/2020/01/Email-Statistics-Report-2020-2024-Executive-Summary.pdf>
- [3] Yan, et al. (2021). E-mail classification with machine learning and word embeddings for improved customer support. Neural Computing and Applications.
<https://link.springer.com/article/10.1007/s00521-020-05058-4>
- [4] Matso, N. (2022). Land Cover Classification of the Abra River Basin with Remote Sensing and Machine Learning Algorithms. <https://ejournals.ph/article.php?id=16975>
- [5] Avendaño, S. (2019). Application of Support Vector Machine in Corn Disease Detection. UE Research Bulletin, vol. 21 no. 1.
<https://ejournals.ph/article.php?id=17178>
- [6] Edaña, M.G.E., Gonzales, R.J.S., Laguda, R.C.B., & De Goma, J.C. (2020). Stressor Classification of Filipino Political Tweets Using LDA, SVM, XGBoost, Logistic Regression.
<https://ieomsociety.org/proceedings/2022istanbul/258.pdf?form=MG0AV3>
- [7] Pino, R., Mendoza, R., & Sambayan, R. (2020). Baybayin Character Recognition Using Support Vector Machine. Retrieved from
https://www.researchgate.net/publication/349323182_Optical_character_recognition_system_for_Baybayin_scripts_using_support_vector_machine/fulltext/602dbf674585158939b069b2/Optical-character-recognition-system-for-Baybayin-scripts-using-support-vector-machine.pdf
- [8] BusinessWorld Publishing. (2024, May 21). Filipinos worry about falling for financial scams - study. BusinessWorld Online.
<https://www.bworldonline.com/banking-finance/2024/05/22/596548/filipinos-worry-about-falling-for-financial-scams-study/>
- [9] CT Link Systems, Inc. (2023, December 12). Email security service philippines. CT Link.
<https://www.ctlink.com.ph/services/email-security-service-philippines/>
- [10] Dagooc, E. M. (2023, July 19). Philippines ranks fifth with most phishing attacks in 2022. Philstar.com.
<https://www.philstar.com/the-freeman/cebu-business/2023/07/20/2282414/philippines-ranks-fifth-most-phishing-attacks-2022>
- [11] Origenes, O. (2023, October 31). Fighting fraud in the Philippines: Your guide to analytics, alerts and consortiums. TransUnion.
<https://www.transunion.ph/blog/fighting-fraud-in-the-philippines-your-guide-to-analytics-alerts>
- [12] Braithwaite, E., Walker, L., Cooper, C. and Jones, M. (2024, February). Emails 24/7: Agile working or electronic leash? Associations between engaging with work emails outside of normal working hours and health and productivity. DOI:10.21203/rs.3.rs-3990832/v1.
https://www.researchgate.net/publication/378842446_Emails_247_Agile_working_or_electronic_leash_Associations_between_engaging_with_work_emails_outside_of_normal_working_hours_and_health_and_productivity
- [13] Karim, A., Azam, S., Shanmugam, B., Kannoorpatti, K., & Alazab, M. (2019). A comprehensive survey for intelligent spam email detection. Ieee Access, 7, 168261-168295.
- [14] Cambier, R and Vlerick, P. (2020, August). You've got mail: does workplace telepressure relate to email communication?. Cognition Technology and Work 22(3). DOI:10.1007/s10111-019-00592-1.
https://www.researchgate.net/publication/335435478_You've_got_mail_does_workplace_telepressure_relate_to_email_communication
- [15] Ortiz-Garcés, I., Govea, J., Andrade, R. O., & Villegas-Ch, W. (2024). Optimizing chatbot effectiveness through advanced syntactic analysis: A comprehensive study in natural language processing. Applied Sciences, 14(5), 1737.
- [16] Cloudflare. (n.d.). What is natural language processing (NLP)? Cloudflare. Retrieved October 1, 2024, from
<https://www.cloudflare.com/learning/ai/natural-language-processing-nlp/>

- [17] Elton. (n.d.). The Support Vector Machines (SVM) algorithm for NLP. Python Wife. Retrieved October 1, 2024, from <https://pythonwife.com/the-support-vector-machines-svm-algorithm-for-nlp/>
- [18] McGonagle, J., & Chandak, K. (n.d.). Support Vector Machines. Brilliant. Retrieved October 1, 2024, from <https://brilliant.org/wiki/support-vector-machines/>
- [19] Parlad. (2023, August 9). Understanding Text Classification in NLP with Movie Review Example. Analytics Vidhya. Retrieved October 1, 2024, from <https://www.analyticsvidhya.com/blog/2020/12/understanding-text-classification-in-nlp-with-movie-review-example/>
- [20] SAS Institute. (2024, February 14). Natural Language Processing (NLP): What it is and why it matters. SAS Institute. Retrieved October 1, 2024, from https://www.sas.com/en_us/insights/analytics/what-is-natural-language-processing-nlp.html
- [21] Microsoft (n.d.). Visual Studio: IDE and Code Editor for Software Developers and Teams. Retrieved November 26, 2024, from <https://visualstudio.microsoft.com/>.
- [22] 650 Industries (n.d.). Expo Go. Expo. <https://expo.dev/go>.
- [23] Google (n.d.). Firebase | Google's Mobile and Web App Development Platform. <https://firebase.google.com/>.
- [24] Dimasaka, J. (2022, April). Towards an Equitable Development of the Regional Earthquake Resilience of the Greater Metro Manila Area, Philippines. DOI: 10.25740/kd110gb2567. https://www.researchgate.net/publication/379872083_Towards_an_Equitable_Development_of_the_Regional_Earthquake_Resilience_of_the_Greater_Metro_Manila_Area_Philippines.
- [25] Bhandari, P. and Nikolopoulou, K. (2023, June 22). What Is a Likert Scale? | Guide & Examples. Scribbr. <https://www.scribbr.com/methodology/likert-scale/>.