

IskoExchange

A Q&A Website for UP Students

Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:

Balingit, Ivan Carlo M.

Cajaljal, Patricia Mae G.

Tan, Luis Carlos B.

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2017-2018

Unique Reference:

The documents are stored in the GitHub repository link: <https://github.com/ivanbalingit/IskoExchange>

Document Purpose:

This document contains the project's use case specification to explicate the specification's description, preconditions and flow of events.

Target Audience:

This document is made as partial fulfillment of academic requirements for the course CS 191 – Software Engineering I, handled by Prof. Ma. Rowena C. Solamo.

Revision Control*History Revision:*

| Revision Date | Person Responsible | Version Number | Modification |
|----------------------|---------------------------|-----------------------|-------------------------------|
| 10/04/17 | Patricia Cajaljal | 1.0 | Initial Document; Version 1.0 |
| | | | |


Use-Case Name: 7.2 Give Rating

Description: Other users can give a rating to an answer, which increases the credibility of the answer and the answerer itself.

Preconditions: The user must be registered and logged in to give rating to an answer. The answer to be given a rating on must be available/ not deleted by the answerer, and viewed by the user for the answer to be given a rating.

Flow of Events:

| Scenario Name | Description |
|---|---|
| Scenario 1 (Basic Flow) Logged-in user gives rating to an answer. | 1. Logged-in user views the question. 2. Logged-in user views the answer/s of that question. 3. Logged-on user chooses an answer to be given a rating. 4. Logged-in user gives his/her rating. |
| Scenario 2 Logged-in user changes his/her rating. | 1. Logged-in user views the question and its answer/s with his/her rating on it. 2. Logged-in user changes his/her rating. 3. Logged-in user's rating to the answer will be updated. |
| Scenario 3 Answerer deletes the answer with the logged-in user's rating. | 1. If the answer with the logged-in user's rating is deleted, the rating of the user will also be deleted. |



Activity Diagram of the Flow of Events:

Postcondition: The answer of a question will be updated with the logged-in user's rating.

Relationships: Use Case 7.2 Give Rating is extended from Use Case 7.0 Give Feedback.

Special Requirements: NONE