
Additional Practices

Oracle Internal & Oracle Academy
Use Only

Additional Practices

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statement, basic SQL Developer commands, and SQL functions.

1. The HR department needs to find data for all of the clerks who were hired after the year 1997.

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY
1	143	Randall	Matos	RMATOS	650.121.2874	15-MAR-98	ST_CLERK	2600
2	144	Peter	Vargas	PVARGAS	650.121.2004	09-JUL-98	ST_CLERK	2500

2. The HR department needs a report of employees who earn commission. Show the last name, job, salary, and commission of those employees. Sort the data by salary in descending order.

	LAST_NAME	JOB_ID	SALARY	COMMISSION_PCT
1	Abel	SA_REP	11000	0.3
2	Zlotkey	SA_MAN	10500	0.2
3	Taylor	SA_REP	8600	0.2
4	Grant	SA_REP	7000	0.15

Additional Practices (continued)

3. For budgeting purposes, the HR department needs a report on projected raises. The report should display those employees who have no commission, but who have a 10% raise in salary (round off the salaries).

R	New salary
1	The salary of King after a 10% raise is 26400
2	The salary of Kochhar after a 10% raise is 18700
3	The salary of De Haan after a 10% raise is 18700
4	The salary of Hunold after a 10% raise is 9900
5	The salary of Ernst after a 10% raise is 6600
6	The salary of Lorentz after a 10% raise is 4620
7	The salary of Mourgos after a 10% raise is 6380
8	The salary of Rajs after a 10% raise is 3850
9	The salary of Davies after a 10% raise is 3410
10	The salary of Matos after a 10% raise is 2860
11	The salary of Vargas after a 10% raise is 2750
12	The salary of Whalen after a 10% raise is 4840
13	The salary of Hartstein after a 10% raise is 14300
14	The salary of Fay after a 10% raise is 6600
15	The salary of Higgins after a 10% raise is 13200
16	The salary of Gietz after a 10% raise is 9130

Additional Practices (continued)

4. Create a report of employees and their length of employment. Show the last names of all the employees together with the number of years and the number of completed months that they have been employed. Order the report by the length of their employment. The employee who has been employed the longest should appear at the top of the list.

	LAST_NAME	YEARS	MONTHS
1	King	20	0
2	Whalen	19	9
3	Kochhar	17	9
4	Hunold	17	5
5	Ernst	16	1

...

17	Lorentz	8	4
18	Grant	8	1
19	Mourgos	7	7
20	Zlotkey	7	5

5. Show those employees who have a last name starting with the letters “J,” “K,” “L,” or “M.”

	LAST_NAME
1	King
2	Kochhar
3	Lorentz
4	Matos
5	Mourgos

6. Create a report that displays all employees, and indicate with the words *Yes* or *No* whether they receive a commission. Use the `DECODE` expression in your query.

Note: Results are continued on the next page.

	LAST_NAME	SALARY	COMMISSION
1	King	24000	No
2	Kochhar	17000	No
3	De Haan	17000	No
4	Hunold	9000	No
5	Ernst	6000	No
6	Lorentz	4200	No
7	Mourgos	5800	No
8	Rajs	3500	No
9	Davies	3100	No
10	Matos	2600	No

Additional Practices (continued)

6. (continued)

11	Vargas	2500	No
12	Zlotkey	10500	Yes
13	Abel	11000	Yes
14	Taylor	8600	Yes
15	Grant	7000	Yes
16	Whalen	4400	No
17	Hartstein	13000	No
18	Fay	6000	No
19	Higgins	12000	No
20	Gietz	8300	No

Oracle Internal & Oracle Academy
Use Only

Additional Practices (continued)

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statement, basic SQL Developer commands, SQL functions, joins, and group functions.

7. Create a report that displays the department name, location ID, last name, job title, and salary of those employees who work in a specific location. Prompt the user for the location. For example, if the user enters 1800, these are the results:

	DEPARTMENT_NAME	LOCATION_ID	LAST_NAME	JOB_ID	SALARY
1	Marketing	1800	Hartstein	MK_MAN	13000
2	Marketing	1800	Fay	MK_REP	6000

8. Find the number of employees who have a last name that ends with the letter “n.” Create two possible solutions.

	COUNT(*)
1	3

9. Create a report that shows the name, location, and number of employees for each department. Make sure that the report also includes departments without employees.

	DEPARTMENT_ID	DEPARTMENT_NAME	LOCATION_ID	COUNT(E.EMPLOYEE_ID)
1	80	Sales	2500	3
2	110	Accounting	1700	2
3	10	Administration	1700	1
4	60	IT	1400	3
5	20	Marketing	1800	2
6	90	Executive	1700	3
7	50	Shipping	1500	5
8	190	Contracting	1700	0

Additional Practices (continued)

10. The HR department needs to find the job titles in departments 10 and 20. Create a report to display the job IDs for those departments.

	JOB_ID
1	AD_ASST
2	MK_MAN
3	MK_REP

11. Create a report that displays the jobs that are found in the Administration and Executive departments. Also display the number of employees for these jobs. Show the job with the highest number of employees first.

	JOB_ID	FREQUENCY
1	AD_VP	2
2	AD PRES	1
3	AD_ASST	1

Oracle Internal & Oracle Academy
Use Only

Additional Practices (continued)

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statements, basic SQL Developer commands, SQL functions, joins, group functions, and subqueries.

12. Show all the employees who were hired in the first half of the month (before the 16th of the month).

	LAST_NAME	HIRE_DATE
1	De Haan	13-JAN-93
2	Hunold	03-JAN-90
3	Lorentz	07-FEB-99
4	Matos	15-MAR-98
5	Vargas	09-JUL-98
6	Abel	11-MAY-96
7	Higgins	07-JUN-94
8	Gietz	07-JUN-94

13. Create a report that displays the following for all employees: last name, salary, and salary expressed in terms of thousands of dollars.

Note: Results are continued on the next page.

	LAST_NAME	SALARY	THOUSANDS
1	King	24000	24
2	Kochhar	17000	17
3	De Haan	17000	17
4	Hunold	9000	9
5	Ernst	6000	6
6	Lorentz	4200	4
7	Mourgos	5800	5
8	Rajs	3500	3
9	Davies	3100	3
10	Matos	2600	2

...

Additional Practices (continued)

13. (continued)

11	Vargas	2500	2
12	Zlotkey	10500	10
13	Abel	11000	11
14	Taylor	8600	8
15	Grant	7000	7
16	Whalen	4400	4
17	Hartstein	13000	13
18	Fay	6000	6
19	Higgins	12000	12
20	Gietz	8300	8

14. Show all the employees who have managers with a salary higher than \$15,000. Show the following data: employee name, manager name, manager salary, and salary grade of the manager.

R	LAST_NAME	R	MANAGER	R	SALARY	R	GRADE_LEVEL
1	Whalen		Kochhar		17000	E	
2	Higgins		Kochhar		17000	E	
3	Hunold		De Haan		17000	E	
4	Kochhar		King		24000	E	
5	De Haan		King		24000	E	
6	Mourgos		King		24000	E	
7	Zlotkey		King		24000	E	
8	Hartstein		King		24000	E	

Additional Practices (continued)

15. Show the department number, name, number of employees, and average salary of all the departments, together with the names, salaries, and jobs of the employees working in each department.

	DEPARTMENT_ID	DEPARTMENT_NAME	EMPLOYEES	AVG_SAL	LAST_NAME	SALARY	JOB_ID
1	10	Administration	1	4400.00	Whalen	4400	AD_ASST
2	20	Marketing	2	9500.00	Hartstein	13000	MK_MAN
3	20	Marketing	2	9500.00	Fay	6000	MK_REP
4	50	Shipping	5	3500.00	Davies	3100	ST_CLERK
5	50	Shipping	5	3500.00	Matos	2600	ST_CLERK
6	50	Shipping	5	3500.00	Rajs	3500	ST_CLERK

...

19	110	Accounting	2	10150.00	Higgins	12000	AC_MGR
20	(null)	(null)	0	No average	Grant	7000	SA_REP

16. Create a report to display the department number and lowest salary of the department with the highest average salary.

	DEPARTMENT_ID	MIN(SALARY)
1	90	17000

Additional Practices (continued)

17. Create a report that displays departments where no sales representatives work. Include the department number, department name, manager ID, and the location in the output.

	DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID
1	10	Administration	200	1700
2	20	Marketing	201	1800
3	50	Shipping	124	1500
4	60	IT	103	1400
5	90	Executive	100	1700
6	110	Accounting	205	1700
7	190	Contracting	(null)	1700

18. Create the following statistical reports for the HR department: Include the department number, department name, and the number of employees working in each department that:

- a. Employs fewer than three employees:

	DEPARTMENT_ID	DEPARTMENT_NAME	COUNT(*)
1	10	Administration	1
2	110	Accounting	2
3	20	Marketing	2

- b. Has the highest number of employees:

	DEPARTMENT_ID	DEPARTMENT_NAME	COUNT(*)
1	50	Shipping	5

- c. Has the lowest number of employees:

	DEPARTMENT_ID	DEPARTMENT_NAME	COUNT(*)
1	10	Administration	1

Additional Practices (continued)

19. Create a report that displays the employee number, last name, salary, department number, and the average salary in their department for all employees.

	EMPLOYEE_ID	LAST_NAME	DEPARTMENT_ID	SALARY	AVG(S.SALARY)
1	149	Zlotkey	80	10500	10033.333333333333...
2	174	Abel	80	11000	10033.333333333333...
3	144	Vargas	50	2500	3500
4	101	Kochhar	90	17000	19333.333333333333...
5	100	King	90	24000	19333.333333333333...
6	103	Hunold	60	9000	6400
7	142	Davies	50	3100	3500
8	205	Higgins	110	12000	10150
9	104	Ernst	60	6000	6400
10	143	Matos	50	2600	3500

...

18	206	Gietz	110	8300	10150
19	124	Mourgos	50	5800	3500

20. Show all the employees who were hired on the day of the week on which the highest number of employees were hired.

	LAST_NAME	DAY
1	Ernst	TUESDAY
2	Mourgos	TUESDAY
3	Rajs	TUESDAY
4	Taylor	TUESDAY
5	Higgins	TUESDAY
6	Gietz	TUESDAY

Additional Practices (continued)

21. Create an anniversary overview based on the hire date of the employees. Sort the anniversaries in ascending order.

	 LAST_NAME	 BIRTHDAY
1	Hunold	January 03
2	De Haan	January 13
3	Davies	January 29
4	Zlotkey	January 29
5	Lorentz	February 07
6	Hartstein	February 17
7	Matos	March 15
8	Taylor	March 24
9	Abel	May 11
10	Ernst	May 21


• • •

11	Grant	May 24
12	Higgins	June 07
13	Gietz	June 07
14	King	June 17
15	Vargas	July 09
16	Fay	August 17
17	Whalen	September 17
18	Kochhar	September 21
19	Rajs	October 17
20	Mourgos	November 16

Additional Practices: Case Study

In this case study, you build a set of database tables for a video application. After you create the tables, you insert, update, and delete records in a video store database and generate a report. The database contains only the essential tables.

The following is a diagram of the entities and attributes for the video application:



Note: If you want to build the tables, you can execute the commands in the `buildtab.sql` script in SQL Developer. If you want to drop the tables, you can execute the commands in the `dropvid.sql` script in SQL Developer. Then you can execute the commands in the `buildvid.sql` script in SQL Developer to create and populate the tables. All the three sql scripts are present in the `D:\labs\sql1\labs` folder.

- If you use the `buildtab.sql` script to build the tables, start with step 4.
- If you use the `dropvid.sql` script to remove the video tables, start with step 1.
- If you use the `buildvid.sql` script to build and populate the tables, start with step 6(b).

Additional Practices: Case Study (continued)

1. Create the tables based on the following table instance charts. Choose the appropriate data types and be sure to add integrity constraints.

a. Table name: MEMBER

Column_ Name	MEMBER_ ID	LAST_ NAME	FIRST_NAME	ADDRESS	CITY	PHONE	JOIN _DATE
Key Type	PK						
Null/ Unique	NN,U	NN					NN
Default Value							System Date
Data Type	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	DATE
Length	10	25	25	100	30	15	

b. Table name: TITLE

Column_ Name	TITLE_ID	TITLE	DESCRIPTION	RATING	CATEGORY	RELEASE_ DATE
Key Type	PK					
Null/ Unique	NN,U	NN	NN			
Check				G, PG, R, NC17, NR	DRAMA, COMEDY, ACTION, CHILD, SCIFI, DOCUMEN TARY	
Data Type	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	DATE
Length	10	60	400	4	20	

Additional Practices: Case Study (continued)

c. Table name: TITLE_COPY

Column Name	COPY_ID	TITLE_ID	STATUS
Key Type	PK	PK,FK	
Null/Unique	NN,U	NN,U	NN
Check			AVAILABLE, DESTROYED, RENTED, RESERVED
FK Ref Table		TITLE	
FK Ref Col		TITLE_ID	
Data Type	NUMBER	NUMBER	VARCHAR2
Length	10	10	15

d. Table name: RENTAL


Column Name	BOOK_DATE	MEMBER_ID	COPY_ID	ACT_RET_DATE	EXP_RET_DATE	TITLE_ID
Key Type	PK	PK,FK1	PK,FK2			PK,FK2
Default Value	System Date				System Date + 2 days	
FK Ref Table		MEMBER	TITLE_COPY			TITLE_COPY
FK Ref Col		MEMBER_ID	COPY_ID			TITLE_ID
Data Type	DATE	NUMBER	NUMBER	DATE	DATE	NUMBER
Length		10	10			10

Additional Practices: Case Study (continued)

e. Table name: RESERVATION


Column Name	RES_DATE	MEMBER_ID	TITLE_ID
Key Type	PK	PK,FK1	PK,FK2
Null/Unique	NN,U	NN,U	NN
FK Ref Table		MEMBER	TITLE
FK Ref Column		MEMBER_ID	TITLE_ID
Data Type	DATE	NUMBER	NUMBER
Length		10	10

2. Verify that the tables were created properly by checking in the Connections Navigator in SQL Developer.



Additional Practices: Case Study (continued)

3. Create sequences to uniquely identify each row in the MEMBER table and the TITLE table.
 - a. Member number for the MEMBER table: Start with 101; do not allow caching of the values. Name the sequence MEMBER_ID_SEQ.
 - b. Title number for the TITLE table: Start with 92; do not allow caching of the values. Name the sequence TITLE_ID_SEQ.
 - c. Verify the existence of the sequences in the Connections Navigator in SQL Developer.



4. Add data to the tables. Create a script for each set of data to be added.
 - a. Add movie titles to the TITLE table. Write a script to enter the movie information. Save the statements in a script named lab_apcs_4a.sql. Use the sequences to uniquely identify each title. Enter the release dates in the DD-MON-YYYY format. Remember that single quotation marks in a character field must be specially handled. Verify your additions.

TITLE
1 Willie and Christmas Too
2 Alien Again
3 The Glob
4 My Day Off
5 Miracles on Ice
6 Soda Gang

Additional Practices: Case Study (continued)

Title	Description	Rating	Category	Release_date
Willie and Christmas Too	All of Willie's friends make a Christmas list for Santa, but Willie has yet to add his own wish list.	G	CHILD	05-OCT-1995
Alien Again	Yet another installation of science fiction history. Can the heroine save the planet from the alien life form?	R	SCIFI	19-MAY-1995
The Glob	A meteor crashes near a small American town and unleashes carnivorous goo in this classic.	NR	SCIFI	12-AUG-1995
My Day Off	With a little luck and a lot of ingenuity, a teenager skips school for a day in New York.	PG	COMEDY	12-JUL-1995
Miracles on Ice	A six-year-old has doubts about Santa Claus, but she discovers that miracles really do exist.	PG	DRAMA	12-SEP-1995
Soda Gang	After discovering a cache of drugs, a young couple find themselves pitted against a vicious gang.	NR	ACTION	01-JUN-1995

- b. Add data to the MEMBER table. Save the insert statements in a script named lab_apcs_4b.sql. Execute commands in the script. Be sure to use the sequence to add the member numbers.

First_Name	Last_Name	Address	City	Phone	Join_Date
Carmen	Velasquez	283 King Street	Seattle	206-899-6666	08-MAR-1990
LaDoris	Ngao	5 Modrany	Bratislava	586-355-8882	08-MAR-1990
Midori	Nagayama	68 Via Centrale	Sao Paolo	254-852-5764	17-JUN-1991
Mark	Quick-to-See	6921 King Way	Lagos	63-559-7777	07-APR-1990
Audry	Ropeburn	86 Chu Street	Hong Kong	41-559-87	18-JAN-1991
Molly	Urguhart	3035 Laurier	Quebec	418-542-9988	18-JAN-1991

Additional Practices: Case Study (continued)

c. Add the following movie copies in the `TITLE_COPY` table:

Note: Have the `TITLE_ID` numbers available for this exercise.

Title	Copy_Id	Status	Title	Copy_Id
Willie and Christmas Too	1	AVAILABLE	Willie and Christmas Too	1
Alien Again	1	AVAILABLE	Alien Again	1
	2	RENTED		2
The Glob	1	AVAILABLE	The Glob	1
My Day Off	1	AVAILABLE	My Day Off	1
	2	AVAILABLE		2
	3	RENTED		3
Miracles on Ice	1	AVAILABLE	Miracles on Ice	1
Soda Gang	1	AVAILABLE	Soda Gang	1

d. Add the following rentals to the `RENTAL` table:

Note: The title number may be different depending on the sequence number.

Title_Id	Copy_Id	Member_Id	Book_date	Exp_Ret_Date
92	1	101	3 days ago	1 day ago
93	2	101	1 day ago	1 day from now
95	3	102	2 days ago	Today
97	1	106	4 days ago	2 days ago

Additional Practices: Case Study (continued)

5. Create a view named `TITLE_AVAIL` to show the movie titles, the availability of each copy, and its expected return date if rented. Query all rows from the view. Order the results by title.

Note: Your results may be different.

R	TITLE	R	COPY_ID	R	STATUS	EXP_RET_DATE
1	Alien Again		1		AVAILABLE	(null)
2	Alien Again		2		RENTED	29-JUN-07
3	My Day Off		1		AVAILABLE	(null)
4	My Day Off		2		AVAILABLE	(null)
5	My Day Off		3		RENTED	30-JUN-07
6	The Glob		1		AVAILABLE	(null)
7	Willie and Christmas Too		1		AVAILABLE	29-JUN-07

6. Make changes to the data in the tables.
 - a. Add a new title. The movie is “Interstellar Wars,” which is rated PG and classified as a science fiction movie. The release date is 07-JUL-77. The description is “Futuristic interstellar action movie. Can the rebels save the humans from the evil empire?” Be sure to add a title copy record for two copies.
 - b. Enter two reservations. One reservation is for Carmen Velasquez, who wants to rent “Interstellar Wars.” The other is for Mark Quick-to-See, who wants to rent “Soda Gang.”

Additional Practices: Case Study (continued)

7. Make a modification to one of the tables.

- a. Run the script `lab_apcs_7a.sql` located in the `D:\labs\sql1\labs` folder, to add a `PRICE` column to the `TITLE` table to record the purchase price of the video. Verify your modifications.

DESCRIBE title		
Name	Null	Type

TITLE_ID	NOT NULL	NUMBER(10)
TITLE	NOT NULL	VARCHAR2(60)
DESCRIPTION	NOT NULL	VARCHAR2(400)
RATING		VARCHAR2(4)
CATEGORY		VARCHAR2(20)
RELEASE_DATE		DATE
PRICE		NUMBER(8,2)

Title	Price
Willie and Christmas Too	25
Alien Again	35
The Glob	35
My Day Off	35
Miracles on Ice	30
Soda Gang	35
Interstellar Wars	29

- b. Create a script named `lab_apcs_7b.sql` that contains update statements that update each video with a price according to the preceding list. Run the commands in the script.
Note: Have the `TITLE_ID` numbers available for this exercise.

Additional Practices: Case Study (continued)

8. Create a report that contains each customer's history of renting videos. Be sure to include the customer name, movie rented, dates of the rental, and duration of rentals. Total the number of rentals for all customers for the reporting period. Save the commands that generate the report in a script file named `lab_apcs_8.sql`.

Note: Your results may be different.

	MEMBER	TITLE	BOOK_DATE	DURATION
1	Carmen Velasquez	Willie and Christmas Too	20-JUL-07	1
2	Carmen Velasquez	Alien Again	22-JUL-07	(null)
3	LaDoris Ngao	My Day Off	21-JUL-07	(null)
4	Molly Uguhart	Soda Gang	19-JUL-07	2

Oracle Internal & Oracle Academy
Use Only