CPC COOPERATIVE PATENT CLASSIFICATION

A HUMAN NECESSITIES

AGRICULTURE

A01 AGRICULTURE; FORESTRY; ANIMAL HUSBANDRY; HUNTING; TRAPPING; FISHING

A01F PROCESSING OF HARVESTED PRODUCE; HAY OR STRAW PRESSES; DEVICES FOR STORING AGRICULTURAL OR HORTICULTURAL PRODUCE (devices for topping or skinning onions or flower bulbs <u>A23N 15/08</u>)

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Stationary apparatus or hand tools for forming or	12/14	with band-cutters
	binding straw, hay or the like into bundles (baling	12/16	Safety devices
	apparatus or presses A01F 13/00, A01F 15/00; mobile	12/18	Threshing devices
	binders for use in the field <u>A01D 37/00</u> , <u>A01D 39/00</u>)	12/181	• • {Adjustable threshing mechanisms}
1/02	 Hand-operated tools 	12/182	• • {Stripper beaters after the threshing drum}
1/04	 Fastening or tying devices 	12/184	• • {Cleaning means}
1/06	Ties for bundles	12/185	• • {Mounting means}
3/00	Hand-operated implements for cutting-up straw,	12/187	• • {Vibratory threshing mechanisms}
5/00	hay or the like (mechanically-driven straw cutters	2012/188	• • {Rethreshing devices}
	A01F 29/00)	12/20	Threshing cylinders with ribs
	,	12/22	Threshing cylinders with teeth
Threshing		12/24	One-part threshing concaves
5/00	Hand-operated implements for threshing	12/26	Multi-part threshing concaves
5/00		12/28	Devices for adjusting the concaves
7/00	Threshing apparatus	12/30	• Straw separators {, i.e. straw walkers, for separating
7/02	 with rotating tools (threshing cylinders or concaves 		residual grain from the straw (grain cleaning
	<u>A01F 12/18</u>)		<u>A01F 12/44</u>)}
7/04	 with axles transverse to the feeding direction 	12/305	• • {combined with additional grain extracting
7/06	• • with axles in line with the feeding direction {;		means}
	Axial threshing machines}	12/32	• with shaker screens or sieves
7/062	• • • { with a rotating cage }	12/34	Sieve elements; Linings for shakers
7/065 7/067	 {with cage sweep mechanisms} {with material-flow influencing means}	12/36	Sieve elements specially adapted for handling short straw
7/70	with flails	12/38	• • with juxtaposed and independently-moved shaker bars or the like
		12/385	 with endless straw-conveying surface
		12/39	• with straw carriers in the form of rotors or drums
2009/00	Threshing machines with flails; Threshing devices with flails for combines	12/395	 Conical or cylindrical straw separators with internal working surface
11/00	Threshing apparatus specially adapted for	12/40	Arrangements of straw crushers or cutters
11/00	maize; Threshing apparatus specially adapted for	12/42	Apparatus for removing awns from the grain
	particular crops other than cereals	12/44	Grain cleaners; Grain separators
11/02	• for flax	12/442	• • {Rotary cleaners}
11/04	 for clover or like seeds, e.g. lucerne 	12/444	• • {Fanning means}
11/06	• for maize, e.g. removing kernels from cobs	12/446	• • {Sieving means}
11/08	• for palm fruit, e.g. releasing the fruit from the stalk	12/448	{Sieve adjusting means}
10/00		12/46	Mechanical grain conveyors
12/00	Parts or details of threshing apparatus (devices,	12/48	Air conduits or blowers for grain
	other than safety devices for feeders, for protecting human beings A01D 75/20, A01F 21/00)	12/50	Sack-filling devices; Counting or weighing devices
12/10	Feeders	12/52	. Arrangements for returning unthreshed grain to the
12/10	without band-cutters		threshing device
12/12	• • without band-cutters		

CPC - 2024.05

12/54	Arrangements for collecting or removing dust	15/0816	• • {Devices for dispensing chemicals in bales during
12/56	 Driving mechanisms for the threshing parts 		formation}
12/58	 Control devices; Brakes; Bearings 	15/0825	• • {Regulating or controlling density or shape of the
12/60	• Grain tanks {(for combines A01D 41/1208)}		bale}
		15/0833	• • • {for round balers}
Baling straw or the like (baling presses in general, briquetting		15/0841	• • {Drives for balers}
presses <u>B30B</u>)		15/085	• • • {for round balers}
13/00	Hand-operated baling apparatus	15/0858	• • • {for the tying devices or needles}
13/00	manu-operated banng apparatus	2015/0866	• • • {Clutching means for the knotting process;
15/00	Baling presses for straw, hay or the like		Bale length measuring means for triggering
15/005	• {for conditioning bales, e.g. rebaling}		the clutching mean}
15/02	• with press-boxes {(A01F 15/046 takes precedence)}	15/0875	• • {Discharge devices}
15/04	Plunger presses	15/0883	• • • {for round balers}
15/042	• • {Plungers}	2015/0891	• • • {Weighing the finished bale before falling to
15/044	• • {with open pressing chambers}		ground}
15/046	• {with press-boxes}	15/10	Feeding devices for the crop material {e.g.
2015/048	• • {Anti-return systems for the material in the		precompression devices}
2010/010	pressing chamber when the plunger moves	15/101	• • • {Feeding at right angles to the compression
	backwards}		stroke (A01F 15/106 takes precedence)}
15/06	with double-action plunger	2015/102	• • • { the pressing chamber is fed from the bottom
15/07	• Rotobalers, i.e. machines for forming cylindrical		side}
13/07	bales by winding and pressing	2015/103	• • • { the pressing chamber is fed from a lateral
15/0705	• {Arrangements for continuous operation}		side}
15/071	 • {Wrapping devices (tying devices A01F 15/141)} • {Wrapping devices (tying devices A01F 15/141)} 	2015/105	• • • { the pressing chamber is fed from the top
15/0715	 . (Wrapping devices (typing devices AOTT 15/141)) (Wrapping the bale in the press chamber before 		side}
13/0/13	opening said chamber}	15/106	{for round balers}
2015/072	• • • {Braking means for the film roll in balers	2015/107	{Means for withdrawing knives, rotor or walls
2013/072	which wrap the bale before opening the		of the feeding chamber in case of plugging or
	pressing chamber in order to stretch the film		congestion}
	while wrapping}	2015/108	{Cutting devices comprising cutter and
2015/0725	• • • {Film dispensers for film rollers in a satellite		counter-cutter}
2013/0723	type wrapper, e.g. holding and tensioning	15/12	Feeding devices for the ties
	means for the film roller (the rotating arm itself	15/14	Tying devices specially adapted for baling presses
	A01F 2015/073)}	15/141	• • • {for round balers (wrapping devices
2015/073	• • • {Features related to the horizontal rotating		A01F 15/071)}
	arm of a wrapping device of the satellite type	2015/143	{Guiding fingers for twines in order to avoid
	(features of film dispensers A01F 2015/0725)}		the slippage of twines to the sides of the bale
2015/0735	• • • {Combined machines that include a press bale		when tying it}
	and a wrapping device in a further step, e.g.	15/145	• • • {Twine knotters}
	turning table, not in the same closed pressing	15/146	• • {Wire twisters}
	chamber}	15/148	• • {Monitoring the tying, e.g. mistie detectors}
2015/074	• • • {Mechanisms for discharging a bale from the	15/16	. Division blocks
	wrapping machine}	15/18	Endless belts, rolls or the like
2015/0745	• • • {Special features of the wrapping material for	2015/183	{Constructional details of belts of the press
	wrapping the bale}		chamber}
2015/075	• • • {Opening the pressing chamber before	2015/186	{Constructional details of rollers or the
	wrapping, and then wrapping by rotating the		bearings of the rollers of the press chamber}
	bale without displacing it out of the open		<i>g.</i>
	pressing chamber}	Accessories f	For threshing machines or baling presses (loaders for
2015/0755	• • {Configuration of support surfaces which can	sheaves, stack	ks or bales <u>A01D 87/12</u> ; trailers <u>B62D 63/06</u>)
	move in order to rotate a bale around at least		
	one axis while wrapping}	17/00	Straw conveyors for threshing machines or baling
2015/076	• • {Wrapping device incorporating sensors}	17/00	presses
15/0765	• • {Rolling bales on the ground}	17/02	Mechanical conveyors
2015/077	• • {Pressing chamber formed by belts and rollers}	17/04	Pneumatic conveyors
2015/0775	• • {Pressing chambers with fix volume}	19/00	Devices for securing threshing machines or baling
2015/078	• • {Pressing chamber formed exclusively by flexible		presses to the ground, e.g. for compensating for
	elements, e.g. belts}		unevenness of the ground
2015/0785	• • {Latching or locking means for the tailgate of the	A4 100	_
	rotobaler}	21/00	Devices for protecting human beings for
2015/079	• • {Sledge for rollers of the pressing chamber}		threshing machines or baling presses (in combines
2015/0795	• • {Pressing chamber with variable volume}		A01D 75/20; for feeders for threshing apparatus A01F 12/16)
			WILLE 1 // ID)
15/08	• Details		<u>A011-12/10</u>)

CPC - 2024.05

29/04

. . with feeding direction transverse to axis

25/00	Storing agricultural or horticultural produce;	29/06	. having rotating knives with their cutting edges on a
	Hanging-up harvested fruit (maturing fruit		cylinder surface, e.g. of the helical-type
	A23N 15/06; arrangements in barns for preparatory	29/08	 having reciprocating knives
	treatment of tobacco A24B 1/02; packing or storing	29/09	• Details
	hops <u>C12C 3/04</u>)	29/095	• • {Mounting or adjusting of knives}
25/02	• Clamps; Pits	29/10	Feeding devices
25/04	Stacks, ricks or the like	29/12	Discharge means (loaders for hay or like field
25/045	• • {Distributing arrangements in haystacks}		crop having blowers A01D 87/10)
25/08	• • Ventilating means	29/14	Drives
25/10	• • Shelters {; Open sheds or similar structures}	29/16	 Safety devices, e.g. emergency brake
25/12	 Racks for drying purposes 		arrangements
25/125	• • {Transport devices for hay racks}	29/18	• • • for protecting human beings
25/13	• Coverings (<u>A01F 25/14</u> takes precedence)	29/22	 Arrangement of knife sharpening devices
25/14	 Containers specially adapted for storing 		
2025/142	• • {Machinery for making sausage-like groups of		
	bales by wrapping or bagging (for bagging of		
	loose material <u>A01F 2025/145</u>)}		
2025/145	• • {Bagging machines for loose materials making		
	some kind of "sausage" on the field (making		
2025/147	sausage-like groups of bales A01F 2025/142)}		
2025/147	• • (the containers are specially adapted for storing		
25/16	or drying the products in vacuum}		
25/16	• Arrangements in forage silos		
25/163	• {in tower silos}		
25/166	• {in trench silos}		
25/18	• Loading or distributing arrangements		
25/183	{Loading arrangements}		
25/186	• • {Distributing arrangements (for haystacks		
25/20	A01F 25/045)} • Unloading arrangements		
25/2009			
25/2009	 {Top unloading units for tower silos} {Bottom unloading units for tower silos}		
25/2018			
25/2027	 {for trench silos} {Cutting or handling arrangements for silage		
23/2030	blocks}		
2025/2045	{Unloading arrangements including a		
2023/2043	conveyor belt for transferring the material to		
	a hopper}		
2025/2054	{Machinery for cutting successive parallel		
	layers of material in a trench silo (for		
	shredding <u>A01F 2025/2063</u>)}		
2025/2063	{Machinery for shredding successive parallel		
	layers of material in a trench silo}		
2025/2072	{Scoops with an extracting tool mounted		
	inside or in the vicinity of said scoop}		
2025/2081	{Hydraulic features of the trench silos		
	unloading devices, e.g. hydraulic circuits}		
2025/209	{Manual portable tools for unloading a silo,		
22/22	e.g. for cutting out a block}		
25/22	Ventilating arrangements		
29/00	Cutting apparatus specially adapted for cutting		
	hay, straw or the like (mowers combined with means		
	for cutting up the mown crop A01D 43/08)		
29/005	• {for disintegrating and cutting up bales of		
	hay, straw or fodder (for unrolling round bales		
	<u>A01D 87/127</u>)}		
29/01	specially adapted for being mounted on or drawn by		
	a tractor, e.g. field choppers		
29/02	 having rotating knives with their cutting edges in a 		
00/027	plane perpendicular to their rotational axis		
29/025	• • {with feeding direction parallel to axis}		
29/04	with feeding direction transverse to axis		

CPC - 2024.05