## test\_tex

## Contents

descr(iris)

Variables	Total (N=150)	p
Sepal.Length N mean sd median Q1 - Q3 min - max	$   \begin{array}{c}     150 \\     5.8 \\     0.83 \\     5.8 \\     5.1 - 6.4 \\     4.3 - 7.9   \end{array} $	<0.001 <sup>tt1</sup>
Sepal.Width  N  mean  sd  median  Q1 - Q3  min - max	$   \begin{array}{c}     150 \\     3.1 \\     0.44 \\     3 \\     2.8 - 3.3 \\     2 - 4.4   \end{array} $	<0.001 <sup>tt1</sup>
Petal.Length  N  mean  sd  median  Q1 - Q3  min - max	$   \begin{array}{c}     150 \\     3.8 \\     1.8 \\     4.3 \\     1.6 - 5.1 \\     1 - 6.9   \end{array} $	<0.001 <sup>tt1</sup>
Petal.Width N mean sd median Q1 - Q3 min - max	$   \begin{array}{c}     150 \\     1.2 \\     0.76 \\     1.3 \\     0.3 - 1.8 \\     0.1 - 2.5   \end{array} $	<0.001 <sup>tt1</sup>

## $\begin{array}{c|c} \hline (continued) \\ \hline Variables & Total & p \\ \hline (N=150) \\ \hline \\ \textbf{Species} \\ setosa & 50 (33\%) > 0.999^{\mathrm{chi1}} \\ versicolor & 50 (33\%) \\ virginica & 50 (33\%) \\ \hline ^{tt1} Student's one-sample t-test \\ ^{\mathrm{chi1}} Chi-squared goodness-of-fit test \\ \hline \end{array}$

```
descr(
  iris,
  "Species",
  group_labels = list(setosa = "My custom group label"),
  var_options = list(Sepal.Length = list(label = "My custom variable label"))
)
```

Variables	My custom group label $(N=50)$	versicolor (N=50)	virginica (N=150)	Total	р
My custom					
variable label					_
N	50	50	50	150	$< 0.001^{\rm F}$
mean	5	5.9	6.6	5.8	
$\operatorname{sd}$	0.35	0.52	0.64	0.83	
median	5	5.9	6.5	5.8	
Q1 - Q3	4.8 - 5.2	5.6 - 6.3	6.2 - 6.9	5.1 - 6.4	
min - max	4.3 - 5.8	4.9 - 7	4.9 - 7.9	4.3 - 7.9	
Sepal.Width					
N	50	50	50	150	$< 0.001^{\rm F}$
mean	3.4	2.8	3	3.1	
$\operatorname{sd}$	0.38	0.31	0.32	0.44	
median	3.4	2.8	3	3	
Q1 - Q3	3.2 - 3.7	2.5 - 3	2.8 - 3.2	2.8 - 3.3	
min - max	2.3 - 4.4	2 - 3.4	2.2 - 3.8	2 - 4.4	
Petal.Length					
N	50	50	50	150	$< 0.001^{\rm F}$
mean	1.5	4.3	5.6	3.8	
$\operatorname{sd}$	0.17	0.47	0.55	1.8	
median	1.5	4.3	5.5	4.3	
Q1 - Q3	1.4 - 1.6	4 - 4.6	5.1 - 5.9	1.6 - 5.1	
min - max	1-1.9	3 - 5.1	4.5 - 6.9	1 - 6.9	

(continued)

Variables	My custom group label $(N=50)$	$\begin{array}{c} {\rm versicolor} \\ {\rm (N=}50) \end{array}$	virginica (N=150)	Total	p
Petal.Width					
					F
N	50	50	50	150	$< 0.001^{\rm F}$
mean	0.25	1.3	2	1.2	
$\operatorname{sd}$	0.11	0.2	0.27	0.76	
median	0.2	1.3	2	1.3	
Q1 - Q3	0.2 - 0.3	1.2 - 1.5	1.8 - 2.3	0.3 - 1.8	
min - max	0.1 - 0.6	1 - 1.8	1.4 - 2.5	0.1 - 2.5	
F F-test (ANOVA	L)				

```
descr(
  iris,
  "Species",
  group_labels = list(setosa = "My custom group label"),
  var_options = list(Sepal.Length = list(label = "My custom variable label")),
  format_options=list(caption="Test Caption")
)
```

Table 3: Test Caption

Variables	My custom group label (N=50)	versicolor (N=50)	virginica (N=150)	Total	p
My custom variable label					
N	50	50	50	150	$< 0.001^{\rm F}$
mean	5	5.9	6.6	5.8	
$\operatorname{sd}$	0.35	0.52	0.64	0.83	
median	5	5.9	6.5	5.8	
Q1 - Q3	4.8 - 5.2	5.6 - 6.3	6.2 - 6.9	5.1 - 6.4	
min - max	4.3 - 5.8	4.9 - 7	4.9 - 7.9	4.3 - 7.9	
Sepal.Width					
N	50	50	50	150	$< 0.001^{\rm F}$
mean	3.4	2.8	3	3.1	
$\operatorname{sd}$	0.38	0.31	0.32	0.44	
median	3.4	2.8	3	3	
Q1 - Q3	3.2 - 3.7	2.5 - 3	2.8 - 3.2	2.8 - 3.3	
min - max	2.3-4.4	2 - 3.4	2.2 - 3.8	2 - 4.4	
Petal.Length					
N	50	50	50	150	$< 0.001^{\rm F}$
mean	1.5	4.3	5.6	3.8	
$\operatorname{sd}$	0.17	0.47	0.55	1.8	
median	1.5	4.3	5.5	4.3	
Q1 - Q3	1.4 - 1.6	4 - 4.6	5.1 - 5.9	1.6 - 5.1	
min - max	1 - 1.9	3 - 5.1	4.5 - 6.9	1 - 6.9	

Table 3: Test Caption (continued)

Variables	My custom group label (N=50)	versicolor (N=50)	virginica (N=150)	Total	р
Petal.Width					
N	50	50	50	150	$< 0.001^{\rm F}$
mean	0.25	1.3	2	1.2	
$\operatorname{sd}$	0.11	0.2	0.27	0.76	
median	0.2	1.3	2	1.3	
Q1 - Q3	0.2 - 0.3	1.2 - 1.5	1.8 - 2.3	0.3 - 1.8	
min - max	0.1 - 0.6	1 - 1.8	1.4 - 2.5	0.1 - 2.5	
F F-test (ANOVA	<b>(</b> )				

Tooth2 <- ToothGrowth Tooth2\$categorical <- factor(sample(c("a", "b"), nrow(Tooth2), TRUE))</pre> descr(Tooth2, "supp")

Variables	OJ	VC	Total	p	CI
	(N=30)	(N=30)	(N=60)		
len					
N	30	30	60	$0.061^{\mathrm{tt2}}$	$[-0.17, 7.6]^{t}$
mean	21	17	19		
$\operatorname{sd}$	6.6	8.3	7.6		
median	23	16	19		
Q1 - Q3	15 - 26	11 - 23	13 - 25		
min - max	8.2 - 31	4.2 - 34	4.2 - 34		
dose					
N	30	30	60	> 0.999 <sup>tt2</sup>	$[-0.33, 0.33]^{t}$
mean	1.2	1.2	1.2		, ,
$\operatorname{sd}$	0.63	0.63	0.63		
median	1	1	1		
Q1 - Q3	0.5 - 2	0.5 - 2	0.5 - 2		
min - max	0.5 - 2	0.5 - 2	0.5 - 2		
categorical					
a	13 (43%)	16 (53%)	29 (48%)	$0.438^{\rm chi2}$	$[-0.35, 0.15]^{PWa}$
b	17 (57%)	` /	` /		. , 1
tt2 Welch's two-s	, ,	, ,	` /		

chi2 Pearson's chi-squared test

<sup>&</sup>lt;sup>t</sup> CI for difference in means derived from the t-distribution

 $<sup>^{\</sup>mathrm{PWa}}$  CI for difference in proportions derived from a normal ("Wald") approximation