

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.2 Revision Date 11.03.2025 Print Date 28.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ammonia

Product Number : 294993 Brand : Aldrich

Index-No. : 007-001-00-5

REACH No. : 01-2119488876-14-XXXX

CAS-No. : 7664-41-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science (Pty) Ltd.

1 Friesland Drive

Longmeadow Business Estate

MODDERFONTEIN

1609

SOUTH AFRICA

Telephone : +27 +27 (0) 8600 63725 Fax : +27 +27 (0) 860 522 329

E-mail address : Melissa.byrne@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0-800-983-611

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable gases, (Category 2) H221: Flammable gas.

Gases under pressure, (Liquefied H280: Contains gas under pressure; may

gas) explode if heated.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Aldrich- 294993 Page 1 of 13



Serious eye damage, (Category

1)

H318: Causes serious eye damage.

Short-term (acute) aquatic

hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic

hazard, (Category 2)

H411: Toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H221 Flammable gas.

H280 Contains gas under pressure; may explode if heated.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P260 Do not breathe gas.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

H221 Flammable gas.

Precautionary Statements

P260 Do not breathe gas.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

Aldrich- 294993 Page 2 of 13



P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : H₃N

Molecular weight : 17,03 g/mol CAS-No. : 7664-41-7 EC-No. : 231-635-3 Index-No. : 007-001-00-5

Component		Classification	Concentration
ammonia anhydrous			
CAS-No. EC-No. Index-No.	7664-41-7 231-635-3 007-001-00-5	Flam. Gas 2; Press. Gas Liquefied gas; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2; H221, H280, H331, H314, H318, H400, H411 M-Factor - Aquatic Acute: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Aldrich- 294993 Page 3 of 13



In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Pay attention to flashback.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Stop flow of gas, move leaking cylinder to open air if without risk.

Aldrich- 294993 Page 4 of 13



6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Keep away from combustible materials and sources of ignition.

Contents under pressure.

Storage class

Storage class (TRGS 510): 2A: Gases

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

Aldrich- 294993 Page 5 of 13



This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type K

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state Liquefied gas

b) Color colorless

c) Odor stinging, Do not attempt to smell the product as it is hazardous.

The product is not flammable.

d) Melting Melting point/ range: -78 °C - lit.

point/freezing point

Flammability (solid,

e) Initial boiling point -33 °C - lit.

and boiling range

gas)

f)

h) Flash point Not applicable

i) Autoignition 651 °C

temperature

j) Decomposition > 450 °C

temperature

k) pH ca.10 - 12 at 50 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: 0,254 mPa.s at -33 °C

m) Water solubility 531 g/l at 20 °C - OECD Test Guideline 105

Aldrich- 294993 Page 6 of 13



n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

8.600 hPa at 20 °C o) Vapor pressure

p) Density 0,7 g/cm3 at -33 °C - liquid

Relative density No data available q) Relative vapor No data available

density

No data available

r) Particle characteristics

s) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

Dissociation constant 9,25 at 25 °C

Relative vapor 0.6 - (Air = 1.0)

density

Oxidation-reduction

Potential

-3.090 mV

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Acetaldehyde

Acrolein

boron triiodide

boron trifluoride

Bromine

hydrogen bromide

Hydrogen chloride gas

chromyl chloride

dimethylsulfate

nitrogen oxides

Hydrogen fluoride

Carbon dioxide (CO2)

mercaptans

chlorates

nitryl compounds

Phosgene

Oxides of phosphorus

Acids

hydrogen sulphide

sulphur dioxide

Aldrich- 294993 Page 7 of 13



chromium(VI) oxide

metal catalysts

Barium

halogen-halogen compounds

halogen compounds

hypochlorous acid

phosphorus hydrogen

tetra methylammonium amide

propinyl chloride

Ethylene oxide

polymerization

A risk of explosion and/or of toxic gas formation exists with the following substances:

Ammonium salts

antimony hydride

Calcium

Chlorine

Chlorites

Fluorine

halogens

perchlorates

sodium hypochlorite

strong oxidising agents

Mercury

mercury compounds

sulfur

silver

silver salt

silver oxide

hydrogen peroxide

nitrogen trichloride

azides

halogen oxides

Nitro compounds

chlorinated solvents

Hydrocarbons

with

Air

Oxygen

with

Catalyst

Risk of ignition or formation of inflammable gases or vapours with:

Boron

Boranes

Nitric acid

silicon-hydrogen

Generates dangerous gases or fumes in contact with:

Carbon monoxide

with

heat

Possible formation of:

Hydrogen cyanide (hydrocyanic acid)

10.4 Conditions to avoid

no information available

Aldrich- 294993 Page 8 of 13



10.5 Incompatible materials

various metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

LC50 Inhalation - Rat - male - 4 h - 4,93 mg/l - vapor

Remarks: (ECHA)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive - 4 h (OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: ammonium chloride

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Aldrich- 294993 Page 9 of 13

11.2 Additional Information

Endocrine disrupting properties

Product:

The substance/mixture does not contain Assessment

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 35 Days - NOAEL (No observed adverse effect level) - 250 mg/kg - LOAEL (Lowest observed adverse effect level) - 750 mg/kg

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: diammonium hydrogenphosphate

RTECS: BO0875000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

0,068 mg/l - 96 h

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: ammonium

sulphate

Toxicity to daphnia and other aquatic

invertebrates

static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h

Remarks: (ECHA)

EC50 - Daphnia pulicaria - 1,16 mg/l - 48 h

Remarks: (Lit.)

Toxicity to

flow-through test NOEC - Ictalurus punctatus - 0,048 mg/l - 31 d fish(Chronic toxicity)

(OECD Test Guideline 215)

Toxicity to daphnia and other aquatic invertebrates(Chronic (US-EPA)

flow-through test LC50 - Daphnia magna (Water flea) - 4,07 mg/l -

96 h

toxicity)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: ammonium

chloride

flow-through test NOEC - Daphnia magna (Water flea) - 0,79 mg/l -

96 h (US-EPA)

Page 10 of 13 Aldrich- 294993



Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: ammonium

chloride

12.2 Persistence and degradability

Biodegradability Result: - rapidly biodegradable

Remarks: Readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Pressurised gas bottle: dispose of only in empty condition!

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1005 IMDG: 1005 IATA: 1005

14.2 UN proper shipping name

ADR/RID: AMMONIA, ANHYDROUS IMDG: AMMONIA, ANHYDROUS IATA: Ammonia, anhydrous

Passenger Aircraft: Not permitted for transport Cargo Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 2.3 (8) IMDG: 2.3 (8) IATA: 2.3 (8)

Aldrich- 294993 Page 11 of 13



The life science business of Merck operates as MilliporeSigma in the US and Canada

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (C/D)

Further information : No data available

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the H2 European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ACUTE TOXIC

P2 FLAMMABLE GASES

E1 ENVIRONMENTAL HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H221	Flammable gas.
H280	Contains gas under pressure; may explode if heated.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Aldrich- 294993 Page 12 of 13



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 294993 Page 13 of 13



The life science business of Merck operates as MilliporeSigma in the US and Canada