CptS 122 - Data Structures



Lab 12: Inheritance and Containers in C++

Assigned: Wednesday, July 19, 2017 **Due:** At the end of the lab session

I. Learner Objectives:

At the conclusion of this programming assignment, participants should be able to:

- Design, implement and test classes in C++ which apply inheritance
- Apply and implement private inheritance to container classes
- Compare and contrast inheritance ("is-a") relationships versus composition ("has-a") relationships
- Apply and implement overloaded functions and operators

II. Prerequisites:

Before starting this programming assignment, participants should be able to:

- Analyze a basic set of requirements for a problem
- Create test cases for a program
- Design, implement and test classes in C++
- Declare and define constructors
- Declare and define destructors
- Compare and contrast public and private access specifiers in C++
- Describe what is an attribute or data member of a class
- Describe what is a method of a class
- Apply and implement overloaded functions
- Distinguish between pass-by-value and pass-by-reference
- Discuss classes versus objects
- Describe and define inheritance

III. Overview & Requirements:

This lab, along with your TA, will help you navigate through designing, implementing, and testing inheritance with container classes in C++. It will also, once again, help you with understanding how to apply *inheritance* to an application.

Labs are held in a "closed" environment such that you may ask your TA questions. Please use your TAs knowledge to your advantage. You are required to move at the pace set forth by your TA. Please help other students in need when you are finished with a task. You may work in pairs if you wish. However, I encourage you to compose your own solution to each problem. Have a great time! Labs are a vital part to your education in CptS 122 so work diligently.

Tasks:

NOTE: Parts of this lab are courtesy of Jack Hagemeister.

One of the powers of inheritance is that it facilitates large amounts of code reuse. In this lab you will redesign your queue class by inheriting from a base list class.

Task 1. List

Implement a templated class list and listnode. You may add methods/functions as you see fit. Test these classes. I have left all of the implementation as an exercise for you.

```
template< class NODETYPE > class List; // forward declaration
template<class NODETYPE>
class ListNode
   friend class List< NODETYPE >; // make List a friend
public:
   ListNode ( const NODETYPE &newData); // copy constructor
                                  // return data in the node
   NODETYPE getData() const;
private:
                                   // data
   NODETYPE data;
   ListNode< NODETYPE > *nextPtr; // next node in the list
};
template< class NODETYPE >
class List
{
public:
               // constructor
   List();
   ~List();
                // destructor
   void insertAtFront( const NODETYPE &newData );
   void insertAtBack( const NODETYPE &newData );
  bool removeFromFront( NODETYPE &removedData );
   bool removeFromBack( NODETYPE &removedData );
   bool isEmpty() const;
   void print() const;
private:
   ListNode< NODETYPE > *firstPtr;
                                    // pointer to first node
   ListNode< NODETYPE > *lastPtr;
                                    // pointer to last node
   // Utility function to allocate a new node
   ListNode < NODETYPE > *qetNewNode ( const NODETYPE &newData );
};
```

Task 2. Queue

Create a Queue class template that privately inherits from a List class. You should define enqueue () and dequeue () operations in terms of the inherited list operations.

Task 3. Network Traffic Application

Write an application that simulates network traffic. The traffic is represented by packets (of information) moving through the network. These packets must be represented by a class. Each packet must include an integer length field (in bytes) and a std::string field for data, where the length field is the number of characters in the std::string. You must represent one device in the network, which is represented by a Queue object. The application must randomly assign the arrival time of the first packet and the time that it takes to process the packet at the device. As a new packet arrives to the device, the arrival time for the next packet should be generated. Every time a packet leaves the device or a new packet arrives, print out the packet information for the one at the front and the back of the Queue.

IV. Submitting Labs:

You are not required to submit your lab solutions. However, you should keep them in a folder that you may continue to access throughout the semester. You should not store your solutions to the local C: drive on the EME 120/128 machines. These files are erased on a daily basis.

V. Grading Guidelines:

This lab is worth 10 points. Your lab grade is assigned based on completeness and effort. To receive full credit for the lab you must show up on time and continue to work on the problems until the TA has dismissed you.