ents, 9 questio	Permissions, and Fragments
1 point	
1. Suppos tag for for this What st	se that an application includes an Activity named A, and that the application declares an <activity <intent-filter="" a="" activity="" also="" an="" androidmanifest.xml="" application="" application.="" be="" entry="" file.="" its="" main="" poir="" should="" specifies="" suppose="" that="" the="" therefore="" within=""> tag, containing an <action> tag tring value should be included to complete the following <action> tag definition - <action d:name=""></action>?</action></action></activity>
Ent	er answer here
tag for for this What st	se that an application includes an Activity named A, and that the application declares an <activity <category="" a="" activity="" also="" an="" and="" androidmanifest.xml="" appear="" application="" be="" complete="" entry="" file.="" following="" for="" icon="" in="" its="" launche="" main="" poi="" should="" suppose="" that="" the="" this="" to="" top-level="" tring="" used="" value="" within=""> tag - <category d:name=""></category>?</activity>
Ent	er answer here
	pLocationFromContacts application created an Intent with the Action string, Intent.ACTION_PIC
	vith data URI representing the contacts database. It then started an Activity using tivityForResult(). What type of data will the started Activity return?
	Phone number.
	Text containing Contact Data items.

A String Uri.
1 point  4. Suppose you create an application that uses the Vibration Service to make a device vibrate as a deadline approaches. To receive permission to use the Vibrator Service, you will need to add a <uses-permission> element to your application's AndroidManifest.xml file. What string value should you use to complete the <uses-permission> tag - <uses-permission android:name=""></uses-permission>?</uses-permission></uses-permission>
See: http://developer.android.com/reference/android/Manifest.permission.html for more information.
Enter answer here
1 point  5. Suppose you create an application that captures and stores personal information from users, such as the medicines they are currently taking. Other applications may want to use this information and then provide add-on services over it, for example, to create 'time to take your pill' reminders. Which of the following tags would you put in your application's AndroidManifest.xml file to define a new application-specific permission for accessing your application. <pre></pre>
1 point  6. (True or False) The Fragment class is a subclass of the Activity class and replaces Activities on large
screen devices such as Tablets.
True.
( ) False.

1 point 7.	
	nethod do Fragments typically create their user interfaces?
on	Create().
on	Attach().
on	ActivityCreated().
on on	CreateView().
1 point	
	he following are good reasons for dynamically modifying application layouts at runtime, n by using static layout files.
	namically-created layouts will appear on the screen and will respond noticeably faster than atic layouts will.
	namic layouts can take advantage of contextual information that's not tracked by Android's nfiguration system (such as current location, usage time, or ambient light measurements).
	namically-created user interfaces can adapt to an application's runtime state, such as the nount of data that needs to be displayed at any one time.
Sta	atic layouts can't take advantage of contextual information, such as the device's orientation.
1 point	
method, p	ou have an Activity that hosts a Fragment. This Fragment has invoked the setRetainInstance() assing in the parameter true. Which of the following Fragment lifecycle methods will not be e Activity is later killed and restarted due to a reconfiguration?
on on	Create().
on on	DestroyView().

	onAttach().
	onDestroy().
	onCreateView().
	<b>binay shah</b> , understand that submitting work that isn't my own may result in permanent failure
0	<b>binay shah</b> , understand that submitting work that isn't my own may result in permanent failure f this course or deactivation of my Coursera account.  earn more about Coursera's Honor Code
0	f this course or deactivation of my Coursera account.



