

Chapter 1 The Worlds of Database Systems



Objectives

Understand concepts of:

- Information, Data, Database
- Database Management System (DBMS)
- Database System



Contents

- 1.1 The Evolution of Database Systems
- 1.2 Overview of Database Management System



- Data
- Information
- What are the differences between data and information?





Database


- A collection of information that exists over a long period of time.
- A collection of related data.
- managed by a DBMS

Database Management System (DBMS)

 A software package/system to facilitate the creation and maintenance of a computerized database

Database System

 The DBMS software together with the data itself. Sometimes, the applications are also included.





The DBMS is expected to

- Allow users to create new databases and specify their schemas
- 2) Give users the ability to query the data
- 3) Support the storage of very large amounts of data
- 4) Enable durability
- 5) Control access to data from many users at once

Early DBMS


 1960s, the first DBMS based on file system

Responsibility	Yes/No
(1)	Limited
(2)	Not directly supported
(3)	Yes
(4)	Not always supported
(5)	No



Hierarchical data model (tree-based model)


- Was used in early mainframe DBMS
- The IBM Information Management System (IMS) is example of a hierarchical database system





Network data model (graph-based model)

- Charles Bachman invented in the late 1960s
- standard specification published in 1969 by the Conference on Data Systems Languages (CODASYL) Consortium
- The network model allows each record to have multiple parent and child records
- → Not support high-level query language






Relational Database Systems


- 1970s, Edgar Frank "Ted" Codd defined relational model based on relations (*)
 - Revolutionary idea of DBMS activity
 - at IBM (System R, DB2)
 - at Universities like Berkeley (Ingres)
- SQL, the most important query language, was developed by IBM in 1974
- 1979, Oracle v.2, the first commercial RDBMS product using SQL



Book relation example







The evolution of database modeling techniques.

→ 2000s-now: NoSQL, newSQL



Smaller and Smaller Systems

- Originally, DBMS's were large, expensive software running on large computers
- Today, DBMS can run on PC, Mobile, ...
- ⇒DB systems based on the relational model are available for even very small machines

Bigger and Bigger Systems

- Size of data has been increasingly continuously
- Many databases store petabytes and serve it all to users



Information Integration

- Join the information contained in many related databases into a whole
 - Example: a large company has many divisions, each division have built its own database of products and employees on different DBMS's and different structures
 - How we join these databases without any matters
- Need to build structures on top of existing databases, with the goal of integrating the information distributed among them



Information Integration (con't.)

- Two popular approaches
 - Creation of data warehouses, where information from many databases is copied periodically, with the appropriate translation, to a central database
 - Implementation of a middleware (mediator) that support an integrated model of the data of the various databases, while translating between this model and the actual models used by each database




Database Management System

- DBMS components
- Database Users
- Database language
- Relational databases



DBMS components

- Single box: system component
- Double box: memory data structure
- Solid line: control & data flow
- Dashed line: data flow only





Database Users

- Database Administrators, authorize access to database, coordinate, monitor its use, acquiring software, and hardware resources, ...
- Database Designers, define the content, the structure, the constraints, and functions or transactions against the database
- Database End users, use data for queries, reports and some of them actually update the database content



DDL - Data Definition Language Commands

- DBA needs special authority to execute schema-altering commands
- Schema-altering commands are known as DDL commands, and used for defining data structure
- These commands are parsed by a DDL compiler and passed to the execution engine, then goes through the index/file/record manager to alter the metadata (schema information for the database)
- Examples: CREATE, ALTER, DROP



DML - Data Manipulation Language Commands

- Are used by computer programs or DB users to retrieve, insert, delete, and update data
- Not affect the schema of the database, but affect the content of the database or extract data from database
- DML has two separate subsystems
 - Answering the query
 - Transaction processing



1. Answering the query

- •Query is parsed and optimized by the query compiler which the result is query plan
- Query plan is passed to execution engine to execute

2. Transaction processing (will be discussed in the next chapters)

- Transaction is a group of some database operations.
- Transaction is processed by transaction manager.



The trends of DB design and DBMS

- Non relational databases (NoSQL)
 - MongoDB
 - Redis
- Multi-model databases
 - Oracle database
 - Arango DB