



Performance



Accessibility



Best Practices



Performance


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



METRICS

Expand view

First Contentful Paint

1.8 s

Largest Contentful Paint

2.0 s

Total Blocking Time

0 ms

Cumulative Layout Shift


0.069

Speed Index

1.8 s

View Treemap



 Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

- ▲

Eliminate render-blocking resources — Est savings of 910 ms

▼
- ▲

Reduce unused CSS — Est savings of 45 KiB

▼
- Image elements do not have explicit width and height

▼
- Serve static assets with an efficient cache policy — 2 resources found

▼
- Avoid serving legacy JavaScript to modern browsers — Est savings of 0 KiB

▼
- Avoid large layout shifts — 3 layout shifts found

▼
- Avoid chaining critical requests — 6 chains found

▼
- Minimize third-party usage — Third-party code blocked the main thread for 0 ms

▼
- Largest Contentful Paint element — 1,970 ms

▼
- Avoid long main-thread tasks — 1 long task found

▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (28)

Show



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (18)

Show

NOT APPLICABLE (39)

Show



## Best Practices

USER EXPERIENCE

▲

Serves images with low resolution

▼

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

▼
- Use a strong HSTS policy

▼
- Ensure proper origin isolation with COOP

▼
- Mitigate clickjacking with XFO or CSP

▼

PASSED AUDITS (14)

Show

NOT APPLICABLE (2)

Show



Captured at Aug 5, 2025,  
3:42 PM GMT+1



Emulated Moto G Power with  
Lighthouse 12.6.0



Single page session



Initial page load



Slow 4G throttling



Using Chromium 138.0.0.0  
with devtools

Generated by **Lighthouse** 12.6.0 | [File an issue](#)