

Usability survey questions

Maham S

February 28, 2026

Contents

1	Introduction	3
2	Techniques	3
3	Methodology	3
4	Participant profiles	4
5	Testing	5
5.1	Pre-session questionnaire	5

Note: this document is not the final version. It is merely an additional aid for the developers.

1 Introduction

Evaluation of qualitative aspects of the Physio Companion app is done through a usability study. The project timeline and resources limit the participant pool size, and as a result, this study does not provide any quantitative insights. This document outlines the testing methodology and concludes with the resulting findings.

The goals of the study are:

- Assess the ease of use of the app across a diverse demographic
- User understanding of the terminology within the app
- User perception of the flow and navigation within the app
- Identification of any friction points
- Feedback on additional and beneficial features within the app

2 Techniques

The techniques used to conduct these tests were a mixture of both in-person and remote moderated testing. The participants were shown how to install the app on their smartphone. After successful installation of the program, the facilitator guides the participant on the app's use. An additional investigator will be playing a role as an observer recording the user's behaviour. (see appendix from a preliminary set of questions and prompts?). At the end of the study, participants are given a survey to complete (see appendix). The study will be voluntary and will be 30-40 minutes long.

3 Methodology

In order to gain a deeper understanding of the user experience of the application, a series of questionnaires were constructed for each stage of testing (pre-session, session, and post-session). In addition, the 'session' questionnaire was further subdivided in order to examine the different main actions of the application (See session questionnaire). This breakdown is crucial to understanding the different facets of the application. Obtaining feedback promptly after completing each section will allow immediate and reliable reporting of the participants' impressions.

4 Participant profiles

The participant pool comprises of individuals of varying ages, genders and occupations, which ensures coverage of a broad target user base. The coverage details are outlined below:

- Age: Participants of various ages were chosen, with the sole restriction being that they had to be over 18.
- Gender: In an ideal case, an equal and all-encompassing balance of genders would be sought out. This would include 2 female or male identifying individuals and one non-binary individual.
- Occupation: This criteria was selected to give insight into lifestyle factors. For the purposes of this study, a bias towards conducting it for the same occupation would skew the results.
- Level of digital literacy: This measure pertains to smartphone usage. It is divided into low, medium, or high expertise indicating how comfortable the user is operating the device.
- Familiarity with injury to the knee: This relates to how familiar the participant is with a knee injury, whether they are familiar with it through their occupation (e.g. orthopaedic surgeon, physiotherapist) or whether they have had a knee injury in the past.

Participant 1

- Age
- Gender
- Occupation
- Level of digital literacy
- Familiarity with injury to the knee

Participant 2

- Age
- Gender
- Occupation
- Level of digital literacy
- Familiarity with injury to the knee

Participant 3

- Age

- Gender
- Occupation
- Level of digital literacy
- Familiarity with injury to the knee

Participant 4

- Age
- Gender
- Occupation
- Level of digital literacy
- Familiarity with injury to the knee

Participant 5

- Age
- Gender
- Occupation
- Level of digital literacy
- Familiarity with injury to the knee

5 Testing

5.1 Pre-session questionnaire

All participants were asked a series of questions to confirm their suitability for the study. Due to time and financial constraints, there are participants which only satisfy a subset of the participant requirements (Appendix A?)