

NOVEMBER 2001


ADVANCED SUBSIDIARY LEVEL

MARK SCHEME

MAXIMUM MARK: 50

SYLLABUS/COMPONENT: 8709/6

MATHEMATICS



| Page 1 of 3 | Page 1 of 3 Mark Scheme | | Paper |
|-------------|---------------------------------------|------|-------|
| | AS Level Examinations – November 2001 | 8709 | 6 |

| 1 | | $\sum x = 105$ $\sum x^2 = 1439$ | | | For $\sum x^2 = 1439$ |
|---|------|--|----|---|---|
| | | _ | B1 | | _ |
| | | mean = 13.1 | B1 | | For answer |
| | | sd = 2.76 | B1 | 3 | For answer |
| 2 | (a) | Number of ways is ₁₀ P ₆ or 10 x 9 x 8 x 7 x 6 x 5 | B1 | | May be implied |
| | , , | = 151200 | B1 | 2 | , |
| | (b) | 4! × 3! | В1 | | For 4! |
| | | | B1 | | For 3! |
| | | = 144 | B1 | 3 | For answer |
| 3 | (i) | P(receives message) = 0.4 x 0.6+0.5+0.1 x 0.8 | M1 | | For two 2-factor terms |
| | | | M1 | | For adding 0.5 |
| | | = 0.82 | A1 | 3 | For correct answer |
| | (ii) | P(Email Receives) | B1 | | For correct expression for numerator |
| | | | M1 | | For dividing by their 0.82 |
| | | = 0.293 | A1 | 3 | For correct answer |
| | | | | | |
| 4 | (i) | Class width 20, 20, 20, 40, 100, 100 | B1 | | For class widths |
| | : | Frequency density: 2.3, 5.5, 6.1, 2.5, 0.86, 0.36 | M1 | | Attempt at frequency density or scaled frequency |
| | | fd T | M1 | | Graph with 6 bars of appropriate relative widths (any height) |
| | | | A1 | | For x-axis going from 0 – 300 properly |
| | | Number of people | A1 | 5 | All correct including axes labelled |
| | (ii) | $\left(\frac{122+110+46}{500}\right)^3=0.172$ | M1 | | For cubing their probability |
| | | , 500) | A1 | 2 | For correct answer |
| | | | | | |

| Page 2 of 3 | Page 2 of 3 Mark Scheme | | Paper |
|-------------|---------------------------------------|------|-------|
| | AS Level Examinations - November 2001 | 8709 | 6 |

| 5 | (i) | $z = \frac{10 - 15}{42} = -1.190$ | M1 | | Standardising and using tables |
|---|-------|---|----|---|---|
| | (1) | 4.2 | M1 | | For subtracting a probability from 1 |
| | ; | $P(X<10) = \Phi(-1.190) = 1 - 0.883 = 0.117$ | A1 | 3 | For correct answer |
| | (ii) | z = 1.282 | B1 | | For correct z-value |
| | : | $\frac{T-15}{4.2} = 1.282$ | M1 | | For an equation relating ${\it T}$ and their ${\it z}$ |
| | | T = 20.4 | A1 | 3 | For correct answer |
| | (iii) | $P(z>1.19) = 1 - \Phi(1.19) = 1 - 0.8830 = 0.117$ | B1 | | For 0.883 seen (or symmetry) |
| | : | Number of people = 0.117 x 200 (= 23.4) | M1 | | For multiplying a probability by 200 |
| | ; | Answer = 23 | A1 | 3 | For correct answer 23 |
| 6 | (i) | 1 - $\{ 0.65^{10} \times 0.35^2 \times {}_{12}C_{10} + 0.65^{11} \times 0.35^1 \}$ | M1 | | For calculating P(10), P(11), P(12) |
| | | $x_{12}C_{11} + 0.65^{12}$ | | | () |
| | • | | M1 | | For correct use of binomial coefficients |
| | | | A1 | | For correct numerical expression |
| | | = 0.849 | A1 | 4 | For correct answer |
| | *** | $\mu = 120 \times 0.65 = 78;$ | B1 | | For both mean and variance |
| | (ii) | ' | | | correct |
| | (11) | σ^2 = 120 x 0.65 x 0.35 = 27.3 | M1 | | For correct standardising |
| | (11) | ' | M1 | | |
| | (11) | σ^2 = 120 x 0.65 x 0.35 = 27.3 | | | For correct standardising process with or without cc For correct use of continuity |
| | (11) | $\sigma^{2} = 120 \times 0.65 \times 0.35 = 27.3$ $P(X<70) = \Phi\left(\frac{69.5 - 78}{\sqrt{27.3}}\right)$ | A1 | | For correct standardising process with or without cc For correct use of continuity correction |
| | (11) | $\sigma^{2} = 120 \times 0.65 \times 0.35 = 27.3$ $P(X<70) = \Phi\left(\frac{69.5 - 78}{\sqrt{27.3}}\right)$ $= \Phi(-1.627)$ | A1 | 5 | For correct standardising process with or without cc For correct use of continuity correction |

| Page 3 of 3 Mark Scheme | | Syllabus | Paper |
|-------------------------|---------------------------------------|----------|-------|
| | AS Level Examinations - November 2001 | 8709 | 6 |

| 7 (i) | EITHER | $P(X=0) = \frac{7}{10} \times \frac{6}{9} \times \frac{5}{8} \times \frac{4}{7} = \frac{1}{6}$ and $P(X=1) = \frac{3}{10} \times \frac{7}{9} \times \frac{6}{8} \times \frac{5}{7} \times 4 = \frac{1}{2}$ | M1 A1 M1 A1 | | For multiplying 4 probabilities together For correct given answer For multiplying by 4 For obtaining given answer legitimately |
|-------|-----------|--|----------------------|----------|--|
| | OR | $_{7}C_{4} \div _{10}C_{4} = 1/6$ $_{7}C_{3} \times _{3}C_{1} \div _{10}C_{4} = 1/2$ | B2 B2 | 4 | For showing given answer legitimately |
| (ii) | X Prob | 0 1 2 3 0.167 0.5 0.3 0.0333 | M1 A1 A1 | 3 | For attempting to find P(X = 0,1,2,3) For 0.3 or 3/10 For 0.0333 or 1/30 |
| (iii) | E(X) | = 1.2 | M1 | | For $\sum x_j p_j$ For correct answer (must be exact) |
| | Var (X) | $= \sum x_i^2 p_i - their 1.2^2$ | M1 | 4 | For $\sum x_i^2 p_i - their 1.2^2$ For correct answer |
| | | = 0.56 | | - | 1 of correct anower |