

# **Study Definition Repository (SDR)**

## **Reference Implementation**

### **SDR API User Guide**

#### **Version 2.0**

#### **Disclaimer**

These materials and information are provided by TransCelerate Biopharma Inc. AS IS. Any party using or relying on this information and these materials do so entirely at their own risk. Neither TransCelerate nor its members will bear any responsibility or liability for any harm, including indirect or consequential harm, that a user may incur from use or misuse of this information.

## Document History

Version No.	Date	Author	Revision Description
V1.0	14-Mar-2022	Nachiket Vaidya / Viswesh Mb	Initial Version
V1.0	14-Mar-2022	Indu Sekhar Sajja / Viswesh Mb	Review comments addressed
V2.0	26-Apr-2022	Viswesh Mb	Updated API response for POST

## Contents

1. Introduction.....	5
1.1. Overview.....	5
1.2. Scope of Document .....	5
1.3. Intended Audience .....	5
1.4. Definitions and Acronyms .....	5
2. Pre-Requisites .....	6
2.1. Self-signed Certificate Generation .....	6
2.1.1. Certificate generation with Open SSL.....	6
2.1.2. Certificate generation with PowerShell .....	7
3. API End Points.....	11
3.1. Study History.....	11
3.2. Get Study.....	13
3.3. Get Study Design .....	14
3.4. Audit Trail.....	16
3.5. Post Study .....	17
3.5.1. POST - Add Study Definition .....	18
3.5.2. POST - Update Study Definition .....	19
4. Testing the API Endpoint .....	21
4.1. Postman REST client Setup.....	21
4.2. Accessing the GET API .....	21

## List of Tables

Table 1 GET Study History Endpoint .....	11
Table 2 GET Study History - Request Parameters .....	12
Table 3 GET Study History Response Parameters .....	12
Table 4 GET Study Endpoint.....	13
Table 5 GET Study Request Parameters.....	13
Table 6 GET Study Response .....	14
Table 7 GET Study Design Endpoint .....	14
Table 8 GET Study Design Request Parameters .....	15
Table 9 GET Study Design Response.....	15
Table 10 GET Audit Trail Endpoint.....	16
Table 11 GET Audit Trail Request Parameters.....	16
Table 12 GET Audit Trail Response.....	16
Table 13 POST Study Endpoint.....	18
Table 14 POST Study Request Parameters .....	18
Table 15 POST Study Response.....	19
Table 16 POST Study Endpoint.....	20
Table 17 POST Study Request Parameters .....	20
Table 18 POST Study Response.....	20

## List of Figures

Figure 1 OpenSSL Command Prompt.....	6
Figure 2 OpenSSL Command .....	6
Figure 3 Export Certificate .....	7
Figure 4 PowerShell Command .....	7
Figure 5 Run Window.....	8
Figure 6 Certificate Manager Console.....	8
Figure 7 Certificate Export Wizard.....	8
Figure 8 Export Private Key .....	9
Figure 9 Certificate Format .PFX.....	9
Figure 10 Password for Certificate .....	10
Figure 11 Certificate File Name.....	10
Figure 12 Certificate Export Wizard.....	11
Figure 13 Postman Upload Certificate.....	21
Figure 14 Postman Add Client Certificate.....	21
Figure 15 Postman set HTTP Request for GET .....	22
Figure 16 Postman Send Request .....	22
Figure 17 Postman HTTP Response.....	23

## 1. Introduction

### 1.1. Overview

The API Layer of the SDR Reference Implementation complies with the Open API Specification (OAS) standards which allow systems to discover and understand the capabilities of the service without access to source code, documentation, or through network traffic inspection. When properly defined, a consumer can understand and interact with the remote service with a minimal amount of implementation logic.

It follows the REST architectural style that uses HTTP requests to GET and POST data. REST standards are not linked with any technology or platform, it does not dictate exactly how to build an API. Instead, it introduces the best practices known as constraints. They describe how the server processes requests and responds to them. Operating within these constraints, the system gains desirable properties such as reliability, ease of use, improved scalability and security, low latency while enhancing the system performance and helping achieve technology independence in the process.

### 1.2. Scope of Document

This document details the list of API endpoints available in Study Definition Repository and provides sample Request and Response for each endpoint. It also explains the possible reasons behind the various error codes returned by the API. The technical design and implementation of these APIs is out of scope.

### 1.3. Intended Audience

The document is a guide for users/vendors who want to integrate and consume the SDR API to store and retrieve study definitions in USDM format.

### 1.4. Definitions and Acronyms

Term / Abbreviation	Definition
API	Application Programming Interface
DDF	Digital Data Flow
JSON	JavaScript Object Notation
REST	Representational State Transfer
SDR	Study Definition Repository
URL	Uniform Resource Locator
USDM	Unified Study Definitions Model

## 2. Pre-Requisites

To access APIs, a client certificate must be generated, and a postman rest client should be configured.

### 2.1. Self-signed Certificate Generation


Certificate can be created by using any one of the below Tools.

- Open SSL
- PowerShell

#### 2.1.1. Certificate generation with Open SSL

- Install the Open SSL.
- Run the OpenSSL Command Prompt and set the directory to the folder where certificate to be stored.

Figure 1 OpenSSL Command Prompt



```


Win64 OpenSSL Command Prompt
Win64 OpenSSL Command Prompt
OpenSSL 3.0.3 3 May 2022 (Library: OpenSSL 3.0.3 3 May 2022)
built on: Wed May 4 02:41:48 2022 UTC
platform: VC-WIN64A
options: bn(64,64)
compiler: cl /Z7 /Fdssl_static.pdb /G8 /GF /O2 /HD /W3 /wd4890 /nologo /O2 -DL_ENDIAN -DOPENSSL_PIC -DUSING_V110_SDK71_ -DWIN32_SOCKET_DEPRECATED_NO_WARNINGS -DWIN32_WINNT=0x0900
OPENSSLDIR: "C:\Program Files\Common Files\SSL"
ENGINESDIR: "C:\Program Files\OpenSSL\lib\engines-3"
MODULESDIR: "C:\Program Files\OpenSSL\lib\openssl-modules"
seeding source: os-specific
CRUIFO: OPENSSL_is2cap=0xfedaf383ffcbffff:0x1c2fbb
C:\Users\hp>cd desktop/certificate
C:\Users\hp\Desktop\Certificate>

```

- Run the below command → provide Enter PEM pass phrase and save the pass phrase to provide it on the command to generate .pfx certificate.

```
openssl req -x509 -newkey rsa:4096 -sha256 -keyout my.key -out my.crt -subj "/CN=test.com" -days 600
```

Figure 2 OpenSSL Command



```

C:\Users\hp>cd desktop/certificate
C:\Users\hp\Desktop\Certificate>openssl req -x509 -newkey rsa:4096 -sha256 -keyout my.key -out my.crt -subj "/CN=test.com" -days 600
.....
Enter PEM pass phrase:
Verifying - Enter PEM pass phrase:
.....

```

- Run the below command to generate the .pfx certificate

```
openssl pkcs12 -export -name "test.com" -out my.pfx -inkey my.key -in my.crt
```

Provide the below details

Enter pass phrase for my.key: Provide the pass phrase passed on step 3

Enter Export Password: Provide the password for .pfx certificate and save it for later use.

*Figure 3 Export Certificate*

[illegible]

- v. Exported .pfx certificate will be stored on the folder path provided on step 1

**Note:** Share the .pfx certificate and the password to SDR Support team to get access to SDR API's.

### 2.1.2. Certificate generation with PowerShell

- i. Open PowerShell and run the following command to generate the self-signed certificate

```
New-SelfSignedCertificate -certstorelocation cert:\CurrentUser\My\ -dnsname example.com
```

Figure 4 PowerShell Command

```
Windows PowerShell
PS C:\> New-SelfSignedCertificate -certstorelocation cert:\CurrentUser\My\ -dnsname example.com

PSParentPath: Microsoft.PowerShell.Security\Certificate::CurrentUser\My


Thumbprint                               Subject
-----
6627DBCCEAB7A9AF558009FC04FF5CA1FFFBCE1B  CN=example.com

PS C:\>
```

- ii. To Export the certificate in .pfx format, go to run → type certmmgr.msc and click ok




Figure 5 Run Window




- iii. In certificate manager go to personal → certificates → select the generated certificate and right click select All Tasks → Select Export.

Figure 6 Certificate Manager Console




- iv. In Certificate Export Wizard click Next to continue.

Figure 7 Certificate Export Wizard




- v. Select export the private key option and click next.

Figure 8 Export Private Key




- vi. Leave the defaults and click next.

Figure 9 Certificate Format .PFX



- vii. Provide the password for certificate and click next.

Figure 10 Password for Certificate



← Certificate Export Wizard

**Security**  
To maintain security, you must protect the private key to a security principal or by using a password.

☐ Group or user names (recommended)

☒ Password:


Confirm password:

Encryption: TripleDES-SHA1

Next Cancel

- viii. Select the path to save the certificate.

Figure 11 Certificate File Name



← Certificate Export Wizard


**File to Export**  
Specify the name of the file you want to export

File name: certificate.pfx

Next Cancel

- ix. Click on Finish.

Figure 12 Certificate Export Wizard



- x. Exported .pfx certificate will be stored on the folder path provided on step 7.

**Note:** Share the .pfx certificate and the password to SDR Support team to get access to SDR API's.

### 3. API End Points

SDR Reference Implementation exposes following REST Endpoints to deliver application functionality including storing and retrieving study definitions. All the API should conform to the USDM format mentioned in **USDM Conformance for SDR RI**. For Reference Implementation, only required field validations mentioned in the USDM document have been included.

#### 3.1. Study History

This endpoint allows user to retrieve the metadata information for Studies residing in SDR.

Table 1 GET Study History Endpoint

Method	URL
--------	-----

GET	/studydefinitionrepository/v1/studyhistory
-----	--

## REQUEST PARAMETERS

Table 2 GET Study History - Request Parameters

Type	Params	Values	Mandatory	Sample
Query Parameter	FromDate	Date	No	2022-Mar-10
Query Parameter	ToDate	Date	No	2022-Mar-15
Query Parameter	studyTitle	String	No	"Study On Oncology"

## RESPONSE

Table 3 GET Study History Response Parameters

Status Code	Response	Comments
200	<pre>{   "study": [     {       "studyTitle": "Study On Alzheimer's disease",       "studyId": "25f58eb5-bda8-4c85-8a27-685af9f6743d",       "studyVersion": [         1,         2,         3,         4       ]     }   ] }</pre>	Successful
400	<pre>{   "statusCode": "400",   "message": "An error occurred" }</pre>	Application Exception
403	Forbidden	Invalid Client Certificate
404	<pre>{   "statusCode": "404",</pre>	When Study Title is given in query

	<pre>"message": "The requested study document not found" }</pre>	param and there is no matching study definition in SDR, or the requested URI is not valid.
<b>500</b>	<i>Internal Server Error</i>	Web server/Web API down

### 3.2. Get Study

This endpoint allows user to retrieve the different study elements for a particular study with all or specific sections.

#### LIST OF STUDY SECTIONS:

- study\_indications
- study\_objectives
- study\_design

Table 4 GET Study Endpoint

Method	URL
GET	studydefinitionrepository/v1/study/{studyid}

#### REQUEST PARAMETERS

Table 5 GET Study Request Parameters

Type	Params	Values	Mandatory	Sample
Path	studyId	String	Yes	25f58eb5-bda8-4c85-8a27-685af9f6743d
Query Parameter	version	Integer	No	2
Query Parameter	tag	String	No	1.0Draft
Query Parameter	sections	String	No	Section Names: <ul style="list-style-type: none"> <li>•study_indications</li> <li>•study_objectives</li> <li>•study_design</li> </ul>

				“sections” query parameter should be comma separated values of the section names. For example, “study_indications,study_objectives”
--	--	--	--	---

## RESPONSE

Table 6 GET Study Response

Status	Response	Comments
200	Refer <b><u>Response for GET Study</u></b> for the JSON Data	
400	<pre>{   "statusCode": "400",   "message": "An error occurred" }</pre>	Application Exception
403	<i>Forbidden</i>	Invalid Client Certificate
404	<pre>{   "statusCode": "404",   "message": "The requested study document not found" }</pre>	Requested Study Id is not found, or the request URL path is not valid
500	<i>Internal Server Error</i>	Web server/Web API down

### 3.3. Get Study Design

Retrieves the different study design elements for a particular study and its sections.

#### LIST OF STUDY DESIGN SECTIONS:

- study\_planned\_workflow
- study\_target\_populations
- study\_investigational\_interventions
- study\_cells

Table 7 GET Study Design Endpoint

Method	URL
--------	-----

GET	studydefinitionrepository/v1/{studyid}/studydesign/{studyDesignId}
-----	--

## REQUEST PARAMETERS

Table 8 GET Study Design Request Parameters

Type	Params	Values	Mandatory	Sample
Path	studyId	String	Yes	25f58eb5-bda8-4c85-8a27-685af9f6743d
Path	studyDesignId	String	Yes	a0ae297c-3ce2-42cd-b450-32a6acf51b66
Query Parameter	version	Integer	No	3
Query Parameter	tag	String	No	2.0Draft
Query Parameter	sections	String	No	<p>“sections” query parameter must be a comma separated values of the section names.</p> <p>For example, “study_planned_workflow, study_cells”</p>

## RESPONSE

Table 9 GET Study Design Response

Status	Response	Comments
200	Refer <b><u>Response for GET Study Design</u></b> for the JSON Data	Successful
400	<pre>{   "statusCode": "400",   "message": "An error occurred" }</pre>	Application Exception
403	<i>Forbidden</i>	Invalid Client Certificate
404	<pre>{   "statusCode": "404",   "message": "The requested study document not found" }</pre>	This can occur when requested Study Id is not found or requested Study Design Id not found.



	OR  { "statusCode": "404", "message": "The requested study design not found" }	
<b>500</b>	<i>Internal Server Error</i>	Web server/Web API down

### 3.4. Audit Trail

This endpoint allows user to retrieve the audit trail information for a study residing in SDR Repository. Audit trail captures the history of all changes done on a study definition including entry date time, entry system and study version.

Table 10 GET Audit Trail Endpoint

Method	URL
<b>GET</b>	studydefinitionrepository/v1/auditTrail/{studyId}

#### REQUEST PARAMETERS

Table 11 GET Audit Trail Request Parameters

Type	Params	Values	Mandatory	Sample
Path	studyId	String	Yes	af999877-1c32-4aa8-beb6-c43779a5d759
Query Parameter	FromDate	Date	No	2022-Mar-05
Query Parameter	ToDate	Date	No	2022-Mar-15

#### RESPONSE

Table 12 GET Audit Trail Response

Status	Response	Comments
<b>200</b>	{ "studyId": "25f58eb5-bda8-4c85-8a27-685af9f6743d", "auditTrail": [ {	Successful

	<pre> "studyTag": "2.0Final", "studyStatus": "Final", "entryDateTime": "2022-MAR-12", "entrySystem": "Upstream System 2", "studyVersion": 3 }, { "studyTag": "2.1Draft", "studyStatus": "Draft", "entryDateTime": "2022-MAR-10", "entrySystem": "Upstream System 1", "studyVersion": 2 }, { "studyTag": "1.0New", "studyStatus": "New", "entryDateTime": "2022-MAR-05", "entrySystem": "Upstream System 4", "studyVersion": 1 } ] </pre>	
400	<pre> { "statusCode": "400", "message": "An error occurred" } </pre>	Application Exception
403	<i>Forbidden</i>	Invalid Client Certificate
404	<pre> { "statusCode": "404", "message": "The requested study document not found" } </pre>	Requested Study Id is not found, or the request URL path is not valid
500	<i>Internal Server Error</i>	Web server/Web API down

### 3.5. Post Study

This endpoint allows user to add and/or update a study definition in SDR that conforms to the USDM structure. The study GET endpoint allows the users to fetch data for individual section whereas the section specific adds/updates are not in scope of SDR Reference Implementation.

### 3.5.1. POST - Add Study Definition

- For the first time, when a study is pushed into the SDR, the ID fields in the JSON data must be empty. SDR will generate UUID for the ID fields.

Table 13 POST Study Endpoint

Method	URL
POST	/studydefinitionrepository/v1/study

#### REQUEST PARAMETERS

Table 14 POST Study Request Parameters

Type	Param	Values
Header	entrySystem	String
Body		Refer <b><u>Request Body for POST – Add New Study Definition</u></b> for the JSON Data

#### RESPONSE

Table 15 POST Study Response

Status	Response	Comments
201	Refer <b><u>Response Body for POST – Add Study Definition</u></b> for the JSON Data	Successful. For a new study document added into SDR, the unique IDs for Study and Study Design are generated by system and returned in response body along with Study Version is defaulted to “1”. For updates to an existing study, the version is incremented by 1.
400	{ "statusCode": "400", "message": "An error occurred" }	Application Exception
403	<i>Forbidden</i>	Invalid Client Certificate
404	<i>Resource Not Found</i>	When the request URL is not valid.
500	<i>Internal Server Error</i>	Web server/Web API down

### 3.5.2. POST - Update Study Definition

- i. For adding new elements to an existing study definition section
  - **studyId** should be passed in the request body
  - **studyId** and **studyDesignId** should be passed when updating study design data.
  - New elements should be passed without **id** field data along with existing elements including SDR generated **id** values in the request body.
  - SDR will generate UUID for only the new elements mentioned in the request and update the data for existing elements that had a valid UUID in the request.
- ii. For example, there is an existing study definition in SDR as mentioned in **Study Definition – Existing Data**. If a new element is to be added to study objectives, the existing study data with the new element must be sent in the request body as mentioned in **Request Body for POST – Update New Study Definition**.

Table 16 POST Study Endpoint

Method	URL
POST	/studydefinitionrepository/v1/study

## REQUEST PARAMETERS

Table 17 POST Study Request Parameters

Type	Param	Values
Header	entrySystem	String
Body		Refer <b><u>Request Body for POST – Update New Study Definition</u></b> for the JSON Data

## RESPONSE

Table 18 POST Study Response

Status	Response	Comments
201	Refer <b><u>Response Body for POST – Update Study Definition</u></b> for the JSON Data	Successful. The new element in the section will be added on along with the existing element.
400	{ "statusCode": "400", "message": "An error occurred" }	Application Exception
403	Forbidden	Invalid Client Certificate
404	Resource Not Found	When the request URL is not valid.
500	Internal Server Error	Web server/Web API down

## 4. Testing the API Endpoint

### 4.1. Postman REST client Setup


#### Pre-Requisites:

- Self-Signed .pfx certificate configured for SDR API Access.
- Install **Postman Tool**

#### STEPS:


- Open postman and go to “Settings” option

Figure 13 Postman Upload Certificate



- Go to “Certificates” tab and upload the client certificate and provide the Host Name and Passphrase (certificate password) for the client certificate

Figure 14 Postman Add Client Certificate



### 4.2. Accessing the GET API


#### STEPS:

- Enter the URL for the GET Request URL (APIM endpoint) as mentioned below

<https://apim-sdr-envname-eastus.azure-api.net/studydefinitionrepository/v1/study/>


- ii. Get the clinical study **StudyId** from **Response for GET Study** and append the Study ID to the GET URL.

Figure 15 Postman set HTTP Request for GET




- iii. Click on the “Send” button to get the study definition data for given studyId.

Figure 16 Postman Send Request



- iv. For a valid certificate and correct SDR API URL, the API Response of HTTP Status code 200 along with the data will be returned.

Figure 17 Postman HTTP Response



Similarly, below response codes returned by SDR APIM endpoints can also be tested in postman. These scenarios can be tested in any of the REST API tools other than Postman.

- 400 – The server cannot or will not process the request due to something that is perceived to be a client error
- 403 - indicates that the server understands the request but refuses to authorize it
- 404 - indicates that the server cannot find the requested resource
- Incorrect Domain/hostname
- Incorrect Protocol
- Incorrect Method



