MBatch 04-01 Using MBatch Assessments: SupervisedClustering_Batches_Structures Tod Casasent 2017-10-17-1330

Introduction

These instructions are aimed at people familiar with R and familiar with TCGA/GDC platforms and data types. They are intended to introduce the reader to producing the given assessment. These instructions will only rarely, if ever, touch on the appropriateness of the assessment algorithm or interpretation of output. See MBatch_01_InstallLinux.docx for instructions on downloading test data.


Algorithm

SupervisedClustering_Batches_Structures is a function used to perform batch effects assessments using the supervised clustering algorithm for each batch type available by default.

Output

The primary output method for MBatch is to view results in the Batch Effects Website, described elsewhere. The PNG files are rough versions of the website output.

Graphical output is a heatmap of the correlation values, topped by a covariate bar with the batch information, and at the top dendrograms for the clustering. The columns are batch values for a single batch type. The rows are sample ids.



Usage

 $Supervised Clustering_Batches_Structures (the Data, the Title, the Output Path, the DoHeatmap Flag,$

theBatchTypeAndValuePairsToRemove = list(),

the Batch Type And Value Pairs To Keep = list())

Arguments

theData An instance of BEA_DATA BEA_DATA-class. This is the MBatch Data Object (of class BEA_DATA) described in MBatch_03_UserData.docx, and returned from mbatchLoadFiles or mbatchLoadStructures.

theTitle Object of class "character". Title to use in PNG files.

theOutputPath Object of class "character". Directory in which to place output PNG files and related data files used by the Batch Effects Website.

the DoHeatmap Flag Object of class "logical" A flag indicating whether or not to create HC heatmap, where TRUE means to create heatmap.

theBatchTypeAndValuePairsToRemove Object of class "list". A list of vectors containing the batch type (or * for all types) and the value to remove. list() indicates do nothing, while NULL will cause an error. This type of list is described in MBatch 03 ParametersBatchTypesValues.docx.

the Batch Type And Value Pairs To Keep Object of class "list". A list of vectors containing the batch type (or * for all types) and a vector of the value(s) to keep. list() indicates do nothing, while NULL will cause an error. This type of list is described in MBatch 03 Parameters Batch Types Values. docx.

Example Call

The following code performs Supervised Clustering and is taken from the tests/SupervisedClustering_Batches_Structures.R file. Data used is from the testing data as per the MBatch_01_InstallLinux.docx document.

```
library(MBatch)
# set the paths
theGeneFile <- "/bea testing/MATRIX DATA/matrix data-Tumor.tsv"
theBatchFile <- "/bea testing/MATRIX DATA/batches-Tumor.tsv"
theOutputDir <- "/bea testing/output/SupervisedClustering Batches Structures"
# make sure the output dir exists and is empty
unlink(theOutputDir, recursive=TRUE)
dir.create(theOutputDir, showWarnings=FALSE, recursive=TRUE)
# load the data and reduce the amount of data to reduce run time
myData <- mbatchLoadFiles(theGeneFile, theBatchFile)
myData@mData <- mbatchTrimData(myData@mData, 100000)
# here, we take most defaults
SupervisedClustering Batches Structures(theData=myData,
the Title="Test Supervised Clustering",
theOutputPath=theOutputDir,
theDoHeatmapFlag=TRUE)
```

Command Line Output

In the future, we plan to make the output from MBatch more user friendly, but currently, this produces the following output at the command line.

```
> # set the paths
```

```
> theGeneFile <- "/bea_testing/MATRIX_DATA/matrix_data-Tumor.tsv"
> theBatchFile <- "/bea testing/MATRIX DATA/batches-Tumor.tsv"
> theOutputDir <- "/bea testing/output/SupervisedClustering Batches Structures"
> # make sure the output dir exists and is empty
> unlink(theOutputDir, recursive=TRUE)
> dir.create(theOutputDir, showWarnings=FALSE, recursive=TRUE)
> # load the data and reduce the amount of data to reduce run time
> myData <- mbatchLoadFiles(theGeneFile, theBatchFile)
2017 10 03 09:16:04.998 DEBUG MachineName Changing LC COLLATE to C
for duration of run
2017 10 03 09:16:04.999 INFO MachineName Starting mbatchLoadFiles
2017 10 03 09:16:04.999 INFO MachineName MBatch Version: 2017-09-19-1530
2017 10 03 09:16:05.000 INFO MachineName read batch file=/bea_testing/MATRIX_DATA/batches-
Tumor.tsv
2017 10 03 09:16:05.028 INFO MachineName read gene file / bea testing/MATRIX DATA/matrix data-
Tumor.tsv
Read 100000 records
2017 10 03 09:16:18.321 INFO MachineName filter samples in batches using gene
samples
2017 10 03 09:16:18.323 INFO MachineName sort batches by gene file samples
2017\ 10\ 03\ 09{:}16{:}18.472\ INFO Machine
Name Finishing mbatch
Load<br/>Files
> myData@mData <- mbatchTrimData(myData@mData, 100000)
2017 10 03 09:16:18.511 DEBUG MachineName Changing LC COLLATE to C
for duration of run
2017 10 03 09:16:18.512 INFO MachineName mbatchTrimData Starting
```

 $2017\ 10\ 03\ 09{:}16{:}18.512\ INFO\ Machine Name\ MBatch\ Version:\ 2017-09-19-1530$

```
2017 10 03 09:16:26.799 INFO MachineName mbatchTrimData Finishing
> # here, we take most defaults
> SupervisedClustering_Batches_Structures(theData=myData,
+ the Title="Test Supervised Clustering",
+ theOutputPath=theOutputDir,
+ theDoHeatmapFlag=TRUE)
2017 10 03 09:16:26.804 DEBUG Machine
Name Changing LC_COLLATE to C
for duration of run
2017 10 03 09:16:26.804 INFO MachineName \/ \/ \/ \/ \/ \/ \/ \/ \/ \/
\/ \/
2017 10 03 09:16:26.805 INFO MachineName mbatchFilterData Starting
2017 10 03 09:16:26.805 INFO MachineName MBatch Version: 2017-09-19-1530
2017 10 03 09:16:26.806 DEBUG MachineName rows pre filter 1250
2017 10 03 09:16:27.127 DEBUG MachineName rows post filter 1250
2017 10 03 09:16:27.128 DEBUG MachineName mbatchFilterData Prefilter, gene
data had 1250 while post filter 1250
2017 10 03 09:16:27.129 DEBUG MachineName mbatchFilterData Prefilter,
batch data had 80 while post filter 80
2017 10 03 09:16:27.129 INFO MachineName mbatchFilterData Finishing
2017 10 03 09:16:27.130 DEBUG MachineName checkCreateDir: /bea testing/output/SupervisedClustering Bat
2017 10 03 09:16:27.131 INFO MachineName createBatchEffectsOut-
put\_SupervisedClustering\_batches - batchTypeName = BatchId
2017 10 03 09:16:27.133 INFO MachineName makeBiasClust - starting
2017 10 03 09:16:27.322 INFO MachineName makeBiasClust - quantile dat dim
= 1250.80
2017 10 03 09:16:27.327 INFO MachineName makeBiasClust - quantile U.data
is.data.frame = FALSE
```

2017 10 03 09:16:27.328 INFO MachineName makeBiasClust - quantile U.data

2017 10 03 09:16:27.328 INFO MachineName makeBiasClust - quantile U.data

is.array = TRUE

is.list = FALSE

 2017 10 03 09:16:27.329 INFO Machine Name make Bias
Clust - quantile U.data $\mathtt{nrow} = 312$

 2017 10 03 09:16:27.334 INFO Machine Name make Bias
Clust - quantile U.data $\rm ncol = 80$

 $2017\ 10\ 03\ 09{:}16{:}27.334$ INFO Machine Name make Bias
Clust - quantile U.data length =24960

 2017 10 03 09:16:27.334 INFO Machine Name make Bias
Clust - quantile U.data $\dim=312{,}80$

2017 10 03 09:16:27.335 INFO Machine Name make Bias
Clust - quantile U.data is.null = FALSE

 $2017\ 10\ 03\ 09{:}16{:}27.335\ INFO$ Machine Name make Bias
Clust - data frame

2017 10 03 09:16:27.336 INFO Machine Name make Bias
Clust - U.dend
1<-bias.clust

 $2017\ 10\ 03\ 09{:}16{:}27.349\ INFO$ Machine Name make Bias
Clust new.dis size - $80{-}80$

 $2017\ 10\ 03\ 09{:}16{:}27.354\ INFO\ Machine$ $Name make
BiasClust orig - <math display="inline">80{-}80$

2017 10 03 09:16:27.355 INFO MachineName makeBiasClust is.na - 80-80

2017 10 03 09:16:27.355 INFO MachineName makeBiasClust is.infinite - 80-80

 $2017\ 10\ 03\ 09:16:29.770\ DEBUG\ MachineName\ mbatchStandardLegend\ -\ Calling\ .jinit\ /home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/jcommon-1.0.17.jar:/home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/jfreechart-1.0.14.jar$

 $2017\ 10\ 03\ 09{:}16{:}31.308$ DEBUG Machine Name mbatch Standard Legend - .
jinit complete

 $2017\ 10\ 03\ 09{:}16{:}31.309$ DEBUG Machine Name mbatch Standard Legend - the Title Batch Id

 $2017\ 10\ 03\ 09{:}16{:}31.309$ DEBUG Machine Name mbatch Standard Legend - the Version MBatch 1.4.16

 $2017\ 10\ 03\ 09:16:31.310\ DEBUG\ MachineName\ mbatchStandardLegend-theFile-namePath\ /bea_testing/output/SupervisedClustering_Batches_Structures/Batches/SupervisedClust_Legend-BatchId.png$

 $2017\ 10\ 03\ 09{:}16{:}31.311$ DEBUG Machine Name mbatch Standard Legend - the Legend Names $00304\ (80)$

 $2017\ 10\ 03\ 09{:}16{:}31.311$ DEBUG Machine Name mbatch Standard Legend - the Legend Names 1

 $2017\ 10\ 03\ 09{:}16{:}31.312$ DEBUG Machine Name mbatch Standard
Legend - the LegendColors 1 $2017\ 10\ 03\ 09{:}16{:}31.312$ DEBUG Machine Name mbatch Standard Legend - the Legend Symbols 0

2017 10 03 09:16:31.313 DEBUG Machine Name mbatch Standard
Legend - my-Colors #b30000

 $2017\ 10\ 03\ 09{:}16{:}31.314$ DEBUG Machine Name mbatch Standard Legend before java

LegendJava 2013 05 03 0823

writeLegendWithSymbols theTitle = BatchId

writeLegendWithSymbols theVersion = MBatch 1.4.16

 $write Legend With Symbols\ the Filename Path = /bea_testing/output/Supervised Clustering_Batches_Structures/BatchId.png$

Colors is non-null

writeLegendWithSymbols write

writeLegendWithSymbols done

 $2017\ 10\ 03\ 09{:}16{:}37.321$ DEBUG Machine Name mbatch Standard Legend after java

2017 10 03 09:16:37.322 INFO Machine Name createBatchEffectsOutput_SupervisedClustering_batches - batch TypeName = PlateId

2017 10 03 09:16:37.423 INFO MachineName makeBiasClust - starting

 $2017\ 10\ 03\ 09{:}16{:}37.630$ INFO Machine Name make
BiasClust - quantile dat dim = $1250{,}80$

2017 10 03 09:16:37.631 INFO Machine Name make Bias
Clust - quantile U.data is.data.frame = FALSE

2017 10 03 09:16:37.632 INFO Machine Name make Bias
Clust - quantile U.data is.array = TRUE

2017 10 03 09:16:37.632 INFO Machine Name make Bias
Clust - quantile U.data is.list = FALSE

 2017 10 03 09:16:37.633 INFO Machine Name make Bias
Clust - quantile U.data nrow = 312

 2017 10 03 09:16:37.633 INFO Machine Name make Bias
Clust - quantile U.data $\rm ncol = 80$

 2017 10 03 09:16:37.633 INFO Machine Name make Bias
Clust - quantile U.data length =24960

2017 10 03 09:16:37.634 INFO Machine Name make Bias
Clust - quantile U.data $\dim=312.80$ 2017 10 03 09:16:37.634 INFO Machine Name make Bias
Clust - quantile U.data is.null = FALSE

2017 10 03 09:16:37.635 INFO MachineName makeBiasClust - data frame

2017 10 03 09:16:37.635 INFO Machine Name make
BiasClust - U.dend
1 $<\!$ - bias.clust

 $2017\ 10\ 03\ 09{:}16{:}37.678\ INFO$ Machine Name make Bias
Clust new.dis size - $80{-}80$

2017 10 03 09:16:37.679 INFO MachineName makeBiasClust orig - 80-80

2017 10 03 09:16:37.680 INFO MachineName makeBiasClust is.na - 80-80

 $2017\ 10\ 03\ 09{:}16{:}37.680\ INFO$ Machine Name make Bias
Clust is infinite - $80{-}80$

 $2017\ 10\ 03\ 09{:}16{:}40.407\ DEBUG\ Machine Name\ mbatch Standard Legend$ - Calling

.jinit /home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/LegendJava.jar:/home/linux/R/x86 pc-linux-gnu-library/3.4/MBatch/LegendJava/jcommon-1.0.17.jar:/home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/jfreechart-1.0.14.jar

 $2017\ 10\ 03\ 09{:}16{:}40.528$ DEBUG Machine Name mbatch Standard Legend - .
jinit complete

 $2017\ 10\ 03\ 09{:}16{:}40.528\ \mathrm{DEBUG}$ Machine Name mbatch Standard Legend - the Title Plate Id

 $2017\ 10\ 03\ 09{:}16{:}40.531$ DEBUG Machine Name mbatch Standard Legend - the Version MBatch 1.4.16

 $2017\ 10\ 03\ 09{:}16{:}40.531\ DEBUG\ Machine Name\ mbatch Standard Legend$ - the File-

namePath /bea_testing/output/SupervisedClustering_Batches_Structures/Batches/SupervisedClust_Legend-PlateId.png

 $2017\ 10\ 03\ 09:16:40.531$ DEBUG Machine Name mbatch Standard Legend - the Legend Names A29J (80)

 $2017\ 10\ 03\ 09{:}16{:}40.532$ DEBUG Machine Name mbatch Standard Legend - the Legend Names 1

 $2017\ 10\ 03\ 09{:}16{:}40.532$ DEBUG Machine Name mbatch Standard Legend - the Legend Colors 1

 $2017\ 10\ 03\ 09{:}16{:}40.532$ DEBUG Machine Name mbatch Standard Legend - the Legend Symbols 0

 $2017\ 10\ 03\ 09{:}16{:}40.533$ DEBUG Machine Name mbatch Standard Legend - my-Colors
 #b30000

 $2017\ 10\ 03\ 09{:}16{:}40.533$ DEBUG Machine Name mbatch Standard Legend before java

 ${\it LegendJava~2013_05_03_0823}$

writeLegendWithSymbols theTitle = PlateId

writeLegendWithSymbols theVersion = MBatch 1.4.16

 $write Legend With Symbols\ the Filename Path = /bea_testing/output/Supervised Clustering_Batches_Structures/Plate Id.png$

Colors is non-null

writeLegendWithSymbols write

writeLegendWithSymbols done

 $2017\ 10\ 03\ 09{:}16{:}40.592$ DEBUG Machine Name mbatch Standard Legend after java

2017 10 03 09:16:40.602 INFO MachineName createBatchEffectsOutput_SupervisedClustering_batches - batchTypeName = ShipDate

2017 10 03 09:16:40.603 INFO MachineName makeBiasClust - starting

 $2017\ 10\ 03\ 09{:}16{:}40.863$ INFO Machine Name make
BiasClust - quantile dat dim = $1250{,}80$

2017 10 03 09:16:40.865 INFO Machine Name make Bias
Clust - quantile U.data is.data.frame = FALSE

 2017 10 03 09:16:40.865 INFO Machine Name make Bias
Clust - quantile U.data is.array = TRUE

2017 10 03 09:16:40.866 INFO Machine Name make Bias
Clust - quantile U.data is.list = FALSE

 2017 10 03 09:16:40.866 INFO Machine Name make Bias
Clust - quantile U.data nrow = 312

 2017 10 03 09:16:40.866 INFO Machine Name make Bias
Clust - quantile U.data $\rm ncol = 80$

 2017 10 03 09:16:40.867 INFO Machine Name make Bias
Clust - quantile U.data length =24960

2017 10 03 09:16:40.867 INFO Machine Name make Bias
Clust - quantile U.data $\dim=312.80$

2017 10 03 09:16:40.867 INFO Machine Name make Bias
Clust - quantile U.data is.null = FALSE

 $2017\ 10\ 03\ 09{:}16{:}40.868\ INFO$ Machine Name make Bias
Clust - data frame

2017 10 03 09:16:40.868 INFO Machine Name make
BiasClust - U.dend
1 $<\!$ - bias.clust

 $2017\ 10\ 03\ 09:16:40.872$ INFO Machine Name make
BiasClust new.dis size - 80-80

 $2017\ 10\ 03\ 09{:}16{:}40.872\ INFO$ Machine Name make Bias
Clust orig - $80{-}80$

 $2017\ 10\ 03\ 09{:}16{:}40.873\ INFO$ Machine Name make
BiasClust is.na - $80{-}80$ $2017\ 10\ 03\ 09{:}16{:}40.873\ INFO\ Machine$ $Name make
BiasClust is.infinite - <math display="inline">80{-}80$

 $2017\ 10\ 03\ 09{:}16{:}43.291$ DEBUG Machine Name mbatch Standard
Legend - Calling

.jinit /home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/LegendJava.jar:/home/linux/R/x86 pc-linux-gnu-library/3.4/MBatch/LegendJava/jcommon-1.0.17.jar:/home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/jfreechart-1.0.14.jar

 $2017\ 10\ 03\ 09{:}16{:}43.298$ DEBUG Machine Name mbatch Standard Legend - .
jinit complete

 $2017\ 10\ 03\ 09{:}16{:}43.298$ DEBUG Machine Name mbatch Standard Legend - the Title Ship Date

 $2017\ 10\ 03\ 09{:}16{:}43.298$ DEBUG Machine Name mbatch Standard Legend - the Version MBatch 1.4.16

 $2017\ 10\ 03\ 09:16:43.299\ DEBUG\ Machine Name\ mbatch Standard Legend-the Filename Path\ /bea_testing\ /output\ /Supervised Clustering_Batches_Structures\ /Batches\ /Supervised Clust_Legend-the Path\ /output\ /Supervised Clust_Legend-the$

 $2017\ 10\ 03\ 09{:}16{:}43.299$ DEBUG Machine Name mbatch Standard Legend - the Legend Names $2013{-}05{-}08\ (80)$

 $2017\ 10\ 03\ 09{:}16{:}43.299$ DEBUG Machine Name mbatch Standard Legend - the Legend Names 1

 $2017\ 10\ 03\ 09{:}16{:}43.300$ DEBUG Machine Name mbatch Standard Legend - the Legend Colors 1

 $2017\ 10\ 03\ 09{:}16{:}43.300$ DEBUG Machine Name mbatch Standard Legend - the Legend Symbols 0

 $2017\ 10\ 03\ 09{:}16{:}43.300$ DEBUG Machine Name mbatch Standard Legend - my-Colors
 #b30000

 $2017\ 10\ 03\ 09{:}16{:}43.301$ DEBUG Machine Name mbatch Standard Legend before java

LegendJava 2013 05 03 0823

writeLegendWithSymbols theTitle = ShipDate

writeLegendWithSymbols theVersion = MBatch 1.4.16

 $write Legend With Symbols\ the Filename Path = /bea_testing/output/Supervised Clustering_Batches_Structures/Ship Date.png$

Colors is non-null

ShipDate.png

writeLegendWithSymbols write

writeLegendWithSymbols done

 $2017\ 10\ 03\ 09{:}16{:}43.359$ DEBUG Machine Name mbatch Standard Legend after java 2017 10 03 09:16:43.360 INFO MachineName createBatchEffectsOutput_SupervisedClustering_batches - batchTypeName = TSS

2017 10 03 09:16:43.361 INFO MachineName makeBiasClust - starting

 $2017\ 10\ 03\ 09{:}16{:}43.586$ INFO Machine Name make Bias
Clust - quantile dat dim = $1250{,}80$

2017 10 03 09:16:43.587 INFO Machine Name make Bias
Clust - quantile U.data is.data.frame = FALSE

 $2017\ 10\ 03\ 09{:}16{:}43.588$ INFO Machine Name make Bias
Clust - quantile U.data is.array = TRUE

2017 10 03 09:16:43.588 INFO Machine Name make Bias
Clust - quantile U.data is.list = FALSE

2017 10 03 09:16:43.588 INFO Machine Name make Bias
Clust - quantile U.data ${\rm nrow}=312$

 2017 10 03 09:16:43.589 INFO Machine Name make Bias
Clust - quantile U.data $\mathtt{ncol} = 80$

 $2017\ 10\ 03\ 09{:}16{:}43.589$ INFO Machine Name make Bias
Clust - quantile U.data length =24960

2017 10 03 09:16:43.589 INFO Machine Name make Bias
Clust - quantile U.data $\dim=312.80$

2017 10 03 09:16:43.590 INFO Machine Name make Bias
Clust - quantile U.data is.null = FALSE

2017 10 03 09:16:43.590 INFO MachineName makeBiasClust - data frame

2017 10 03 09:16:43.591 INFO Machine Name make
BiasClust - U.dend
1<-bias.clust

 $2017\ 10\ 03\ 09{:}16{:}43.594\ INFO\ Machine$ $Name make
BiasClust new.dis size - <math display="inline">80{-}80$

2017 10 03 09:16:43.594 INFO MachineName makeBiasClust orig - 80-80

 $2017\ 10\ 03\ 09{:}16{:}43.595\ INFO$ Machine Name make Bias
Clust is.na - $80{-}80$

 $2017\ 10\ 03\ 09{:}16{:}43.595\ INFO$ Machine Name make Bias
Clust is.infinite - $80{-}80$

 $2017\ 10\ 03\ 09:16:45.992\ DEBUG\ MachineName\ mbatchStandardLegend\ -\ Calling\ .jinit\ /home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/jcommon-1.0.17.jar:/home/linux/R/x86_64-pc-linux-gnu-library/3.4/MBatch/LegendJava/jfreechart-1.0.14.jar$

 $2017\ 10\ 03\ 09{:}16{:}45{.}999$ DEBUG Machine Name mbatch Standard
Legend - .jinit complete

 $2017\ 10\ 03\ 09{:}16{:}45{.}999\ \mathrm{DEBUG}$ Machine Name mbatch Standard Legend - the Title TSS $2017\ 10\ 03\ 09{:}16{:}46.000$ DEBUG Machine Name mbatch Standard Legend - the Version MBatch 1.4.16

 $2017\ 10\ 03\ 09:16:46.000\ DEBUG\ MachineName\ mbatchStandardLegend-theFile-namePath\ /bea_testing/output/SupervisedClustering_Batches_Structures/Batches/SupervisedClust_Legend-TSS.png$

 $2017\ 10\ 03\ 09{:}16{:}46.000$ DEBUG Machine Name mbatch Standard Legend - the Legend Names OR - University of Michigan

(72), OU - Roswell Park (1), P6 - Translational Genomics

Research Institute (2), PA - University of Minnesota

(1), PK - University Health

Network (4)

 $2017\ 10\ 03\ 09{:}16{:}46.001$ DEBUG Machine Name mbatch Standard Legend - the Legend Names 5

 $2017\ 10\ 03\ 09{:}16{:}46.001$ DEBUG Machine Name mbatch Standard Legend - the Legend Colors 5

 $2017\ 10\ 03\ 09{:}16{:}46.001$ DEBUG Machine Name mbatch Standard Legend - the Legend Symbols 0

2017 10 03 09:16:46.002 DEBUG Machine Name mbatch Standard Legend - my-Colors #b30000, #8fb300, #00b347, #0047b3, #8f00b3

 $2017\ 10\ 03\ 09{:}16{:}46.002$ DEBUG Machine Name mbatch Standard Legend before java

LegendJava 2013_05_03_0823

writeLegendWithSymbols theTitle = TSS

writeLegendWithSymbols theVersion = MBatch 1.4.16

 $write Legend With Symbols\ the Filename Path = /bea_testing/output/Supervised Clustering_Batches_Structures/TSS.png$

Colors is non-null

writeLegendWithSymbols write

writeLegendWithSymbols done

 $2017\ 10\ 03\ 09{:}16{:}46.109$ DEBUG Machine Name mbatch Standard Legend after java

>

Example File Output

The above code creates the following output files. Note that since we called the "Batches" version of this function (there is a separate "Pairs" version) files are placed within a Batches subdirectory. Files are named using the following naming convention:

 $SupervisedClust_Diagram-<BatchType>.png$

SupervisedClust_Legend-<BatchType>.png

The diagram file contains a Supervised Clustering plot for a single batch type (the columns from the batches.tsv file). The legend gives the list of batches within the given batch type, and the colors used for each batch within the covariate bar.

 $linux@MachineName:/bea_testing/output/SupervisedClustering_Batches_Structures/Batches\$ls-l$

total 1060

- -rw-r--r-- 1 linux linux 262001 Oct 3 09:16 SupervisedClust_Diagram-BatchId.png
- -rw-r--r-- 1 linux linux 261610 Oct 3 09:16 SupervisedClust_Diagram-PlateId.png
- -rw-r--r-- 1 linux linux 262158 Oct 3 09:16 SupervisedClust_Diagram-ShipDate.png
- -rw-r--r-- 1 linux linux 262373 Oct 3 09:16 SupervisedClust_Diagram-TSS.png
- -rw-r--r-- 1 linux linux 2701 Oct 3 09:16 SupervisedClust Legend-BatchId.png
- -rw-r--r-- 1 linux linux 2839 Oct 3 09:16 SupervisedClust Legend-PlateId.png
- -rw-r--r-- 1 linux linux 3196 Oct 3 09:16 SupervisedClust_Legend-ShipDate.png
- -rw-r--r-- 1 linux linux 12899 Oct 3 09:16 SupervisedClust_Legend-TSS.png