Chapter 17 — Electrochemistry

Michael Brodskiy

Instructor: Mr. Morgan

April 20, 2021

- Electrochemistry The transfer of electrons (oxidation-reduction). Separate the oxidation from reduction and get flow of electrons.
- Oxidation Loss of electrons (e.g. Zn \longrightarrow Zn²⁺ + 2e⁻), called the anode
- Reduction Gain of electrons (e.g. $Cu^{2+} + 2e^{-} \longrightarrow Cu$), called the cathode
- Electrode loses mass, while plating gains mass
- Salt Bridge Allows ions to flow to balance charge
- Standard Voltages Measurement of cell voltage
- $E^0 = E^0$ (reduction) + E^0 (oxidation). If E^0 is positive, the reaction is spontaneous
- Best oxidizing agents (get reduced the most) are at the bottom left of the given chart
- Best reducing agents (get oxidized the most) are at the bottom right of the given chart
- $\Delta G = -n\mathcal{F}E^0$, where n is the amount of electrons transferred, and $\mathcal{F} = 9.648 \cdot 10^4 \left[\frac{\mathrm{J}}{\mathrm{mol V}}\right]$ is Faraday's constant
- $E^0 = \frac{RT}{n\mathcal{F}} \ln(k)$