

# Lab Mid Term Exam

**Marks**

1. Write a program to reverse an array.

10

Sample input	Sample output
5 6 2 3 3 5	5 3 3 2 6

2. Write a program to remove duplicate numbers from an array and print the remaining elements in sorted order. You have to do this in  $O(n \log n)$ .

15

Sample input	Sample output
5 6 3 2 3 5	2 3 5 6

3. Write a program to sort the numbers in non-increasing order using quick sort. You have to take random index as a pivot element.

15

Sample input	Sample output
5 6 3 2 3 5	6 5 3 3 2

4. Write a recursive function to check if a given word is a palindrome.

15

Sample input	Sample output
abcba	Yes
abcaa	No

A palindrome is a word which reads the same forward and backward.

5. Write a recursive function to find the maximum element in an array.

15

Sample input	Sample output
5 1 3 5 2 4	5

6. Take the Singly linked-list class from Github.

15

Link:

<https://github.com/phitronio/Data-Structure-Batch2/blob/main/Week%204/Module%2013/1.cpp>

Add the following functions to the class.

- **int getLast()** -> This function will return the last node of the linked list. If the linked list is empty then return -1.  
Sample Input: [3, 2, 6, 4, 5]  
Sample Output: 5
- **double getAverage()** -> This function will return the average of all elements in the linked list.

Sample Input: [3, 2, 6, 4, 7]

Sample Output: 4.4

7. Take the Doubly linked-list class from Github.

15

Link:

<https://github.com/phitronio/Data-Structure-Batch2/blob/main/Week%204/Module%2014/1.cpp>

Add the following functions to the class.

- **void swap(i , j)** -> This function will swap the i-th index and j-th index.  
Sample Input: [3, 2, 6, 4, 7], i = 1, j = 4  
Sample Output: Doubly Linked list containing the elements [3,7,6,4,2]
- **void deleteZero()** -> This function will delete all the nodes that have data=0.  
Sample Input: [0, 2, 0, 0, 5]  
Sample Output: Doubly linked list containing the elements [2, 5]