15

15

- 1. Implement a template based Queue using a dynamic array which supports the enqueue, dequeue and front operations.

  15
- 2. Implement Template based Stack using a singly linked-list.
- 3. Write a program to convert an infix expression to a postfix expression. The expression will contain the following characters [a-z, +, -, \*, /, (, )]. 15

Sample Input	Sample Output
a+(b+c)*d-e	abc+d*+e-
(a+b)*(c+d)	ab+cd+*

4. Evaluate it using stack. All the numbers are single digit numbers in the input so you don't have to worry about multi digit numbers.

Sample Input	Sample Output
4+(5+6)*8-1	91
(2+4)*(5+6)	66

Congratulations you just built a mini calculator if you solved it correctly.

- 5. Implement Template based Deque using a doubly linked-list which supports push\_front, push\_back, pop\_back, pop\_front, front, back operations. 15
- 6. Given a string, check if it's a palindrome using a Deque.

Sample Input	Sample Output
abcba	Yes
abcca	No

Hint: Check the first and last character. If they are equal then pop them and continue this process until the string becomes empty.

7. Write a function **void deleteValue(list<int> & I**, **int value)**' -> This function will delete the first occurrence of the element that is equal to the input **value** from the stl list.

Sample Input: STL list containing [7, 3, 8, 4, 5, 4], value: 4

Sample Output: STL list containing [7, 3, 8, 5, 4]