## Dashb... / My cou... / CS23331-DAA-202... / Competitive Progra... / 4-Print Intersection of 2 sorted arrays-O(m+n)Time Complexity,O(1) S...

Started on	Tuesday, 5 November 2024, 1:55 PM
State	Finished
Completed on	Tuesday, 5 November 2024, 2:47 PM
Time taken	51 mins 32 secs
Marks	1.00/1.00
Grade	<b>30.00</b> out of 30.00 ( <b>100</b> %)

```
Question 1
Correct
Mark 1.00 out of 1.00
```

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

- The first line contains T, the number of test cases. Following T lines contain:
- 1. Line 1 contains N1, followed by N1 integers of the first array
- 2. Line 2 contains N2, followed by N2 integers of the second array

**Output Format** 

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6123456

2 1 6

Output:

16

## For example:

Input	Result
1	10 57
3 10 17 57	
6	
2 7 10 15 57 246	

Answer: (penalty regime: 0 %)

```
#include <stdio.h>
 2 void findIntersection(int arr1[], int n1, int arr2[], int n2) {
 3
        int i = 0, j = 0;
 4
        int found = 0;
        while (i < n1 && j < n2) \{
 5 ,
 6
            if (arr1[i] < arr2[j]) {</pre>
 7
                 i++;
 8
            } else if (arr1[i] > arr2[j]) {
9
                 j++;
10
             } else {
                 printf("%d ", arr1[i]);
11
12
                 found = 1;
13
                 i++;
14
                 j++;
15
            }
16
        if (found) {
17
            printf("\n");
18
19
        }
20
21 v int main() {
        int T;
22
```

```
SCanτ( ‰u , αι);
23
24
         while (T--) {
              int n1, n2;
scanf("%d", &n1);
25
26
              int arr1[n1];
27
              for (int i = 0; i < n1; i++) {
    scanf("%d", &arr1[i]);</pre>
28
29
30
              scanf("%d", &n2);
31
32
              int arr2[n2];
              for (int i = 0; i < n2; i++) {
33 •
                   scanf("%d", &arr2[i]);
34
35
36
              findIntersection(arr1, n1, arr2, n2);
37
         }
38
         return 0;
39
    }
40
```

	Input	Expected	Got	
<b>~</b>	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	<b>*</b>
<b>~</b>	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	<b>~</b>

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

■ 3-Print Intersection of 2 sorted arrays-O(m\*n)Time Complexity,O(1) Space Complexity

Jump to...

5-Pair with Difference-O(n^2)Time Complexity,O(1) Space Complexity ►

10