



UNIVERSITY OF TWENTE.

DEEP LEARNING-BASED SEGMENTATION OF THE CAROTID ARTERY WALL IN MR ANGIOGRAPHY



Dieuwertje Alblas


d.alblas@utwente.nl

DEPARTMENT OF APPLIED MATHEMATICS • TECHNICAL MEDICAL CENTRE

CAROTID ARTERY SEGMENTATION

Objective:

Automatic segmentation of the vessel wall of the internal and external carotid artery on black-blood MRI image data.




Annotated sample from dataset¹

Main challenges:

- Imbalanced annotations
- Small dataset
- Diversity of patients
- Multiple arteries present
- Small-structure annotations

¹ <https://vessel-wall-segmentation.grand-challenge.org>

² <https://medlineplus.gov/ency/presentations/>



Anatomy of carotid arteries²

PROPOSED METHOD

Two steps:



1. Global localization
2. Local estimation

1. Global: centerline extraction

- Obtain rough 3D segmentation using 3D CNN's
- Skeletonize 3D segmentations


2. Local: contour estimation

- Build 2D image in polar coordinates by ray casting from centerline point¹
- For each ray, estimate distance from **lumen** to centerline, and **lumen** and **outer wall** using CNN
- Sub-voxel accuracy



¹ Wolterink et al., 2019, *Graph Convolutional Networks for Coronary Artery Segmentation in Cardiac CT Angiography*


EXAMPLE RESULT




Dice score: 0.85

Red: lumen


Blue: vessel wall



Ground truth



Prediction



3D prediction

CONCLUSION AND OUTLOOK

- Automatic method for contour prediction of lumen and outer wall in MR angiographies of carotid arteries
- Extend method to:
 - Other image modalities: CT, ultrasound
 - Different pathologies: aneurysms, stenosis

Thank you for your attention!