



INSTITUTO SUPERIOR TÉCNICO

ISR

REPORT

CONCEPTUAL MODEL MILESTONE

Participatory Task Modelling Prototype Meeting

Author:

Francisco Maria
CALISTO

Coordinator:

Jacinto NASCIMENTO

Co-Coordinator:

Daniel GONÇALVES

11/08/2016

1 Abstract

Clinical researchers aim to maintain multi-modal, speciality-specific images with associated data to diagnose breast cancer.

As hospital information systems are not designed to record breast cancer diagnosis, physicians need to gather appropriate sets of visualisation to facilitate the clinical activity. To include the physicians in the design and development of a new health information system, we adopt the Participatory Task Modelling (PTM) [12, 9] approach for user requirement gathering and development.

This report describes our experience in developing prototypes and aims to report the demonstration of some of the first prototypes developed in Balsamiq [2]. It also aims to report our understanding of how all breast activity diagnosis is made, approaching within the main care research domain and discussing the challenges encountered.

2 Introduction

Hospital information systems in Portugal are mainly used as clinical diagnosis activities and record patients [4]. For clinical and research purposes, physicians have routinely been using separate systems for this diagnosis. Thus, are using the many systems as tools of multimodality of imaging but not as integrated in one tool. The visualisation becomes poor and entropic, with the need of consolidation.

To encourage our physicians to participate we made a set of prototypes that will bring our surveys into what will be a the right answer to a breast cancer multi-modality of image user interface, supporting our clinical research, in particular physicians merge identification and analysis phases for clinical studies and trials.

3 Task Modelling

The report focuses on one medical speciality, Radiology Doctors, for the development of breast cancer multi-modality of image user interface research. To capture the user requirements and the domain-specific context, we are actively involving the users in the design of the system through hospital meetings.

Task analysis comprises a wide range of development activities and research, including task domain modelling, data collection and data analysis (e.g.: surveys). Task analysis has mainly involved users at the data gathering stage, while analysts are mainly involved in data analysis and modelling user's tasks and surveys, since participatory design, in comparison, encourages the involvement of users with developers in the systems development activities [11].

The quality of data is a product of tools and techniques adopted. Requirement specifications templates, wireframing tools (e.g. Balsamiq Mockups [1]) and frequent iterative knowledge with stakeholders play a key role in our implementation of the PTM approach. Furthermore, we have used existing systems, where applicable, as the basis for requirements gathering. The cooperation between researchers and physicians has been an important part of our work to enable the correct interpretation of tasks and terminology, as well as to understand to a certain extent the workplace culture and policies [15].

Our cooperation has work experience in both the health domain and user interface development, and supports in the identification of possible miscommunication between physicians and researchers. The use of mock-ups helps to simulate and validate the user interface and workflow, as well as improve traditional specification documents by engaging the users in a familiar environment.

4 Low-Fidelity Prototypes Validation

Based on MIMBCD-UI system and user requirements, the interface development can be triggered. The goal for this report and milestone (Conceptual Model Milestone) is to implement the design into MIMBCD-UI, so the interface development is developed as interface prototypes. Balsamiq Mockups [2] is a rapid wire framing tool which can build a rapid prototype in the software engineer, as said before. It can be used to draw an interface sketch for user interaction.

Once physicians find out functional and practical, it can be treated as the High Fidelity Prototypes. Interface prototyping is the most critical part in this report. It should follow the UI rules and meet the user's need at the same time.

The final prototypes of this milestone should meet following requirements:

- The UI should provide support for an user to understand the multi-modality of imaging interaction. So physicians can better diagnose breast cancer.
- The UI should help the user find where are the breast masses and calcifications.
- The UI should help young inexperienced radiologists to quickly familiar with user interface.
- The UI must allow the physician to visualize the three modalities (Mammography, Ultrasound and MRI) in different screen levels and sizes measuring and breast diagnosis.

As usual in this phases, the next prototypes are just drafts and are far from being finished and delivered master thesis. Some versions of prototypes can be seen in the MIMBCD-UI GitHub Repository at Lo-Fi Prototypes source [10].

[illegible]

5

The second screen will have four of the multi-modality of imaging as we can see on Figure 3, and we will consider this the main screen, since the patient was already chosen.




Figure 3: Multi-Modality of Imaging.

From the requirement of having the set of CC and MLO screen views we implement a prototype with most of the screen directing to this option as we can see on Figure 3 above. On the other hand, it is not enough to show this screen and it is fundamental to have a set of screens with the last two date image acquisitions (CC and MLO) compared to each other.




Figure 4: Mammography Example (Group).

5 Discussion

We have used a PTM [9] approach to gather user interface requirements and to model prototypes for analysis and developing activities. Actively involving the physicians from an early stage and the support of a cooperation have led the researchers to be more aware of the medical research context.




Figure 5: Participatory Task Modelling (PTM).

For instance, as this report is dealing with research, many of the user requirements in terms of data collect are themselves research questions for the users. As a consequence, the occurrence of physicians changing their requirements is highlighted even further in this domain.

Despite the issues involved in the stakeholder consultations (e.g. organising meetings, participatory equality issues and surveys), their involvement is crucial in accurately representing user requirements. This report also aims to use the PTM approach in subsequent phases of the user interface life cycle where appropriate.

6 Conclusions

To summarise this report, a user interface which is mainly facing to the diagnosis of breast cancer for the multi-modality of imaging was prototyped. MIMBCD-UI already has similar CAD [3] user interfaces, which is primarily for the researchers a base comparison. The work from this report has the potential to make physicians can also benefit from it. The UI design will base on the understanding of the current CAD [3] user interfaces and the MIMBCD-UI case library.

In the depth observation and horizontal comparison of the MIMBCD-UI data, we found out that the difference in postoperative pain among different physicians group does exist. The CAD [3] theme is being an efficient way in dealing with this kind of data base. The interface will be developed for the current CAD [3], PACS [13] and DICOM [5] example systems. It will be developed as HTML, CSS and JavaScript prototype, so it can be implemented into the current system in the future.

7 Acknowledgements

This report will help our research project in cooperation between ISR [7] and INESC-ID [6] both are associate institutes of Instituto Superior Técnico [8], Universidade de Lisboa [14]. Throughout this challenging journey we had the untiring and patient support from our family and friends.

We would like to give a special thanks to Dr. Cristina Ribeiro da Fonseca and Dr. Clara Aleluia who have cooperated with us tirelessly, thus making a major contribution to the national research and development of innovation in Portuguese clinical Information Systems.

We also want to thanks Bruno Cardoso, Rodrigo Lourenço, Bruno Oliveira, Tomás Pinho, Lúdia Freitas, Bruno Dias, João Miranda, Prof. Dr. Jacinto Nascimento, Prof. Dr. Daniel Gonçalves, Ana Beatriz Alves, Francisco Silveira, Joana Teixeira, Daniel Da Costa, Filipe Fernandes, Inês França Martins, Luís Ribeiro Gomes and Ricardo Cruz for helping, supporting and reviewing our work.

References

- [1] *Balsamiq Mockups*. URL: <https://balsamiq.com/products/mockups/>.
- [2] *Balsamiq. Rapid, effective and fun wireframing software.* / *Balsamiq*. URL: <https://balsamiq.com/>.
- [3] *Computer-aided diagnosis*. URL: https://en.wikipedia.org/wiki/Computer-aided_diagnosis.
- [4] Maria Manuela Cruz-Cunha et al. “CENTERIS 2013 - Conference on ENTERprise Information Systems / ProjMAN 2013 - International Conference on Project MANagement/ HCIST 2013 - International Conference on Health and Social Care Information Systems and Technologies The Electronic Health Record and its Contribution to Healthcare Information Systems Interoperability”. In: *Procedia Technology* 9 (2013), pp. 940–948. ISSN: 2212-0173. DOI: <http://dx.doi.org/10.1016/j.protcy.2013.12.105>. URL: <http://www.sciencedirect.com/science/article/pii/S2212017313002594>.
- [5] *Digital Imaging and Communications in Medicine (DICOM)*. URL: <https://en.wikipedia.org/wiki/DICOM>.
- [6] *INESC-ID*. URL: <http://www.inesc-id.pt/>.
- [7] *ISR*. URL: <http://welcome.isr.tecnico.ulisboa.pt/>.
- [8] *IST*. URL: <https://tecnico.ulisboa.pt/en/>.
- [9] SN Lim Choi Keung et al. “PARTICIPATORY TASK MODELLING FOR BUILDING SECONDARY CARE RESEARCH REGISTRIES”. In: ().
- [10] *MIMBCD-UI GitHub Repository Lo-Fi Prototypes*. URL: <https://github.com/MIMBCD-UI/master-project/tree/master/prototypes/low-fi>.
- [11] Michael J. Muller, Daniel M. Wildman, and Ellen A. White. “Taxonomy of PD practices: A brief practitioner’s guide”. In: *Commun. ACM* 36.6 (1993), pp. 26–28.
- [12] Eamonn O’Neill and Peter Johnson. “Participatory task modelling: users and developers modelling users’ tasks and domains”. In: *Proceedings of the 3rd annual conference on Task models and diagrams*. ACM. 2004, pp. 67–74.

- [13] *Picture archiving and communication system*. URL: https://en.wikipedia.org/wiki/Picture_archiving_and_communication_system.
- [14] *Universidade de Lisboa*. URL: <http://www.ulisboa.pt/en/>.
- [15] Marian G Williams and Vivienne Begg. “Translation between software designers and users”. In: *Communications of the ACM* 36.6 (1993), pp. 102–103.