Pretty pictures we need for the paper, publication quality

RBLandau 20180915

Notes on pictures:

- Aspect ratio 16:10, raw size 1600x1000 or greater for publication, 800x500 for easier viewing while editing. [This is just a SWAG on my part. Do journals have standards for sizes and aspects? *Science* does, but I've never looked at others.] Current default size in PlotUtil.r is 1200x750. Sizes of individual plots can be adjusted with the sSize= argument to the fnPlotMakeFile() call.
- Problem: the size and placement of manual elements, such as legends, depend on the size at which the picture is rendered. We may need to know the size for publication well in advance so we can adjust these elements.
- Question: color in the plots. ggplot assigns colors to points, lines, and legends in some order or other, and the cases differ between pictures. Do we always want the best case line to be in, e.g., black or blue or red or green? Question: non-color in the plots. It may be that the publication wants everything in black and white, with maybe gray permitted, so that we will have to change the distinguishing feature of the plots to point shapes instead of colors.
- All axes log-log, for error rates and loss rates. This means that zero errors need to be shifted slightly away from numerical zero. The current choice is 0.001% or 10ppm. I tried 1ppm, but that just creates a lot of empty space at the bottom of the graphs.
- Need text to explain that real zeros on the log(percent loss) axis isn't actually zero.
- Almost all need decade lines for loss rates: 1%, 0.1%, 0.01%, I think. Horizontal dotted lines with small labels. Would be good if the lines were easily distinguished, e.g., by weight, but not clear that's possible. What would Tufte say?
- Need text to describe why low half-lives and why 3,4 copies: otherwise numbers too small to make clear pictures, best to look at where the differences are exaggerated but parallel.
- Note that one would never actually use disks with such low half-lives, but they are needed to show the phenomena.
- Aesthetic change: use black dots and much thicker lines on the png plots.
- Aesthetic change: increase size of headings and axis labels on plots.
- Aesthetic bugfix: make all the numbers on the percent lines the same color, i.e., black.
- X half-life scales 2-1000 or 2-100.
- Legends upper right (if I can force legends at all; may have to be manual annotations, yuck).
- Attempt consistent color labeling for number of copies, but not sure this is reasonable in R.

• Describe data plots: #copies, losses, error injection, log scales x and y, percent losses, trimmed means (25%=midmean, maybe only 10%) of sample size=21, colors=black or blue usually best case recommendation.

- I will have to regerate the data for most of these, rats.
- Comments inside the graph area will be done with annotation(), also rats.

(Note: the numbers are just for reference during discussions and editing.)

idea / assertion	basics	details	wayzit	needs data & work
---------------------	--------	---------	--------	-------------------------

	idea / assertion	basics	details	wayzit	needs data & work
CALIBRATIONPIC: Copies1 Calibration	for copies=1 losses are unacceptable and auditing can't help	cop=1, lifem=2-1000	line at 0.1% or so, maybe decades below 1%, many annotations	pictures/noauditcalibrationcopies1	How do I draw looong arrows in R? All the Unicode arrows are short. There is supposed to be a way to place an image, so I could draw an arrow. Is this a plausible aspect ratio? Need better title and captions?

		<u> </u>			
	idea / assertion	basics	details	wayzit	needs data & work
NOAUDITCOPIES: No audit needs many copies	without auditing, need many copies to minimize losses	cop=1,2,3,5,10 lifem=2- 1000	1% line and 0.1%, clear legend for n-copies		
COPIES5SUFFICES: Is Copies=5 sufficient for all non-shock conditions?	with annual auditing, need only a few copies	cop=3,4,5 lifem=2-1000	1% line and 0.1% line, maybe shorten lifem=2-100		
COPIES4MAYBE: Is Copies=4 sufficient for calm periods?	is 4 sufficient in calm periods?	cop=4,5 lifem=2-100, various audit methods	decade lines for all graphs, I think		
COPIES5LONGTERM: Is Copies=5 okay for long periods?	is 5 sufficient for longer periods, 30- 50 years?	lifem=2-1000	lines 1% and decades below		
COPIES6FORSHOCKS: Need Copies=6 for shock conditions?	necessary in	cop=5,6 lifem=2-100 shocks freq=2yr dur=1yr, span=2,3, impact=50,67,75?,100%	see which is most striking visually		

	idea / assertion	basics	details	wayzit	needs data & work
RANDOMCONTRAST: Random auditing direct contrast	auditing still	WITH vs WITHOUT replacement, cop=3 maybe also 5	4 or 10 segments for direct comparison		
FIVEYEARRANDOM: Five year random audit cycle	•	WITH replacement, cop=3,4,5	5 year cycle in 5 segments, hence 20% per year	again want direct comparison with total audit WITH vs WITHOUT replacement	
SHOCKSSEGMENTS: Shocks frequent segments better	frequent segments improve survival slightly in no-shock	1 segment vs 4 and maybe 10	cop=4,5 lifem2-100		
LARGEDOCTARGETS: Large docs are bigger targets	targets for	docsize=5,50,500,5000MB, usual lifem, losses are 100% for large docs at low half-life	legend must be clear		

	idea / assertion	basics	details	wayzit	needs data & work
DOCSIZETRADEOFF: Docsize vs error rate table	TABLE: tradeoff of docsize vs error rate	docsize5-5000 lifem=2- 10000	nicely shaded png or pdf of spreadsheet excerpt; graph overlays too much to make the point		
THREATSTABLE: Threats table	TABLE: threats to content, from google doc	make it look like the other tables, bad word wraps	redo in md so it matches if possible to change text color emphasis		
GLITCHERRORRATES: Glitch just increases error rate		cop=5 show line shifted to lower half-life with significant glitch	probably one month per quarter 50% or 67% increase in error rate, cherry-pick for clearest appearance		

		'			
	idea / assertion	basics	details	wayzit	needs data & work
more than 4 copies	shocks: moderate not tolerated with 3 or 4 copies, the current pic is not too bad		redo with larger samples to smooth out the numbers		
SEVERESHOCKSSOR6:	ISHOCKS MAV	copies=4,5,6	shocks freq2yr dur1yr span2,3 imp50,80,100		
audit	how many copies for < 1% long loss? no audit	long=30yr			
ONEPCTLONGTERM: Less than 1% loss annual audit	how many copies for < 1% long loss? annual audit	long=30yr			

	idea / assertion	basics	details	wayzit	needs data & work
CALIBRATIONTABLE:	TABLE: calibration test of simulation results	theoretical vs simulated results	copies=1, 100 samples, vs straight Poisson, in ppm; have in spreadsheet, get nice png or pdf	tables/calibration	
20					
21					

Notes from 20180821

- DONE: Need convincing pic for five audited copies in calm days. Add 1% and 0.1% lines and see what it looks like. Check also for much longer periods, e.g., 30 and 50 years.
- DONE: Random: compare same number of segments, just with vs without replacement. How many copies? Year, quarter, month. Maybe also 5 year cycle with 5 segments, done with replacement, just for comparison.
- DONE: Use names not numbers for the figures to allow us to reorder them. Numbers assigned at the last minute.
- Segments: ignore monthly, but leave the 2 year line.
- Compression: may do this in a table rather than figure. Can we do a dramatic picture/graph?
- Is there a function that relates one extra copy to a reduction in loss? Need to look across a lot of empirical data.