Oil Sands Research

To add to the original paper Spring 2015

Contents

1	Intr	roduction	2
	1.1	About	2
	1.2	Supply and Demand	2
	1.3	Math	3
	1.4	Method	4
2	Modelling 4		
	2.1	Model Oil price of $\$/bbl$ in the next 50 years subject to price of	
		last years using time series analysis	5
	2.2	Model A: Current Alberta Oil Sands Network subject to X/bbl	5
	2.3	Model B: Alternative Network subject to \$/bbl	5
	2.4	Make the case that Model B better than Model A	5
3	Simulation		
	3.1	Model A: Simulation of Current Alberta Oil Sands Network subject to $\$X/bbl$	6
	3.2	Model B: Simulation of Alternative Network subject to $\$/bbl$.	6
4	Optimization		6
	4.1	Discrete Optimization	6
	4.2	Cominatorial Optimization	6
	4.3	Stochastic Optimization	6
	4.4	Multi-objective optimization	7
5	Cor	Conclusion	

1 Introduction

1.1 About

Applied math in industry 1) modelisation - we have data, we don't know if this data is useful or not, we need to show that we need to show in our model for achiving results, and data to feed that model. 2) simulation we have a lot of data that depend on real models. identify scenarios. and simulate to show that this configuration is better than the conventional configuration 3) optimization what are the most important factors. which elements take into account. most important variables.

This is not a mere Minimizing/Maximizing optimization problem in which we are trying to minimize the CO2 amount while maximizing profits as simply as that, but it is rather a modern complex optimization problem combining solutions from Discrete, Combinatorial, Stochastic, and Multi-Objetive algorithms.

We discuss the combination of multiple methods to find a better configuration than the conventional configuration, meta-huristic algorithms.

The big picture: what do we propose? and to whom do we propose to? Then a several things to consider.

1.2 Supply and Demand

Sure we always talk about demand and supply, but we want to talk about supply more regarding need. The price fluctuates. Your basic need evolves more slowly. Concrete need. Elastic and inelastic demand. Gives an interesting perspective.

We have more supply than demand. That's why the price of oil is down. (Find out why). The keystone XL pipeline got refused.

The highest price for a barrel was above \$100 in 2013. This doesn't mean that the oil sands idustries were making their highest profits. Back in 2007, when the price of a barrel of oil was \$54, the industries were making four times as much profit was they were making it today [ref]. What changed? As the price of a barrel of oil went up, so did all the supplier costs and 3rd party services. Now, the price is down, but the cost of suppliers and other vendors

is not down, but they remain the same. That's what the main issue is right now. What we want to do is reduce supplier costs. They have not reached a technological peak so that the supply of this suppliers is so big that the cost of "fracking" or "steam" becomes affordable.

this are other perspective to add to the paper.

1.3 Math

- Alberta Oil Sands Network
- methods for oil sand development

Problem: Define O the cost of a barrel of oil in the market, E the energy required to develop a barrel of oil, C the cost of producing 1 barrel of oil with a given method, P the profit made by the oil company¹, and X the amount of CO_2^2 released by producing that barrel. First, we want to model the following cost vector v as a multi-objective optimization problem:

$$v = \langle O, E_m, C_m, P_m, X_m \rangle$$

We build an optimized unidimensional function that is always based on decisions. Depending on our decisions, we weight some variables more than others. A decision that was made based on a certain variable more than other variable. This vector v will serve more and an indicator of performance. Just like different organizations provide university rankings based on different criteria, this vector will also be based on the same observation. Changing variable weights will return different solutions.

We can bring this discussion to the table. If we agree to weight into a certain variable more than another one, we the domocratic judgement is based on the objective function we work on. This clarifies the choices of the model. It all comes down how we weight these variables in question that defines the best working model for the problem. Ultimately, there is no mathematics that does this. It all based on human decisions.

¹If different companies have different profits then we talk about another vector of prices, different companies have different prices associated with the landscape they work on

²Specify what exactly do we mean by CO_2 here: CO2 produced by oil sands companies

We analyze the problem situation to find which variables do we have control over and which variable we don't have control over (paramaters, coefficients) and the things we want to optimize over

In this paper we want to show that the vector $\langle O, E_w + E_s, C_w + C_s, P_{w+s}, X_{w+s} \rangle$ yields better EROI while proving to be a good solutions towards a green future for Alberta.

In other words, we want the following linear combination:

$$P = \underbrace{\alpha \times E_w \times C_w}_{\text{EROI Wind Energy}} + \underbrace{\beta \times E_s \times C_s}_{\text{EROI Solar Energy}}$$

In this paper we show that $\beta \times E_s \times C_s \approx 0$ does not prove to be a good EROI, hence $P \approx \alpha \times E_w \times C_w$

1.4 Method

Simulation: simulate on different objectives and see. Conclude different propositions as a result.

First Approach: Brute-Force. Find out how much time it takes for the computer to find a solution. If we need to change a specific variable (say the price of oil again), then it will take again a certain amount of time to solve.

We will first try to cut down the time by a more global approach: 1) Branch and Bound 2) Tabu Search . We will test how this evolves and how different scenarios produce different solutions through these methods.

We will try to test in parallel all Meta-Heuristics: 1) VEGA 2) TAPAS.

The final step is to take approx solutions to approx problems.

2 Modelling

What are we trying to model? What are my variables? What Algorithm do I need?

- 2.1 Model Oil price of \$/bbl in the next 50 years subject to price of last years using time series analysis
- 2.2 Model A: Current Alberta Oil Sands Network subject to \$X/bbl
- 2.3 Model B: Alternative Network subject to \$/bbl

2.4 Make the case that Model B better than Model A

[Path Linking Method]. We look at the neighborhood of the solution space. 2-objective functions gives birth to 2 grids. Cube space (a,b,c) a=Wind, b=Solar, c=Mining. Different configurations can represent something interesting things. Our topology map will be encoded based on our contrains. Then we need to establish rules, for instance, (1,1,0) can be next to (1,0,1), but not next to (0,1,1) we encode the solution structure. Given X, this is the neighborhood.

3 Simulation

- The first approach will be by exahustive enumeration (brute force).
- Second approach is a branch and bound approach where we are interested in cutting down the number of cases to consider in a decision tree. To explore the heuristics, we take this variable in the grid. We try with another variable. Some discrete variables can be used as continuous.
- We try to find a pareto optimal. But first, we go by scenario-approach. We look for pareto local solutions. We look at different pareto local solutions based on different scenarios. Looking at the model, we might introduce new constrains that we never though before. This process allows to illicit their contrains or needs depending on the choices we make. Then, we can possible arrive at a pareto optimal solution.

What are we trying to simulate? What are my simulation environments? What algorithm do I need?

3.1 Model A: Simulation of Current Alberta Oil Sands Network subject to \$X/bbl

3.2 Model B: Simulation of Alternative Network subject to \$/bbl

4 Optimization

If someone goes: "Go, solve this problem for me" and they don't have an objective function. This is a paradox. "Show me the scenarios for this" this is the real thing. The different optimums represent different choices because my cost vector does not have more information. Voici the pareto optimum solutions scenarios, we cannot distinguish them if we don't weight in some variables more than others. We give the choice. Then, based on that, we show what we have found.

What are we trying to optimize? What are my constrains? What algorithms do I need?

4.1 Discrete Optimization

the network is a discrete network, the choice of putting a turbine or not is also discrete (yes or not).

how many do we place? a bit less a bit more? amortize it.

4.2 Cominatorial Optimization

this a combinatorial optimization problem. there're many heuristics exist for this. "recherche tabu", "algorithme genetique", in concrete it is a problem with complex structural optimization. For the whole network of turbines, that's a combinatorial problem. meta-huristics there

4.3 Stochastic Optimization

When talking about the functioning of the turbine, there's data problems. there we can talk about machine learning because the turbine needs to learn when to shut down when there is no wind. this is stochastic optimization problem. We have a real system where the wind is random variable, we have the choice of keeping the turbine on or to turn it off, and if we don't do this at the right time, turbine could be non-functioning anymore.

the stochastic problem is at the center of one wind turbine. when to turn it on/off.

4.4 Multi-objective optimization

we want to maximize something and minimize something. Is there a direct relationship? Maybe be not. This what we call multi-objective optimization (profit, co2). When we have conflicting variables, there are artificial trade-offs.

 ${
m CO2}$ evaluation methods are highly political. Need to play with this 2 tables (profit, ${
m co2}$)

5 Conclusion

We proposed the problem in this way. Show what we can do about it. Show the model created. Show different action scenarios which show this and that result. Is there something in these results that is of interest to the energy sector? If yes, then expand on that specific branch and show that has to be done for that to happen.

We showed that this configuration is better than the conventional configuration provided the simulation scenarios.

The difference with this problem and other problem is that at the end of the day we have a choice. We can go further and propose things to politicians and oil companies. We can propose things and see how the problem is approached.