

## Basis Bern (EFT WET-3)

### Sectors

The effective Lagrangian is defined as

$$\mathcal{L}_{\text{eff}} = -\mathcal{H}_{\text{eff}} = \sum_{O_i=O_i^\dagger} C_i O_i + \sum_{O_i \neq O_i^\dagger} (C_i O_i + C_i^* O_i^\dagger).$$

#### udenu

WC name	Operator	Type
1udee	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R \gamma^\mu d) (\bar{e} \gamma_\mu \nu_e)$	C
5udee	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R d) (\bar{e} \nu_e)$	C
1pudee	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \gamma^\mu d) (\bar{e} \gamma_\mu \nu_e)$	C
5pudee	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L d) (\bar{e} \nu_e)$	C
7pudee	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \sigma^{\mu\nu} d) (\bar{e} \sigma_{\mu\nu} \nu_e)$	C
1udemu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R \gamma^\mu d) (\bar{e} \gamma_\mu \nu_\mu)$	C
5udemu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R d) (\bar{e} \nu_\mu)$	C
1pudemu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \gamma^\mu d) (\bar{e} \gamma_\mu \nu_\mu)$	C
5pudemu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L d) (\bar{e} \nu_\mu)$	C
7pudemu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \sigma^{\mu\nu} d) (\bar{e} \sigma_{\mu\nu} \nu_\mu)$	C
1udetau	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R \gamma^\mu d) (\bar{e} \gamma_\mu \nu_\tau)$	C
5udetau	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R d) (\bar{e} \nu_\tau)$	C
1pudetau	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \gamma^\mu d) (\bar{e} \gamma_\mu \nu_\tau)$	C
5pudetau	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L d) (\bar{e} \nu_\tau)$	C
7pudetau	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \sigma^{\mu\nu} d) (\bar{e} \sigma_{\mu\nu} \nu_\tau)$	C

#### udmunu

WC name	Operator	Type
1udmue	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R \gamma^\mu d) (\bar{\mu} \gamma_\mu \nu_e)$	C
5udmue	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R d) (\bar{\mu} \nu_e)$	C
1pudmue	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \gamma^\mu d) (\bar{\mu} \gamma_\mu \nu_e)$	C
5pudmue	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L d) (\bar{\mu} \nu_e)$	C
7pudmue	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \sigma^{\mu\nu} d) (\bar{\mu} \sigma_{\mu\nu} \nu_e)$	C
1udmumu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R \gamma^\mu d) (\bar{\mu} \gamma_\mu \nu_\mu)$	C
5udmumu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_R d) (\bar{\mu} \nu_\mu)$	C
1pudmumu	$\frac{4G_F}{\sqrt{2}} (\bar{u} P_L \gamma^\mu d) (\bar{\mu} \gamma_\mu \nu_\mu)$	C

WC name	Operator	Type
5pudmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L d)(\bar{\mu}\nu_\mu)$	C
7pudmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu}d)(\bar{\mu}\sigma_{\mu\nu}\nu_\mu)$	C
1udmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu d)(\bar{\mu}\gamma_\mu\nu_\tau)$	C
5udmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R d)(\bar{\mu}\nu_\tau)$	C
1pudmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu d)(\bar{\mu}\gamma_\mu\nu_\tau)$	C
5pudmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L d)(\bar{\mu}\nu_\tau)$	C
7pudmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu}d)(\bar{\mu}\sigma_{\mu\nu}\nu_\tau)$	C

### sdsd

WC name	Operator	Type
1dsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}\gamma_\mu P_L s)(\bar{d}\gamma^\mu P_L s)$	C
5dsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}_\alpha P_L s_\beta)(\bar{d}_\beta P_R s_\alpha)$	C
2dsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_L s)(\bar{d}P_L s)$	C
1pdsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}\gamma_\mu P_R s)(\bar{d}\gamma^\mu P_R s)$	C
3dsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}_\alpha P_L s_\beta)(\bar{d}_\beta P_L s_\alpha)$	C
2pdsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R s)(\bar{d}P_R s)$	C
4dsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_L s)(\bar{d}P_R s)$	C
3pdsds	$\frac{4G_F}{\sqrt{2}}(\bar{d}_\alpha P_R s_\beta)(\bar{d}_\beta P_R s_\alpha)$	C

### usenu

WC name	Operator	Type
1usee	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu s)(\bar{e}\gamma_\mu\nu_e)$	C
5usee	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R s)(\bar{e}\nu_e)$	C
1pusee	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu s)(\bar{e}\gamma_\mu\nu_e)$	C
5pusee	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L s)(\bar{e}\nu_e)$	C
7pusee	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu} s)(\bar{e}\sigma_{\mu\nu}\nu_e)$	C
1usemu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu s)(\bar{e}\gamma_\mu\nu_\mu)$	C
5usemu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R s)(\bar{e}\nu_\mu)$	C
1pusemu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu s)(\bar{e}\gamma_\mu\nu_\mu)$	C
5pusemu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L s)(\bar{e}\nu_\mu)$	C
7pusemu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu} s)(\bar{e}\sigma_{\mu\nu}\nu_\mu)$	C
1usetau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu s)(\bar{e}\gamma_\mu\nu_\tau)$	C
5usetau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R s)(\bar{e}\nu_\tau)$	C
1pusetau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu s)(\bar{e}\gamma_\mu\nu_\tau)$	C

WC name	Operator	Type
5pusetau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L s)(\bar{e}\nu_\tau)$	C
7pusetau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu}s)(\bar{e}\sigma_{\mu\nu}\nu_\tau)$	C

#### usmunu

WC name	Operator	Type
1usmue	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu s)(\bar{\mu}\gamma_\mu\nu_e)$	C
5usmue	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R s)(\bar{\mu}\nu_e)$	C
1pusmue	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu s)(\bar{\mu}\gamma_\mu\nu_e)$	C
5pusmue	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L s)(\bar{\mu}\nu_e)$	C
7pusmue	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu}s)(\bar{\mu}\sigma_{\mu\nu}\nu_e)$	C
1usmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu s)(\bar{\mu}\gamma_\mu\nu_\mu)$	C
5usmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R s)(\bar{\mu}\nu_\mu)$	C
1pusmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu s)(\bar{\mu}\gamma_\mu\nu_\mu)$	C
5pusmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L s)(\bar{\mu}\nu_\mu)$	C
7pusmumu	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu}s)(\bar{\mu}\sigma_{\mu\nu}\nu_\mu)$	C
1usmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R\gamma^\mu s)(\bar{\mu}\gamma_\mu\nu_\tau)$	C
5usmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_R s)(\bar{\mu}\nu_\tau)$	C
1pusmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\gamma^\mu s)(\bar{\mu}\gamma_\mu\nu_\tau)$	C
5pusmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L s)(\bar{\mu}\nu_\tau)$	C
7pusmutau	$\frac{4G_F}{\sqrt{2}}(\bar{u}P_L\sigma^{\mu\nu}s)(\bar{\mu}\sigma_{\mu\nu}\nu_\tau)$	C

#### sd

WC name	Operator	Type
7gammads	$\frac{4G_F}{\sqrt{2}}\frac{e}{g_s^2}m_s(\bar{d}P_R\sigma_{\mu\nu}s)F^{\mu\nu}$	C
8gds	$\frac{4G_F}{\sqrt{2}}\frac{1}{g_s}m_s(\bar{d}P_R\sigma_{\mu\nu}T^A s)G_A^{\mu\nu}$	C
7pgammads	$\frac{4G_F}{\sqrt{2}}\frac{e}{g_s^2}m_s(\bar{d}P_L\sigma_{\mu\nu}s)F^{\mu\nu}$	C
8pgds	$\frac{4G_F}{\sqrt{2}}\frac{1}{g_s}m_s(\bar{d}P_L\sigma_{\mu\nu}T^A s)G_A^{\mu\nu}$	C
1dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R\gamma_\mu s)(\bar{u}\gamma^\mu u)$	C
2dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R\gamma_\mu T^A s)(\bar{u}\gamma^\mu T^A u)$	C
3dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R\gamma_{\mu\nu\rho}s)(\bar{u}\gamma^{\mu\nu\rho}u)$	C
4dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R\gamma_{\mu\nu\rho}T^A s)(\bar{u}\gamma^{\mu\nu\rho}T^A u)$	C
5dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R s)(\bar{u}u)$	C
6dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R T^A s)(\bar{u}T^A u)$	C
7dsuu	$\frac{4G_F}{\sqrt{2}}(\bar{d}P_R\sigma^{\mu\nu}s)(\bar{u}\sigma_{\mu\nu}u)$	C

WC name	Operator	Type
8dsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\sigma^{\mu\nu}T^A s)(\bar{u}\sigma_{\mu\nu}T^A u)$	C
9dsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_{\mu\nu\rho\sigma}s)(\bar{u}\gamma^{\mu\nu\rho\sigma}u)$	C
10dsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_{\mu\nu\rho\sigma}T^A s)(\bar{u}\gamma^{\mu\nu\rho\sigma}T^A u)$	C
1pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_\mu s)(\bar{u}\gamma^\mu u)$	C
2pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_\mu T^A s)(\bar{u}\gamma^\mu T^A u)$	C
3pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho}s)(\bar{u}\gamma^{\mu\nu\rho}u)$	C
4pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho}T^A s)(\bar{u}\gamma^{\mu\nu\rho}T^A u)$	C
5pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{u}u)$	C
6pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L T^A s)(\bar{u}T^A u)$	C
7pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\sigma^{\mu\nu}s)(\bar{u}\sigma_{\mu\nu}u)$	C
8pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\sigma^{\mu\nu}T^A s)(\bar{u}\sigma_{\mu\nu}T^A u)$	C
9pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho\sigma}s)(\bar{u}\gamma^{\mu\nu\rho\sigma}u)$	C
10pdsuu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho\sigma}T^A s)(\bar{u}\gamma^{\mu\nu\rho\sigma}T^A u)$	C
1dsss	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_\mu s)(\bar{s}\gamma^\mu s)$	C
3dsss	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_{\mu\nu\rho}s)(\bar{s}\gamma^{\mu\nu\rho}s)$	C
5dsss	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R s)(\bar{s}s)$	C
7dsss	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\sigma^{\mu\nu}s)(\bar{s}\sigma_{\mu\nu}s)$	C
9dsss	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_{\mu\nu\rho\sigma}s)(\bar{s}\gamma^{\mu\nu\rho\sigma}s)$	C
1pds	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_\mu s)(\bar{s}\gamma^\mu s)$	C
3pds	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho}s)(\bar{s}\gamma^{\mu\nu\rho}s)$	C
5pds	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{s}s)$	C
7pds	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\sigma^{\mu\nu}s)(\bar{s}\sigma_{\mu\nu}s)$	C
9pds	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho\sigma}s)(\bar{s}\gamma^{\mu\nu\rho\sigma}s)$	C
1dsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\gamma_\mu P_L s)(\bar{d}\gamma^\mu d)$	C
1pdsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\gamma_\mu P_R s)(\bar{d}\gamma^\mu d)$	C
3dsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\gamma_{\mu\nu\rho}P_L s)(\bar{d}\gamma^{\mu\nu\rho}d)$	C
3pdsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\gamma_{\mu\nu\rho}P_R s)(\bar{d}\gamma^{\mu\nu\rho}d)$	C
5dsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{d}d)$	C
5pdsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R s)(\bar{d}d)$	C
7dsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\sigma^{\mu\nu}P_L s)(\bar{d}\sigma_{\mu\nu}d)$	C
7pdsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\sigma^{\mu\nu}P_R s)(\bar{d}\sigma_{\mu\nu}d)$	C
9dsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\gamma_{\mu\nu\rho\sigma}P_L s)(\bar{d}\gamma^{\mu\nu\rho\sigma}d)$	C
9pdsdd	$\frac{4G_F}{\sqrt{2}} (\bar{d}\gamma_{\mu\nu\rho\sigma}P_R s)(\bar{d}\gamma^{\mu\nu\rho\sigma}d)$	C
1dsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_\mu s)(\bar{e}\gamma^\mu e)$	C
1pdsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_\mu s)(\bar{e}\gamma^\mu e)$	C
3dsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R\gamma_{\mu\nu\rho}s)(\bar{e}\gamma^{\mu\nu\rho}e)$	C
3pdsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L\gamma_{\mu\nu\rho}s)(\bar{e}\gamma^{\mu\nu\rho}e)$	C

WC name	Operator	Type
5dsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R s)(\bar{e}e)$	C
5pdsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{e}e)$	C
7dsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \sigma^{\mu\nu} s)(\bar{e}\sigma_{\mu\nu} e)$	C
7pdsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \sigma^{\mu\nu} s)(\bar{e}\sigma_{\mu\nu} e)$	C
9dsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho\sigma} s)(\bar{e}\gamma^{\mu\nu\rho\sigma} e)$	C
9pdsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho\sigma} s)(\bar{e}\gamma^{\mu\nu\rho\sigma} e)$	C
1dsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\mu}\gamma^\mu \mu)$	C
1pdsdumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\mu}\gamma^\mu \mu)$	C
3dsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho} s)(\bar{\mu}\gamma^{\mu\nu\rho} \mu)$	C
3pdsdumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho} s)(\bar{\mu}\gamma^{\mu\nu\rho} \mu)$	C
5dsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R s)(\bar{\mu}\mu)$	C
5pdsdumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{\mu}\mu)$	C
7dsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \sigma^{\mu\nu} s)(\bar{\mu}\sigma_{\mu\nu} \mu)$	C
7pdsdumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \sigma^{\mu\nu} s)(\bar{\mu}\sigma_{\mu\nu} \mu)$	C
9dsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho\sigma} s)(\bar{\mu}\gamma^{\mu\nu\rho\sigma} \mu)$	C
9pdsdumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho\sigma} s)(\bar{\mu}\gamma^{\mu\nu\rho\sigma} \mu)$	C

#### sdmue

WC name	Operator	Type
1dsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{e}\gamma^\mu \mu)$	C
1pdsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{e}\gamma^\mu \mu)$	C
3dsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho} s)(\bar{e}\gamma^{\mu\nu\rho} \mu)$	C
3pdsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho} s)(\bar{e}\gamma^{\mu\nu\rho} \mu)$	C
5dsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R s)(\bar{e}\mu)$	C
5pdsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{e}\mu)$	C
7dsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \sigma^{\mu\nu} s)(\bar{e}\sigma_{\mu\nu} \mu)$	C
7pdsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \sigma^{\mu\nu} s)(\bar{e}\sigma_{\mu\nu} \mu)$	C
9dsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho\sigma} s)(\bar{e}\gamma^{\mu\nu\rho\sigma} \mu)$	C
9pdsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho\sigma} s)(\bar{e}\gamma^{\mu\nu\rho\sigma} \mu)$	C

#### sdemu

WC name	Operator	Type
1dsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\mu}\gamma^\mu e)$	C
1pdsdumue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\mu}\gamma^\mu e)$	C

WC name	Operator	Type
3dsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho} s)(\bar{\mu}\gamma^{\mu\nu\rho} e)$	C
3pdsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho} s)(\bar{\mu}\gamma^{\mu\nu\rho} e)$	C
5dsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R s)(\bar{\mu}e)$	C
5pdsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L s)(\bar{\mu}e)$	C
7dsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \sigma^{\mu\nu} s)(\bar{\mu}\sigma_{\mu\nu} e)$	C
7pdsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \sigma^{\mu\nu} s)(\bar{\mu}\sigma_{\mu\nu} e)$	C
9dsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_{\mu\nu\rho\sigma} s)(\bar{\mu}\gamma^{\mu\nu\rho\sigma} e)$	C
9pdsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_{\mu\nu\rho\sigma} s)(\bar{\mu}\gamma^{\mu\nu\rho\sigma} e)$	C

#### sdnunu

WC name	Operator	Type
nu1dsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_e \gamma^\mu \nu_e)$	C
nu1pdsee	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_e \gamma^\mu \nu_e)$	C
nu1dsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_\mu \gamma^\mu \nu_\mu)$	C
nu1pdsmumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_\mu \gamma^\mu \nu_\mu)$	C
nu1dstautau	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_\tau \gamma^\mu \nu_\tau)$	C
nu1pdstautau	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_\tau \gamma^\mu \nu_\tau)$	C
nu1dsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_e \gamma^\mu \nu_\mu)$	C
nu1pdsemu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_e \gamma^\mu \nu_\mu)$	C
nu1dsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_\mu \gamma^\mu \nu_e)$	C
nu1pdsmue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_\mu \gamma^\mu \nu_e)$	C
nu1dsetau	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_e \gamma^\mu \nu_\tau)$	C
nu1pdsetau	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_e \gamma^\mu \nu_\tau)$	C
nu1dstaue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_\tau \gamma^\mu \nu_e)$	C
nu1pdstaue	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_\tau \gamma^\mu \nu_e)$	C
nu1dstaumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_\tau \gamma^\mu \nu_\mu)$	C
nu1pdstaumu	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_\tau \gamma^\mu \nu_\mu)$	C
nu1dsmutau	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_R \gamma_\mu s)(\bar{\nu}_\mu \gamma^\mu \nu_\tau)$	C
nu1pdsmutau	$\frac{4G_F}{\sqrt{2}} (\bar{d}P_L \gamma_\mu s)(\bar{\nu}_\mu \gamma^\mu \nu_\tau)$	C