Activity_Assign Python variables

February 1, 2025

1 Activity: Assign Python variables

1.1 Introduction

Variables help security analysts to keep track of a variety of security-related information. For example, analysts may need to create Python variables for the users who are allowed to log in, the number of login attempts that they're permitted, and the current number of attempts that a user has made.

In this lab, you'll practice assigning values to variables and determining their data types.

Tips for completing this lab

As you navigate this lab, keep the following tips in mind:

- ### YOUR CODE HERE ### indicates where you should write code. Be sure to replace this with your own code before running the code cell.
- Feel free to open the hints for additional guidance as you work on each task.
- To enter your answer to a question, double-click the markdown cell to edit. Be sure to replace the "[Double-click to enter your responses here.]" with your own answer.
- You can save your work manually by clicking File and then Save in the menu bar at the top of the notebook.
- You can download your work locally by clicking File and then Download and then specifying your preferred file format in the menu bar at the top of the notebook.

1.2 Scenario

You are a security analyst who is responsible for writing code that will automate analysis of login attempts made to a specific device. As the first step, you'll need to create variables to keep track of information relevant to the login process. This information includes the device ID, list of approved usernames, maximum login attempts allowed per user, current login attempts made by a user, and login status.

Throughout this lab, you'll assign these variables and check the data types of the variables.

1.3 Task 1

In your work as an analyst, imagine there is a device only users specified on an allow list can access, and its device ID is "72e08x0".

In the following code cell, assign this value to a variable named device_id. Then, display the contents of the variable and observe the output.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
[]: # Assign the `device_id` variable to the device ID that only specified users

can access

device_id = "72e08x0"

# Display `device_id`

print(device_id)
```

Hint 1

Use quotation marks around the value that you assign to the device_id variable.

Hint 2

Assign the value "72e08x0" to the variable device_id. To do this, place the value to right of the = operator.

Hint 3

To display the contents of device_id, place the name of this variable inside the print() function.

1.4 Task 2

Now that the variable device_id is defined, you can return its data type.

In this task, use a Python function to find the data type of the variable device_id. Store the data type in another variable called device_id_type. Then, display device_id_type to examine the output.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
[]: # Assign the `device_id` variable to the device ID that only specified users

device_id = "72e08x0"

# Assign `device_id_type` to the data type of `device_id`

device_id_type = type(device_id)

# Display `device_id_type`

print(device_id_type)
```

The type() function allows you to get the data type of a given value.

Hint 2

Use type(device_id) to get the data type of the device_id variable.

Hint 3

To display device_id_type, place the name of this variable inside the print() function.

Question 1 Based on the output above, what do you observe about the data type of device_id?

The output is 'str' so the device_id data type is string data

1.5 Task 3

As you continue your work, you're provided a list of usernames of users who are allowed to access the device. The usernames with this access are "madebowa", "jnguyen", "tbecker", "nhersh", and "redwards".

In this task, create a variable called username_list. Assign a list with the approved usernames to this variable. Then, display the value of the username_list variable.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell

```
[]: # Assign `username_list` to the list of usernames who are allowed to access the username_list = ["madebowa", "jnguyen", "tbecker", "nhersh", "redwards"]

# Display `username_list`

print(username_list)
```

Hint 1

To create a list in Python, use square brackets. Inside the square brackets, write the elements of the list, with a comma between elements.

Hint 2

To assign a value to a variable in Python, place the name of the variable to the left of the = operator, and place the value to the right of the = operator.

In this task, make sure to place ["madebowa", "jnguyen", "tbecker", "nhersh", "redwards"] to the right of the = operator.

To display username_list, place the name of this variable inside the print() function.

1.6 Task 4

In this task, find the data type of the username_list. Store the type in a variable called username_list_type. Then, display username_list_type to examine the output.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

Hint 1

The type() function allows you to get the data type of a given value.

Hint 2

To get the data type of username_list, call the type() function and pass in username_list.

Hint 3

In Python, you can use the print() function to display the value of a variable. To display username_list_type, call the print() function and pass in username_list_type.

Question 2 Based on the output above, what do you observe about the data type of username_list?

The username list type is 'list'

1.7 Task 5

Now, imagine that you've been informed that the previous list is not up-to-date and that there is another employee that now has access to the device. You're given the updated list of usernames with access, including the new employee, as follows: "madebowa", "jnguyen", "tbecker", "nhersh", "redwards", and "lpope".

In this task, reassign the variable username_list to the new list. Run the code to display the list before and after it's been updated to observe the difference.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
['madebowa', 'jnguyen', 'tbecker', 'nhersh', 'redwards']
['madebowa', 'jnguyen', 'tbecker', 'nhersh', 'redwards', 'lpope']
```

Hint 1

When reassigning a variable to a new value in Python, place the name of the variable to the left of the = operator, just as you would when assigning the variable for the first time.

Hint 2

To reassign username_list to the updated list, place username_list to the left of the = operator.

Question 3 Based on the output above, what do you observe about the contents of username_list?

The username list now contains the new employee 'lpope'

1.8 Task 6

In this task, define a variable called max_logins that represents the maximum number of login attempts allowed per user. Store the value 3 in this variable. Then, store its data type in another variable called max_logins_type. Display max_logins_type to examine the output.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
[1]: ### Max Login Attempts###
max_logins = 3

### Login Type ###
max_logins_type = type(max_logins)

### Display Login Type###
print(max_logins_type)
```

<class 'int'>

Hint 1

When assigning a value to a variable in Python, use the = operator. Place the name of the variable to the left of the = operator, and place the value to the right of the = operator.

Hint 2

To assign 3 to max_logins, place max_logins to the left of the = operator, and place 3 to the right of the = operator.

To assign max_logins_type, place max_logins_type to the left of the = operator before the type() function call.

Hint 3

In Python, you can use the print() function to display the value of a variable. To display max_logins_type, call print() and pass in max_logins_type.

Question 4 Based on the output above, what do you observe about the data type of max_logins?

The data type of max_logins is Integer

1.9 Task 7

In this task, define a variable called <code>login_attempts</code> that represents the current number of login attempts made by a user. Store the value 2 in this variable. Then, store its data type in a variable called <code>login_attempts_type</code>. Display <code>login_attempts_type</code> to observe the output.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
[2]: ### Max Login Attempts ###
login_attempts = 2

### Login Attempts Type ###
login_attempts_type = type(login_attempts)

### Display Login Type ###
print(login_attempts_type)
```

```
<class 'int'>
```

When assigning a value to a variable in Python, use the = operator. Place the name of the variable to the left of the = operator, and place the value to the right of the = operator.

Hint 2

To assign 2 to login_attempts, place login_attempts to the left of the = operator, and place 2 to the right of the = operator.

To assign login_attempts_type, place login_attempts_type to the left of the = operator, and place a call to the type() function to the right of the = operator.

When calling type(), make sure to pass in login_attempts.

Hint 3

In Python, you can use the print() function to display the value of a variable. To display login_attempts_type, call print() and pass in login_attempts_type.

Question 5 Based on the output above, what do you observe about the data type of login_attempts?

Login_attempts is Integer data type

1.10 Task 8

In this task, you'll determine the Boolean value that represents whether the current number of login attempts a user has made is less than or equal to the maximum number of login attempts allowed.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
[4]: # Assign `max_logins` to the value 3

max_logins = 3

# Assign `login_attempts` to the value 2

login_attempts = 2

# Determine whether the current number of login attempts a user has made is_
→less than or equal to the maximum number of login attempts allowed,
# and display the resulting Boolean value

print(login_attempts<=max_logins)
```

True

In Python, you can use the <= comparison operator to determine whether one value is less than or equal to another value.

Hint 2

To determine whether the current number of login attempts a user has made is less than or equal to the maximum number of login attempts allowed, use the <= operator. Place login_attempts to the left of the <= operator, and place max_logins to the right of the <= operator.

To make sure the resulting Boolean value is displayed, write this code inside of the parantheses where print() is called.

Question 6 What is the output? What does this mean?

[Double-click to enter your responses here.]

1.11 Task 9

This code continues to check for the Boolean value of whether max_logins is less than or equal to login_attempts. In this task, reassign other values to login_attempts. For example, you might choose a value that is higher than the maximum number of attempts allowed. Observe how the output changes.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
max_logins = 3

# Assign `login_attempts` to a specific value

login_attempts = 8

# Determine whether the current number of login attempts a user has made is_
→less than or equal to the maximum number of login attempts allowed,
# and display the resulting Boolean value

print(login_attempts <= max_logins)
```

False

Hint 1

To assign login_attempts to a specific value, make sure to write the value to the right of the = operator.

Question 7 Based on the different values you assigned to login_attempts, what did you observe about the output?

I received an output of False after assigning the login_attempts to a value of 8

1.12 Task 10

Finally, you can also assign a Boolean value of True or False to a variable.

In this task, you'll create a variable called login_status, which is a Boolean that represents whether a user is logged in. Assign False to this variable and store its data type in a variable called login_status_type and display it.

Be sure to replace each ### YOUR CODE HERE ### with your own code before you run the following cell.

```
[6]: # Assign `login_status` to the Boolean value False

login_status = False

# Assign `login_status_type` to the data type of `login_status`

login_status_type = type(login_status)

# Display `login_status_type`

print(login_status_type)
```

<class 'bool'>

Hint 1

To assign the Boolean value False to the login_status variable, make sure to write False to the right of the = operator.

Hint 2

Note that Boolean values should not have quotation marks around them in code.

Question 8 Based on the output above, what do you observe about the data type of login_status?

The output displays the class of login_status as Boolean

1.13 Conclusion

What are your key takeaways from this lab?

I like learning Python

Data types in Python include integers, floats, strings, and booleans, each serving specific purposes for representing different kinds of information in your programs.

Variables in Python are used to store and manipulate data, acting as containers that can hold different types of information and can be easily referenced or modified throughout your code.

If you're unsure of a data type in Python, you can use the type() function to quickly identify and verify the type of a variable.

[]: