PHYS12 CH:23 The Building Blocks of Reality

From Quarks to the Universe

Mr. Gullo

December 2025

Outline

Learning Objectives

By the end of this section, you will be able to:

- **23.1:** Define and distinguish the four fundamental forces

Learning Objectives

By the end of this section, you will be able to:

- **23.1:** Define and distinguish the four fundamental forces
- **23.1:** Describe carrier particles and force transmission

Learning Objectives

By the end of this section, you will be able to:

- **23.1:** Define and distinguish the four fundamental forces
- **23.1:** Describe carrier particles and force transmission
- **23.1:** Explain how particle accelerators probe nature

23.1 The Mystery: How Many Forces Exist?

How many forces exist in the universe?

23.1 The Mystery: How Many Forces Exist?

How many forces exist in the universe?

The Civilian's View

Friction, gravity, tension, normal force, magnetic force, electric force, spring force, air resistance...

23.1 The Mystery: How Many Forces Exist?

How many forces exist in the universe?

The Civilian's View

Friction, gravity, tension, normal force, magnetic force, electric force, spring force, air resistance...

The Physicist's Truth

Four. Just four fundamental forces explain EVERYTHING.

23.1 The Four Forces That Run Everything

The Universal Forces

1. **Gravity** - weakest, infinite range
2. **Electromagnetic** - charges and magnets, infinite range
3. **Weak Nuclear** - radioactive decay, tiny range
4. **Strong Nuclear** - binds nucleus, tiny range

23.1 The Four Forces That Run Everything

The Universal Forces

1. **Gravity** - weakest, infinite range
2. **Electromagnetic** - charges and magnets, infinite range
3. **Weak Nuclear** - radioactive decay, tiny range
4. **Strong Nuclear** - binds nucleus, tiny range

The Nail Paradox

Earth's entire mass pulls nail down. Small magnet lifts it up.

23.1 Gravity: The Cosmic Sculptor

- Acts on all mass
- Always attractive
- Infinite range
- Weakest force
- Shapes galaxies



Figure: *

Large Hadron Collider

23.1 Electromagnetic: The Force of Everyday Life

Hidden in Plain Sight

- Acts on charged particles
- Attractive AND repulsive
- Infinite range (inverse square law)
- Responsible for chemistry, friction, normal force

23.1 Electromagnetic: The Force of Everyday Life

Hidden in Plain Sight

- Acts on charged particles
- Attractive AND repulsive
- Infinite range (inverse square law)
- Responsible for chemistry, friction, normal force

The Mental Model

When you sit in chair: electrons in your atoms repel electrons in chair. That's the "normal force."

23.1 The Nuclear Paradox

Civilian View vs. Reality

Civilian: "Protons stuck together in nucleus by gravity."

Physicist: "Gravity too weak. Protons REPEL electromagnetically. Something else must hold them."

23.1 The Nuclear Paradox

Civilian View vs. Reality

Civilian: "Protons stuck together in nucleus by gravity."

Physicist: "Gravity too weak. Protons REPEL electromagnetically. Something else must hold them."

The Strong Nuclear Force

- Strongest force at short range ($< 10^{-15}$ m)
- Acts on protons AND neutrons
- Overcomes EM repulsion
- Drops to zero beyond nuclear diameter

23.1 The Weak Nuclear Force: The Decay Master

Nature's Transformer

- Causes beta decay
- Range: $< 10^{-18}$ m
- Weaker than strong and EM
- Stronger than gravity
- Acts on quarks and leptons

Beta decay:

$$^{A}_{Z}X_{N} \rightarrow {}^{A}_{Z+1}Y_{N-1} + e^{-} + \bar{\nu}$$

23.1 The Weak Nuclear Force: The Decay Master

Nature's Transformer

- Causes beta decay
- Range: $< 10^{-18}$ m
- Weaker than strong and EM
- Stronger than gravity
- Acts on quarks and leptons

Beta decay:

$$^{A}_{Z}X_{N} \rightarrow ^{A}_{Z+1}Y_{N-1} + e^{-} + \bar{\nu}$$

The Name Game

It's called "weak" but it's stronger than gravity. Scientists named it before measuring carefully!

23.1 The Universal Law: Force Comparison

Force	**Relative Strength**	**Range**	**Acts On**
Strong	1	10^{-15} m	Nucleons
EM	10^{-2}	Infinite	Charged
Weak	10^{-13}	10^{-18} m	Quarks/Leptons
Gravity	10^{-39}	Infinite	All mass

23.1 The Universal Law: Force Comparison

Force	Relative Strength	Range	Acts On
Strong	1	10^{-15} m	Nucleons
EM	10^{-2}	Infinite	Charged
Weak	10^{-13}	10^{-18} m	Quarks/Leptons
Gravity	10^{-39}	Infinite	All mass

Nature's Source Code

Four forces. That's it. They explain stars, atoms, chemistry, galaxies, YOU.

23.1 The Mystery of Action at a Distance

How does one proton "know" another proton exists?

23.1 The Mystery of Action at a Distance

How does one proton "know" another proton exists?

Einstein's Dilemma

Action at distance troubled Einstein. Fields helped, but particle physicists needed more.

23.1 The Mystery of Action at a Distance

How does one proton "know" another proton exists?

Einstein's Dilemma

Action at distance troubled Einstein. Fields helped, but particle physicists needed more.

Yukawa's Solution (1935)

Forces transmitted by **carrier particles** - real particles that carry force between objects.

23.1 Carrier Particles: Force Messengers



Figure: *

Pion exchange between proton and neutron

23.1 Carrier Particles: Force Messengers



Figure: *

Pion exchange between proton and neutron

Yukawa's Pion

Proton emits pion $\rightarrow$ neutron absorbs it $\rightarrow$ strong force transmitted.
Particle identities switch!

23.1 Virtual Particles and Feynman Diagrams



Figure: *

Virtual photon exchange

- Carrier particle is **virtual**
- Cannot be directly observed
- Exists briefly via uncertainty
- Transmits force

23.1 Virtual Particles and Feynman Diagrams



Figure: *

Virtual photon exchange

- Carrier particle is **virtual**
- Cannot be directly observed
- Exists briefly via uncertainty
- Transmits force

Reading a Feynman Diagram

Time flows UP. Particles move, exchange virtual particle, trajectories change.

23.1 The Four Carrier Particles

Force Carriers

- **Photon** - EM force, massless
- **Gluon** - Strong force, massless (8 types)
- **W^+, W^-, Z^0 bosons** - Weak force, very massive
- **Graviton** - Gravity, not yet found (predicted massless)

23.1 The Four Carrier Particles

Force Carriers

- **Photon** - EM force, massless
- **Gluon** - Strong force, massless (8 types)
- **W^+, W^-, Z^0 bosons** - Weak force, very massive
- **Graviton** - Gravity, not yet found (predicted massless)

Mass and Range Connection

Massless carriers $\rightarrow$ infinite range (photon, graviton)
Massive carriers $\rightarrow$ short range (W, Z bosons)

23.1 Searching for the Graviton

Figure: *

LIGO - Laser Interferometer Gravitational-Wave Observatory

23.1 Searching for the Graviton

Figure: *

LIGO - Laser Interferometer Gravitational-Wave Observatory

The Missing Carrier

Expected: massless, chargeless, spin-2 particle traveling at speed of light

23.1 Particle Accelerators: Creating Matter from Energy

The Universal Equation

$$\boxed{E = mc^2}$$

Energy converts to matter

23.1 Particle Accelerators: Creating Matter from Energy

The Universal Equation

$$E = mc^2$$

Energy converts to matter

- Accelerate known particles to high energy
- Collide them with targets or each other
- Create new particles from energy
- Probe smaller distances = higher energies needed

23.1 Particle Accelerators: Creating Matter from Energy

The Universal Equation

$$E = mc^2$$

Energy converts to matter

- Accelerate known particles to high energy
- Collide them with targets or each other
- Create new particles from energy
- Probe smaller distances = higher energies needed

The Particle Physicist's Favorite Indoor Sport

"Smash things together and see what comes out."

23.1 Van de Graaff and Cyclotron



Figure: *

Van de Graaff (left) and Cyclotron (right)

23.1 Van de Graaff and Cyclotron



Figure: *

Van de Graaff (left) and Cyclotron (right)

Van de Graaff: Linear acceleration, up to 50 MV

Cyclotron: Spiral path, fixed frequency, higher energies

23.1 Synchrotron: The Modern Workhorse



Figure: *

Synchrotron ring with accelerating tubes

23.1 Synchrotron: The Modern Workhorse



Figure: *

Synchrotron ring with accelerating tubes

- Particles travel fixed-radius ring
- Magnetic field increases to keep radius constant
- Voltage synchronized with particle speed
- Very large for very high energies

23.1 Colliding Beams: Maximum Energy



Figure: *

Fermilab's proton-antiproton collider

23.1 Colliding Beams: Maximum Energy



Figure: *

Fermilab's proton-antiproton collider

Why Collide Head-On?

Stationary target: much energy lost to recoil

Colliding beams: particles created with near-zero momentum

Learning Objectives

By the end of this section, you will be able to:

- **23.2:** Describe quarks and their relationship to other particles

Learning Objectives

By the end of this section, you will be able to:

- **23.2:** Describe quarks and their relationship to other particles
- **23.2:** Distinguish hadrons from leptons

Learning Objectives

By the end of this section, you will be able to:

- **23.2:** Describe quarks and their relationship to other particles
- **23.2:** Distinguish hadrons from leptons
- **23.2:** Distinguish matter from antimatter

Learning Objectives

By the end of this section, you will be able to:

- **23.2:** Describe quarks and their relationship to other particles
- **23.2:** Distinguish hadrons from leptons
- **23.2:** Distinguish matter from antimatter
- **23.2:** Describe the Standard Model

Learning Objectives

By the end of this section, you will be able to:

- **23.2:** Describe quarks and their relationship to other particles
- **23.2:** Distinguish hadrons from leptons
- **23.2:** Distinguish matter from antimatter
- **23.2:** Describe the Standard Model
- **23.2:** Define Higgs boson and its importance

23.2 The Ancient Quest

Democritus, 460 BC

"The first principles of universe are atoms and empty space. Everything else is merely thought to exist."

23.2 The Ancient Quest

Democritus, 460 BC

"The first principles of universe are atoms and empty space. Everything else is merely thought to exist."

The search for fundamental particles is nothing new.

23.2 The Ancient Quest

Democritus, 460 BC

"The first principles of universe are atoms and empty space. Everything else is merely thought to exist."

The search for fundamental particles is nothing new.

- 1930s: proton, neutron, electron discovered
- Scientists thought: "We found smallest pieces!"
- They were only partially correct...

23.2 The Discovery That Shattered the Proton

1932: Scientists thought they had it all - protons, neutrons, electrons

23.2 The Discovery That Shattered the Proton

1932: Scientists thought they had it all - protons, neutrons, electrons

1967: SLAC experiment scatters high-energy electrons from protons

23.2 The Discovery That Shattered the Proton

1932: Scientists thought they had it all - protons, neutrons, electrons

1967: SLAC experiment scatters high-energy electrons from protons

The Revelation

Results showed three point-like charges *inside* proton!

23.2 The Discovery That Shattered the Proton

1932: Scientists thought they had it all - protons, neutrons, electrons

1967: SLAC experiment scatters high-energy electrons from protons

The Revelation

Results showed three point-like charges *inside* proton!

Protons are NOT fundamental - they have substructure

23.2 Electron Scattering Evidence



Figure: *

SLAC scattering experiment

23.2 Electron Scattering Evidence



Figure: *

SLAC scattering experiment

Three point-like charges consistent with quark model

23.2 The Six Quark Flavors

The Quark Family

Quark	Symbol	Charge
Up	u	$+\frac{2}{3}e$
Down	d	$-\frac{1}{3}e$
Charm	c	$+\frac{2}{3}e$
Strange	s	$-\frac{1}{3}e$
Top	t	$+\frac{2}{3}e$
Bottom	b	$-\frac{1}{3}e$

23.2 The Six Quark Flavors

The Quark Family

Quark	Symbol	Charge
Up	u	$+\frac{2}{3}e$
Down	d	$-\frac{1}{3}e$
Charm	c	$+\frac{2}{3}e$
Strange	s	$-\frac{1}{3}e$
Top	t	$+\frac{2}{3}e$
Bottom	b	$-\frac{1}{3}e$

The Illusion

Expected: Charge is discrete (multiples of e)

Reality: Quarks have fractional charge!

23.2 Color Charge: The Hidden Property

Quarks have three colors: Red, Green, Blue

23.2 Color Charge: The Hidden Property

Quarks have three colors: Red, Green, Blue

Antiquarks have anticolors: Cyan (anti-red), Magenta (anti-green), Yellow (anti-blue)

23.2 Color Charge: The Hidden Property

Quarks have three colors: Red, Green, Blue

Antiquarks have anticolors: Cyan (anti-red), Magenta (anti-green), Yellow (anti-blue)

The Universal Rule

All hadrons must have colors that sum to **white**

23.2 Color Charge: The Hidden Property

Quarks have three colors: Red, Green, Blue

Antiquarks have anticolors: Cyan (anti-red), Magenta (anti-green), Yellow (anti-blue)

The Universal Rule

All hadrons must have colors that sum to **white**

Example: Proton = red up + green up + blue down = white

23.2 Gluon Exchange Between Quarks



Figure: *

Gluon changes quark color

23.2 Gluon Exchange Between Quarks



Figure: *

Gluon changes quark color

Gluon carries strong force AND changes quark color

23.2 Gluon Exchange Between Quarks



Figure: *

Gluon changes quark color

Gluon carries strong force AND changes quark color
Quark flavor does NOT change, only color

23.2 Building a Proton



Figure: *

Proton structure: uud

23.2 Building a Proton



Figure: *

Proton structure: uud

Proton = two up quarks + one down quark

23.2 Building a Proton



Figure: *

Proton structure: uud

Proton = two up quarks + one down quark

Charge: $\frac{2}{3} + \frac{2}{3} - \frac{1}{3} = +1$ ✓

23.2 Building a Proton



Figure: *

Proton structure: uud

Proton = two up quarks + one down quark
Charge: $\frac{2}{3} + \frac{2}{3} - \frac{1}{3} = +1$ ✓
Color: red + green + blue = white ✓

Hadrons

- Feel strong force
- Composed of quarks
- Baryons: 3 quarks
- Mesons: quark-antiquark
- Examples: proton, neutron, pion

23.2 Hadrons and Leptons

Hadrons

- Feel strong force
- Composed of quarks
- Baryons: 3 quarks
- Mesons: quark-antiquark
- Examples: proton, neutron, pion

Leptons

- Do NOT feel strong force
- Fundamental particles
- No substructure
- Examples: electron, muon, neutrino

23.2 Hadrons and Leptons

Hadrons

- Feel strong force
- Composed of quarks
- Baryons: 3 quarks
- Mesons: quark-antiquark
- Examples: proton, neutron, pion

Leptons

- Do NOT feel strong force
- Fundamental particles
- No substructure
- Examples: electron, muon, neutrino

The Mental Model

Hadrons are composite. Leptons are fundamental.

23.2 The Discovery of Antimatter

1932: Carl Anderson discovers **positron** in cosmic rays

1932: Carl Anderson discovers **positron** in cosmic rays



Figure: *

Positron and electron tracks curve opposite directions

23.2 The Discovery of Antimatter

1932: Carl Anderson discovers **positron** in cosmic rays



Figure: *

Positron and electron tracks curve opposite directions

Same mass as electron, opposite charge = antielectron

23.2 Pair Production and Annihilation

Pair Production

$$\text{Photon} \rightarrow \text{electron} + \text{positron}$$

Energy converts to matter

23.2 Pair Production and Annihilation

Pair Production

$$\text{Photon} \rightarrow \text{electron} + \text{positron}$$

Energy converts to matter

Annihilation

$$\text{electron} + \text{positron} \rightarrow \text{photons}$$

Matter converts to energy

23.2 Pair Production and Annihilation

Pair Production

$$\text{Photon} \rightarrow \text{electron} + \text{positron}$$

Energy converts to matter

Annihilation

$$\text{electron} + \text{positron} \rightarrow \text{photons}$$

Matter converts to energy

Both mass-energy and charge conserved!

23.2 Why Antimatter Is Rare

The Paradox

If matter and antimatter created equally in Big Bang, where is all antimatter?

23.2 Why Antimatter Is Rare

The Paradox

If matter and antimatter created equally in Big Bang, where is all antimatter?

When matter meets antimatter: **instant annihilation**

23.2 Why Antimatter Is Rare

The Paradox

If matter and antimatter created equally in Big Bang, where is all antimatter?

When matter meets antimatter: **instant annihilation**

Evidence: Tiny excess of matter over antimatter in early universe

23.2 Why Antimatter Is Rare

The Paradox

If matter and antimatter created equally in Big Bang, where is all antimatter?

When matter meets antimatter: **instant annihilation**

Evidence: Tiny excess of matter over antimatter in early universe
We are made of leftover matter!

23.2 The Standard Model of Fundamental Particles



Figure: *

The Standard Model

23.2 Reading the Standard Model

Three families of matter:

23.2 Reading the Standard Model

Three families of matter:

1. **Family 1:** Normal matter (up, down, electron, neutrino)

23.2 Reading the Standard Model

Three families of matter:

1. **Family 1:** Normal matter (up, down, electron, neutrino)
2. **Family 2:** More massive, less stable (charm, strange, muon)

23.2 Reading the Standard Model

Three families of matter:

1. **Family 1:** Normal matter (up, down, electron, neutrino)
2. **Family 2:** More massive, less stable (charm, strange, muon)
3. **Family 3:** Most massive, least stable (top, bottom, tau)

23.2 Reading the Standard Model

Three families of matter:

1. **Family 1:** Normal matter (up, down, electron, neutrino)
2. **Family 2:** More massive, less stable (charm, strange, muon)
3. **Family 3:** Most massive, least stable (top, bottom, tau)

Pattern: Mass increases left to right
Trend: Higher mass = less stable = faster decay

23.2 The Higgs Boson: The Mass Giver

The problem: Why do W and Z bosons have mass, but photons and gluons don't?

23.2 The Higgs Boson: The Mass Giver

The problem: Why do W and Z bosons have mass, but photons and gluons don't?

Peter Higgs (1960s): All particles pass through **Higgs field**

23.2 The Higgs Boson: The Mass Giver

The problem: Why do W and Z bosons have mass, but photons and gluons don't?

Peter Higgs (1960s): All particles pass through **Higgs field**

The Mental Model

Higgs field is like water. Some particles swim through easily (photon), others slowed down (W, Z bosons).

23.2 The Higgs Boson: The Mass Giver

The problem: Why do W and Z bosons have mass, but photons and gluons don't?

Peter Higgs (1960s): All particles pass through **Higgs field**

The Mental Model

Higgs field is like water. Some particles swim through easily (photon), others slowed down (W, Z bosons).

The slowing creates mass!

23.2 Discovering the Higgs Boson

July 4, 2012: LHC announces discovery

23.2 Discovering the Higgs Boson

July 4, 2012: LHC announces discovery

Method: Proton-proton collisions at 7-8 TeV

23.2 Discovering the Higgs Boson

July 4, 2012: LHC announces discovery

Method: Proton-proton collisions at 7-8 TeV

Evidence: Particle with predicted mass, spin, and interactions

23.2 Discovering the Higgs Boson

July 4, 2012: LHC announces discovery

Method: Proton-proton collisions at 7-8 TeV

Evidence: Particle with predicted mass, spin, and interactions

March 13, 2013: CERN confirms Higgs boson

23.2 Discovering the Higgs Boson

July 4, 2012: LHC announces discovery

Method: Proton-proton collisions at 7-8 TeV

Evidence: Particle with predicted mass, spin, and interactions

March 13, 2013: CERN confirms Higgs boson
October 2013: Peter Higgs wins Nobel Prize

Learning Objectives

By the end of this section, you will be able to:

- **23.3:** Define Grand Unified Theory

Learning Objectives

By the end of this section, you will be able to:

- **23.3:** Define Grand Unified Theory
- **23.3:** Explain evolution of four forces from Big Bang

Learning Objectives

By the end of this section, you will be able to:

- **23.3:** Define Grand Unified Theory
- **23.3:** Explain evolution of four forces from Big Bang
- **23.3:** Explain how unification theories can be tested

23.3 The Dream of Unification

History of unification:

23.3 The Dream of Unification

History of unification:

- 1800s: Electric and magnetic forces unified $\rightarrow$ **Electromagnetic**

23.3 The Dream of Unification

History of unification:

- 1800s: Electric and magnetic forces unified $\rightarrow$ **Electromagnetic**
- 1960s: EM and weak nuclear unified $\rightarrow$ **Electroweak**

23.3 The Dream of Unification

History of unification:

- 1800s: Electric and magnetic forces unified $\rightarrow$ **Electromagnetic**
- 1960s: EM and weak nuclear unified $\rightarrow$ **Electroweak**
- Future: All four forces unified $\rightarrow$ **Theory of Everything**

23.3 The Dream of Unification

History of unification:

- 1800s: Electric and magnetic forces unified $\rightarrow$ **Electromagnetic**
- 1960s: EM and weak nuclear unified $\rightarrow$ **Electroweak**
- Future: All four forces unified $\rightarrow$ **Theory of Everything**

The Pattern

At higher energies, forces become more similar

23.3 Force Strength Versus Energy



Figure: *

Force strengths converge at high energy

23.3 Force Strength Versus Energy



Figure: *

Force strengths converge at high energy

At low energies: forces very different

At high energies: forces become similar!

23.3 Electroweak Unification

Weinberg, Glashow, Salam (1960s): EM and weak forces identical at high energies

23.3 Electroweak Unification

Weinberg, Glashow, Salam (1960s): EM and weak forces identical at high energies

Prediction: Three carrier particles: W^+, W^-, Z^0
Predicted masses: $W = 81$ GeV/c^2, $Z = 90$ GeV/c^2

23.3 Electroweak Unification

Weinberg, Glashow, Salam (1960s): EM and weak forces identical at high energies

Prediction: Three carrier particles: W^+, W^-, Z^0
Predicted masses: $W = 81$ GeV/c^2, $Z = 90$ GeV/c^2

1983: All three particles discovered at CERN with exact predicted masses!

23.3 Grand Unified Theory (GUT)

Goal: Unify strong, weak, and electromagnetic forces

23.3 Grand Unified Theory (GUT)

Goal: Unify strong, weak, and electromagnetic forces

Energy required: 10^{14} GeV

23.3 Grand Unified Theory (GUT)

Goal: Unify strong, weak, and electromagnetic forces

Energy required: 10^{14} GeV

The Challenge

LHC maximum: 14 TeV $= 1.4 \times 10^4$ GeV
GUT energy: 10^{14} GeV
We're 10^{10} times too low!

23.3 Grand Unified Theory (GUT)

Goal: Unify strong, weak, and electromagnetic forces

Energy required: 10^{14} GeV

The Challenge

LHC maximum: 14 TeV $= 1.4 \times 10^4$ GeV
GUT energy: 10^{14} GeV
We're 10^{10} times too low!

Cannot test directly with accelerators

23.3 Testing GUT Indirectly: Proton Decay

GUT prediction: Protons should decay
Lifetime: 10^{31} years

23.3 Testing GUT Indirectly: Proton Decay

GUT prediction: Protons should decay
Lifetime: 10^{31} years

Test: Super-Kamiokande in Japan - 50,000 tons of water

23.3 Testing GUT Indirectly: Proton Decay

GUT prediction: Protons should decay
Lifetime: 10^{31} years

Test: Super-Kamiokande in Japan - 50,000 tons of water

Strategy: If one proton decays in 10^{31} years, then 10^{31} protons will have one decay per year

23.3 Testing GUT Indirectly: Proton Decay

GUT prediction: Protons should decay
Lifetime: 10^{31} years

Test: Super-Kamiokande in Japan - 50,000 tons of water

Strategy: If one proton decays in 10^{31} years, then 10^{31} protons will have one decay per year

Result (2014): No decay observed - proton lifetime $> 5.9 \times 10^{33}$ years

23.3 The Big Bang and Force Evolution



Figure: *

Universe evolution from Big Bang

23.3 The First Trillionth of a Second

Planck Epoch ($0 \rightarrow 10^{-43}$ s): All four forces unified as **superforce**

23.3 The First Trillionth of a Second

Planck Epoch ($0 \rightarrow 10^{-43}$ s): All four forces unified as **superforce**

Grand Unification Epoch ($10^{-43} \rightarrow 10^{-36}$ s): Gravity separates

23.3 The First Trillionth of a Second

Planck Epoch ($0 \rightarrow 10^{-43}$ s): All four forces unified as **superforce**

Grand Unification Epoch ($10^{-43} \rightarrow 10^{-36}$ s): Gravity separates

Inflationary Epoch ($10^{-36} \rightarrow 10^{-32}$ s): Strong force separates, universe inflates by 10^{50}!

23.3 The First Trillionth of a Second

Planck Epoch ($0 \rightarrow 10^{-43}$ s): All four forces unified as **superforce**

Grand Unification Epoch ($10^{-43} \rightarrow 10^{-36}$ s): Gravity separates

Inflationary Epoch ($10^{-36} \rightarrow 10^{-32}$ s): Strong force separates, universe inflates by 10^{50}!

Electroweak Epoch ($10^{-32} \rightarrow 10^{-11}$ s): Strong force separated

23.3 The First Trillionth of a Second

Planck Epoch ($0 \rightarrow 10^{-43}$ s): All four forces unified as **superforce**

Grand Unification Epoch ($10^{-43} \rightarrow 10^{-36}$ s): Gravity separates

Inflationary Epoch ($10^{-36} \rightarrow 10^{-32}$ s): Strong force separates, universe inflates by 10^{50}!

Electroweak Epoch ($10^{-32} \rightarrow 10^{-11}$ s): Strong force separated
Quark Era ($10^{-11} \rightarrow 10^{-6}$ s): All four forces separated, quarks form

23.3 The Universe as Our Laboratory

The Connection

Particle accelerators recreate Big Bang conditions

Cosmology tests particle physics theories

The smallest and largest scales are connected

23.3 The Universe as Our Laboratory

The Connection

Particle accelerators recreate Big Bang conditions

Cosmology tests particle physics theories

The smallest and largest scales are connected

The Cosmic Connection

Understanding quarks helps us understand first seconds after Big Bang.
Understanding Big Bang helps us understand quarks.

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles
3. Protons made of three quarks with fractional charge

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles
3. Protons made of three quarks with fractional charge
4. Six quarks, six leptons - seventeen fundamental particles

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles
3. Protons made of three quarks with fractional charge
4. Six quarks, six leptons - seventeen fundamental particles
5. Antimatter exists and annihilates with matter

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles
3. Protons made of three quarks with fractional charge
4. Six quarks, six leptons - seventeen fundamental particles
5. Antimatter exists and annihilates with matter
6. Higgs field gives particles mass

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles
3. Protons made of three quarks with fractional charge
4. Six quarks, six leptons - seventeen fundamental particles
5. Antimatter exists and annihilates with matter
6. Higgs field gives particles mass
7. Forces unified at high energies

What You Now Know

The Revelations

1. Four fundamental forces govern all interactions
2. Forces transmitted by carrier particles
3. Protons made of three quarks with fractional charge
4. Six quarks, six leptons - seventeen fundamental particles
5. Antimatter exists and annihilates with matter
6. Higgs field gives particles mass
7. Forces unified at high energies
8. Particle physics explains Big Bang evolution

Key Concepts

Four Forces: Gravity, EM, Weak nuclear, Strong nuclear

Carrier Particles: Graviton*, Photon, W/Z bosons, Gluon

Quarks: Six flavors, three colors, fractional charge

Hadrons: Baryons (3 quarks), Mesons (quark-antiquark)

Leptons: Fundamental particles (electron, muon, tau, neutrinos)

Standard Model: 6 quarks + 6 leptons + 4 carriers + Higgs = 17

Unification: Forces become similar at high energies

Homework

Complete the assigned problems

posted on the LMS