

PHYS12 CH:21 When Light Breaks the Rules

The Quantum Revolution

Mr. Gullo

December 2025

Outline

- 1 Introduction
- 2 Planck and Quantization
- 3 Photoelectric Effect
- 4 Dual Nature of Light
- 5 Summary

Alice's Rabbit Hole



Alice's Rabbit Hole



In Wonderland, nothing behaves as expected...
but there's still an underlying logic.

The Illusion of Understanding

What Your Brain Gets Wrong

You think: Light is a wave. Waves are continuous.

Reality: Light arrives in discrete chunks called photons.

The Illusion of Understanding

What Your Brain Gets Wrong

You think: Light is a wave. Waves are continuous.

Reality: Light arrives in discrete chunks called photons.

This isn't intuition failing at extreme speeds or sizes.

The Illusion of Understanding

What Your Brain Gets Wrong

You think: Light is a wave. Waves are continuous.

Reality: Light arrives in discrete chunks called photons.

This isn't intuition failing at extreme speeds or sizes.

This is everyday light fooling us constantly.

Learning Objectives

By the end of this section, you will be able to:

- **21.1:** Describe blackbody radiation and the ultraviolet catastrophe

Learning Objectives

By the end of this section, you will be able to:

- **21.1:** Describe blackbody radiation and the ultraviolet catastrophe
- **21.1:** Define quantum states and calculate photon energies

Learning Objectives

By the end of this section, you will be able to:

- **21.1:** Describe blackbody radiation and the ultraviolet catastrophe
- **21.1:** Define quantum states and calculate photon energies
- **21.1:** Explain how photon energies vary across the EM spectrum

21.1 The T-Shirt Mystery

The Mental Model

Why is wearing a black T-shirt on a hot day unbearable, while a white shirt keeps you cool?

21.1 The T-Shirt Mystery

The Mental Model

Why is wearing a black T-shirt on a hot day unbearable, while a white shirt keeps you cool?

Black shirts absorb and re-emit more radiation.

21.1 The T-Shirt Mystery


The Mental Model

Why is wearing a black T-shirt on a hot day unbearable, while a white shirt keeps you cool?


Black shirts absorb and re-emit more radiation.

A perfect black object that absorbs ALL radiation is called a **blackbody**.

21.1 The Blackbody Spectrum




21.1 The Blackbody Spectrum




Key observations:

- Hotter objects radiate MORE total energy (area under curve)
- Peak wavelength SHIFTS leftward as temperature increases

21.1 The Ultraviolet Catastrophe



21.1 The Ultraviolet Catastrophe



The Classical Prediction

Theory predicted INFINITE energy at short wavelengths.

Reality: energy drops back down. **Physics was broken.**

21.1 Planck's Revolution

The Source Code: Quantized Energy

$$E = nhf$$

Energy is not continuous. Energy exists only in discrete chunks.

21.1 Planck's Revolution

The Source Code: Quantized Energy

$$E = nhf$$

Energy is not continuous. Energy exists only in discrete chunks.

- n = integer (0, 1, 2, 3...)
- $h = 6.626 \times 10^{-34}$ J·s (Planck's constant)
- f = frequency

21.1 Planck's Revolution

The Source Code: Quantized Energy

$$E = nhf$$

Energy is not continuous. Energy exists only in discrete chunks.

- n = integer (0, 1, 2, 3...)
- $h = 6.626 \times 10^{-34}$ J·s (Planck's constant)
- f = frequency

Key insight: Energy comes in quantum packets, not continuous streams.

21.1 The Coin Analogy

Imagine This...

Pour coins through a funnel.

More pennies pass through than quarters.

Why? Quarters have higher value AND larger size.

21.1 The Coin Analogy

Imagine This...

Pour coins through a funnel.

More pennies pass through than quarters.

Why? Quarters have higher value AND larger size.

Same with photons:

- High frequency = high energy = less probable at low temperatures
- Low frequency = low energy = more probable at low temperatures

21.1 The Coin Analogy

Imagine This...

Pour coins through a funnel.

More pennies pass through than quarters.

Why? Quarters have higher value AND larger size.

Same with photons:

- High frequency = high energy = less probable at low temperatures
- Low frequency = low energy = more probable at low temperatures

This *probability factor* explains why the blackbody curve drops at short wavelengths.

21.1 Quantization Everywhere

Quantum states exist in:

- Standing waves on a string (harmonics)

21.1 Quantization Everywhere

Quantum states exist in:

- Standing waves on a string (harmonics)
- Steps on a staircase (discrete heights)

21.1 Quantization Everywhere

Quantum states exist in:

- Standing waves on a string (harmonics)
- Steps on a staircase (discrete heights)
- Atoms (you can't have 0.5 atoms)

21.1 Quantization Everywhere

Quantum states exist in:

- Standing waves on a string (harmonics)
- Steps on a staircase (discrete heights)
- Atoms (you can't have 0.5 atoms)
- Electric charge (multiples of e)

21.1 Quantization Everywhere

Quantum states exist in:

- Standing waves on a string (harmonics)
- Steps on a staircase (discrete heights)
- Atoms (you can't have 0.5 atoms)
- Electric charge (multiples of e)

The Shock

But energy was thought to be *continuous*.
Planck proved otherwise.

21.1 Max Planck



21.1 Max Planck



"I was ready to sacrifice any of my previous convictions about physics."
- Max Planck, on quantization

21.1 The Photon Energy Equation

Nature's Rule for Light

$$E = hf = \frac{hc}{\lambda}$$

21.1 The Photon Energy Equation

Nature's Rule for Light

$$E = hf = \frac{hc}{\lambda}$$

Key insights:

- Higher frequency \rightarrow higher energy per photon
- Shorter wavelength \rightarrow higher energy per photon
- Planck's constant h links energy to frequency

Attempt: Photon Energy of a Light Bulb

The Challenge (3 min, silent)

A 100-W light bulb converts 10% of its power to visible light with average wavelength 580 nm. Calculate the number of visible photons emitted per second.

Given:

- Power in visible light: 10.0 J/s
- Wavelength: $\lambda = 580 \text{ nm}$
- $h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$, $c = 3.00 \times 10^8 \text{ m/s}$

Find: Photons per second

Work silently. It's okay to get stuck.

Compare: Light Bulb Strategy

Turn and talk (2 min):

- 1 Which form of photon energy equation did you use?
- 2 How did you find energy per photon?
- 3 What's your strategy for finding number of photons?

Compare: Light Bulb Strategy

Turn and talk (2 min):

- 1 Which form of photon energy equation did you use?
- 2 How did you find energy per photon?
- 3 What's your strategy for finding number of photons?

Name wheel: One pair share your approach (not your answer).

Reveal: Counting Photons

Self-correct in a different color:

Step 1 - **Energy** per photon:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{580 \times 10^{-9}} = 3.43 \times 10^{-19} \text{ J}$$

Reveal: Counting Photons

Self-correct in a different color:

Step 1 - **Energy** per photon:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{580 \times 10^{-9}} = 3.43 \times 10^{-19} \text{ J}$$

Step 2 - **Photons per second:**

$$\frac{\text{photons}}{\text{s}} = \frac{10.0 \text{ J/s}}{3.43 \times 10^{-19} \text{ J/photon}} = \boxed{2.92 \times 10^{19} \text{ photons/s}}$$

Reveal: Counting Photons

Self-correct in a different color:

Step 1 - **Energy** per photon:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{580 \times 10^{-9}} = 3.43 \times 10^{-19} \text{ J}$$

Step 2 - **Photons per second:**

$$\frac{\text{photons}}{\text{s}} = \frac{10.0 \text{ J/s}}{3.43 \times 10^{-19} \text{ J/photon}} = \boxed{2.92 \times 10^{19} \text{ photons/s}}$$

Check: About 29 billion billion photons every second - no wonder light seems continuous!

21.1 Blue Fire vs Red Fire

Real-World: Danger by Color

A blue flame is more dangerous than a red flame.

Why?

21.1 Blue Fire vs Red Fire

Real-World: Danger by Color

A blue flame is more dangerous than a red flame.

Why?

Blue light: shorter wavelength \rightarrow higher frequency \rightarrow higher energy per photon

21.1 Blue Fire vs Red Fire

Real-World: Danger by Color

A blue flame is more dangerous than a red flame.

Why?

Blue light: shorter wavelength \rightarrow higher frequency \rightarrow higher energy per photon

Red light: longer wavelength \rightarrow lower frequency \rightarrow lower energy per photon

21.1 Blue Fire vs Red Fire

Real-World: Danger by Color

A blue flame is more dangerous than a red flame.

Why?

Blue light: shorter wavelength \rightarrow higher frequency \rightarrow higher energy per photon

Red light: longer wavelength \rightarrow lower frequency \rightarrow lower energy per photon

Each blue photon delivers more energy than each red photon.

21.1 Energy Across the Spectrum

Radiation	Wavelength	Energy/photon
Radio	1 m	2×10^{-25} J
Infrared	1000 nm	2×10^{-19} J
Visible	500 nm	4×10^{-19} J
UV	100 nm	2×10^{-18} J
X-ray	1 nm	2×10^{-16} J
Gamma	0.01 nm	2×10^{-14} J

21.1 Energy Across the Spectrum

Radiation	Wavelength	Energy/photon
Radio	1 m	2×10^{-25} J
Infrared	1000 nm	2×10^{-19} J
Visible	500 nm	4×10^{-19} J
UV	100 nm	2×10^{-18} J
X-ray	1 nm	2×10^{-16} J
Gamma	0.01 nm	2×10^{-14} J

UV Hazard

UV photons carry enough energy to break DNA bonds (≈ 1 eV $= 1.6 \times 10^{-19}$ J).

That's why UV causes sunburn and cancer.

Learning Objectives

By the end of this section, you will be able to:

- **21.2:** Describe the photoelectric effect and Einstein's explanation

Learning Objectives

By the end of this section, you will be able to:

- **21.2:** Describe the photoelectric effect and Einstein's explanation
- **21.2:** Explain why classical physics couldn't explain the effect

Learning Objectives

By the end of this section, you will be able to:

- **21.2:** Describe the photoelectric effect and Einstein's explanation
- **21.2:** Explain why classical physics couldn't explain the effect
- **21.2:** Calculate photoelectron kinetic energy

Learning Objectives

By the end of this section, you will be able to:

- **21.2:** Describe the photoelectric effect and Einstein's explanation
- **21.2:** Explain why classical physics couldn't explain the effect
- **21.2:** Calculate photoelectron kinetic energy
- **21.2:** Describe applications in solar cells and technology

Light as a Battering Ram

Light can knock electrons out of metal.
How does a wave punch like a particle?

Light as a Battering Ram


Light can knock electrons out of metal.
How does a wave punch like a particle?

The Paradox


Classical physics: Light is a wave - spread out, continuous energy.

Reality: Light ejects electrons instantly, one photon at a time.

21.2 The Photoelectric Setup



21.2 The Photoelectric Setup



The experiment:

- Light strikes metal surface
- Electrons ejected (photoelectrons)
- Current measured - proves electrons are moving

21.2 Five Mysteries

Classical wave theory predictions:

- 1 Any frequency should eject electrons (just wait long enough)

21.2 Five Mysteries

Classical wave theory predictions:

- 1 Any frequency should eject electrons (just wait long enough)
- 2 Brighter light should eject higher-energy electrons

21.2 Five Mysteries

Classical wave theory predictions:

- ① Any frequency should eject electrons (just wait long enough)
- ② Brighter light should eject higher-energy electrons
- ③ Electrons should take time to accumulate energy

21.2 Five Mysteries


Classical wave theory predictions:

- 1 Any frequency should eject electrons (just wait long enough)
- 2 Brighter light should eject higher-energy electrons
- 3 Electrons should take time to accumulate energy


Experimental Reality

- 1 Threshold frequency exists - below it, NO electrons (ever!)
- 2 Brighter light ejects MORE electrons, not faster ones
- 3 Ejection is INSTANTANEOUS

21.2 Einstein's Photon Model




21.2 Einstein's Photon Model



Key insight: Light is not a continuous wave.
Light is a stream of **photons** - discrete packets of energy.

21.2 Einstein's Photon Model



Key insight: Light is not a continuous wave.
Light is a stream of **photons** - discrete packets of energy.

Each photon energy: $E = hf$

21.2 One Photon, One Electron

The Mental Model

Each photon interacts with ONE electron.

If photon energy $<$ binding energy: electron stays bound.

If photon energy \geq binding energy: electron escapes!

21.2 One Photon, One Electron

The Mental Model

Each photon interacts with ONE electron.

If photon energy $<$ binding energy: electron stays bound.

If photon energy \geq binding energy: electron escapes!

This explains ALL five observations:

- **Threshold:** $hf_0 = BE$ (minimum energy to escape)
- **Instant:** one photon, one collision
- **Brightness:** more photons = more electrons (not faster electrons)

21.2 The Photoelectric Equation

The Law of Energy Exchange

$$KE_e = hf - BE$$

21.2 The Photoelectric Equation

The Law of Energy Exchange

$$KE_e = hf - BE$$

- KE_e = kinetic energy of ejected electron
- hf = photon energy
- BE = binding energy (work function)

21.2 The Photoelectric Equation

The Law of Energy Exchange


$$KE_e = hf - BE$$

- KE_e = kinetic energy of ejected electron
- hf = photon energy
- BE = binding energy (work function)


Photon energy budget:

- 1 Pay the escape cost (binding energy BE)
- 2 Leftover becomes kinetic energy

21.2 Kinetic Energy vs Frequency



21.2 Kinetic Energy vs Frequency



Key features:

- Below f_0 : NO electrons ejected ($KE = 0$)
- Above f_0 : KE increases linearly with f
- Slope = h (Planck's constant!)

Attempt: Violet Light and Calcium

The Challenge (3 min, silent)

Violet light with wavelength 420 nm strikes calcium metal.
Binding energy of calcium: $BE = 2.71 \text{ eV}$

Given:

- $\lambda = 420 \text{ nm} = 4.20 \times 10^{-7} \text{ m}$
- $BE = 2.71 \text{ eV}$
- $h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s}$, $c = 3.00 \times 10^8 \text{ m/s}$
- Conversion: $1 \text{ eV} = 1.60 \times 10^{-19} \text{ J}$

Find: (a) Photon energy in eV

(b) Maximum kinetic energy of ejected electron in eV

Work silently. It's okay to get stuck.

Compare: Photoelectric Strategy

Turn and talk (2 min):

- 1 How did you find photon energy from wavelength?
- 2 How did you convert joules to electron volts?
- 3 Which equation did you use for part (b)?

Compare: Photoelectric Strategy

Turn and talk (2 min):

- 1 How did you find photon energy from wavelength?
- 2 How did you convert joules to electron volts?
- 3 Which equation did you use for part (b)?

Name wheel: One pair share your approach (not your answer).

Reveal: Photoelectric Calculation

Self-correct in a different color:

Part (a) - Photon **energy**:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{4.20 \times 10^{-7}} = 4.74 \times 10^{-19} \text{ J}$$

Reveal: Photoelectric Calculation

Self-correct in a different color:

Part (a) - Photon **energy**:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{4.20 \times 10^{-7}} = 4.74 \times 10^{-19} \text{ J}$$

Convert to eV: $E = \frac{4.74 \times 10^{-19}}{1.60 \times 10^{-19}} = \boxed{2.96 \text{ eV}}$

Reveal: Photoelectric Calculation

Self-correct in a different color:

Part (a) - Photon **energy**:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{4.20 \times 10^{-7}} = 4.74 \times 10^{-19} \text{ J}$$

Convert to eV: $E = \frac{4.74 \times 10^{-19}}{1.60 \times 10^{-19}} = \boxed{2.96 \text{ eV}}$

Part (b) - Electron **kinetic energy**:

$$KE_e = hf - BE = 2.96 \text{ eV} - 2.71 \text{ eV} = \boxed{0.25 \text{ eV}}$$

Reveal: Photoelectric Calculation

Self-correct in a different color:

Part (a) - Photon **energy**:

$$E = \frac{hc}{\lambda} = \frac{(6.626 \times 10^{-34})(3.00 \times 10^8)}{4.20 \times 10^{-7}} = 4.74 \times 10^{-19} \text{ J}$$

Convert to eV: $E = \frac{4.74 \times 10^{-19}}{1.60 \times 10^{-19}} = \boxed{2.96 \text{ eV}}$

Part (b) - Electron **kinetic energy**:

$$KE_e = hf - BE = 2.96 \text{ eV} - 2.71 \text{ eV} = \boxed{0.25 \text{ eV}}$$

Check: Small KE - photon energy barely exceeds threshold!

21.2 Solar Cells: Photons to Power



21.2 Solar Cells: Photons to Power



How photovoltaic cells work:

- Photons strike semiconductor (usually silicon)
- Electrons freed via photoelectric effect
- Electrons flow as electric current
- Current powers devices or charges batteries

21.2 Photoelectric Devices Everywhere

Applications you use daily:

- **Digital cameras:** Light hits sensor pixels, electrons counted as brightness

21.2 Photoelectric Devices Everywhere

Applications you use daily:

- **Digital cameras:** Light hits sensor pixels, electrons counted as brightness
- **Motion sensors:** Automatic doors, elevators - beam broken triggers response

21.2 Photoelectric Devices Everywhere

Applications you use daily:

- **Digital cameras:** Light hits sensor pixels, electrons counted as brightness
- **Motion sensors:** Automatic doors, elevators - beam broken triggers response
- **Light meters:** Camera exposure control adjusts aperture automatically

21.2 Photoelectric Devices Everywhere

Applications you use daily:

- **Digital cameras:** Light hits sensor pixels, electrons counted as brightness
- **Motion sensors:** Automatic doors, elevators - beam broken triggers response
- **Light meters:** Camera exposure control adjusts aperture automatically
- **Streetlights:** Photocell detects darkness, switches on at dusk

21.2 Photoelectric Devices Everywhere

Applications you use daily:

- **Digital cameras:** Light hits sensor pixels, electrons counted as brightness
- **Motion sensors:** Automatic doors, elevators - beam broken triggers response
- **Light meters:** Camera exposure control adjusts aperture automatically
- **Streetlights:** Photocell detects darkness, switches on at dusk

All rely on one quantum principle: **photons create electric current**

Learning Objectives

By the end of this section, you will be able to:

- **21.3:** Describe particle-wave duality

Learning Objectives

By the end of this section, you will be able to:

- **21.3:** Describe particle-wave duality
- **21.3:** Calculate photon momentum using $p = h/\lambda$

Learning Objectives

By the end of this section, you will be able to:

- **21.3:** Describe particle-wave duality
- **21.3:** Calculate photon momentum using $p = h/\lambda$
- **21.3:** Explain Compton scattering as photon-electron collisions

The Great Contradiction

Light is a wave.

Light is a particle.

Both statements are true.

The Great Contradiction

Light is a wave.

Light is a particle.

Both statements are true.

Civilian View vs Reality

Civilian: "Something is either a wave or a particle. Pick one."

Physicist: "Light is both. It depends on how you look at it."

21.3 Two Faces of Light

Wave Evidence:

- Diffraction through slits
- Interference patterns
- Polarization
- Wavelength and frequency

Particle Evidence:

- Photoelectric effect
- Discrete energy $E = hf$
- Photon momentum
- Compton scattering

21.3 Two Faces of Light

Wave Evidence:

- Diffraction through slits
- Interference patterns
- Polarization
- Wavelength and frequency

Particle Evidence:

- Photoelectric effect
- Discrete energy $E = hf$
- Photon momentum
- Compton scattering

The Resolution

Light exhibits **wave-particle duality**. Which aspect you observe depends on your experiment.

21.3 Massless Momentum

The Source Code: Photon Momentum

$$p = \frac{h}{\lambda}$$

Photons carry **momentum** despite having zero mass.

21.3 Massless Momentum

The Source Code: Photon Momentum

$$p = \frac{h}{\lambda}$$

Photons carry **momentum** despite having zero mass.

Key insights:

- Shorter **wavelength** = higher **momentum**
- Blue photons push harder than red photons
- Light exerts radiation pressure

21.3 Massless Momentum

The Source Code: Photon Momentum

$$p = \frac{h}{\lambda}$$

Photons carry **momentum** despite having zero mass.

Key insights:

- Shorter **wavelength** = higher **momentum**
- Blue photons push harder than red photons
- Light exerts radiation pressure

Real effects:

- Comet tails point away from Sun (photon pressure)
- Solar sails for spacecraft propulsion
- Optical tweezers manipulate cells using light

21.3 Photons as Billiard Balls

Compton Effect (1923): X-ray photons collide with electrons.

21.3 Photons as Billiard Balls

Compton Effect (1923): X-ray photons collide with electrons.

Observations:

- Photon scatters at angle (like billiard ball)
- Electron recoils with kinetic energy
- Scattered photon has *longer wavelength* (lost energy to electron)
- Conservation of momentum and energy apply perfectly

21.3 Photons as Billiard Balls

Compton Effect (1923): X-ray photons collide with electrons.

Observations:

- Photon scatters at angle (like billiard ball)
- Electron recoils with kinetic energy
- Scattered photon has *longer wavelength* (lost energy to electron)
- Conservation of momentum and energy apply perfectly

The Significance

Photons behave like classical particles in collisions.

Final proof of photon particle nature.

21.3 The Ultimate Twist

The Final Paradox

If light (a wave) can act like a particle...

Can matter (a particle) act like a wave?

21.3 The Ultimate Twist

The Final Paradox

If light (a wave) can act like a particle...

Can matter (a particle) act like a wave?

Answer: Yes. Louis de Broglie (1924) proposed:

$$\lambda = \frac{h}{p}$$

21.3 The Ultimate Twist

The Final Paradox

If light (a wave) can act like a particle...

Can matter (a particle) act like a wave?

Answer: Yes. Louis de Broglie (1924) proposed:

$$\lambda = \frac{h}{p}$$

Consequence: Electrons, atoms, molecules - *everything* has a wavelength.

21.3 The Ultimate Twist

The Final Paradox

If light (a wave) can act like a particle...

Can matter (a particle) act like a wave?

Answer: Yes. Louis de Broglie (1924) proposed:

$$\lambda = \frac{h}{p}$$

Consequence: Electrons, atoms, molecules - *everything* has a wavelength.

Experimental proof:

- Electron diffraction creates interference patterns (1927)
- Electron microscopes use electron waves to image atoms
- Matter-wave duality is universal

The Quantum Revolution

What You Now Know

1 Energy is quantized: $E = nhf$ (Planck)

The Quantum Revolution

What You Now Know

- 1 Energy is quantized: $E = nhf$ (Planck)
- 2 Photons are discrete packets: $E = hf$ (Planck/Einstein)

The Quantum Revolution

What You Now Know

- 1 Energy is quantized: $E = nhf$ (Planck)
- 2 Photons are discrete packets: $E = hf$ (Planck/Einstein)
- 3 Photoelectric effect proves light is quantized: $KE_e = hf - BE$ (Einstein)

The Quantum Revolution

What You Now Know

- 1 Energy is quantized: $E = nhf$ (Planck)
- 2 Photons are discrete packets: $E = hf$ (Planck/Einstein)
- 3 Photoelectric effect proves light is quantized: $KE_e = hf - BE$ (Einstein)
- 4 Photons carry momentum: $p = h/\lambda$ (Einstein/Compton)

The Quantum Revolution

What You Now Know

- 1 Energy is quantized: $E = nhf$ (Planck)
- 2 Photons are discrete packets: $E = hf$ (Planck/Einstein)
- 3 Photoelectric effect proves light is quantized: $KE_e = hf - BE$ (Einstein)
- 4 Photons carry momentum: $p = h/\lambda$ (Einstein/Compton)
- 5 Light exhibits wave-particle duality

The Quantum Revolution

What You Now Know

- 1 Energy is quantized: $E = nhf$ (Planck)
- 2 Photons are discrete packets: $E = hf$ (Planck/Einstein)
- 3 Photoelectric effect proves light is quantized: $KE_e = hf - BE$ (Einstein)
- 4 Photons carry momentum: $p = h/\lambda$ (Einstein/Compton)
- 5 Light exhibits wave-particle duality
- 6 All matter exhibits wave-particle duality (de Broglie)

The Quantum Revolution

What You Now Know

- 1 Energy is quantized: $E = nhf$ (Planck)
- 2 Photons are discrete packets: $E = hf$ (Planck/Einstein)
- 3 Photoelectric effect proves light is quantized: $KE_e = hf - BE$ (Einstein)
- 4 Photons carry momentum: $p = h/\lambda$ (Einstein/Compton)
- 5 Light exhibits wave-particle duality
- 6 All matter exhibits wave-particle duality (de Broglie)
- 7 Quantum mechanics governs the universe at atomic scales

Key Equations: Chapter 21

$$E = hf \quad (\text{quantized energy - Planck}) \quad (1)$$

$$E = hf = \frac{hc}{\lambda} \quad (\text{photon energy}) \quad (2)$$

$$KE_e = hf - BE \quad (\text{photoelectric equation - Einstein}) \quad (3)$$

$$p = \frac{h}{\lambda} \quad (\text{photon momentum}) \quad (4)$$

Key constant:

$$h = 6.626 \times 10^{-34} \text{ J}\cdot\text{s} \quad (\text{Planck's constant})$$

Complete the assigned problems
posted on the LMS