- Je If the angles A, B, C of a triangle ABC are in A.P. and b:c = √3: √2. Find angle A
- The sides of a triangle are three consecutive natural numbers and its largest angle is twice the smallest one. Determine the sides if the triangle. (Ans: 4, 5, 6)
- 3 In  $\triangle ABC$ ,  $\cos A \cos B + \sin B \sin C = 1$ , Show that  $a:b:c = 1:1:\sqrt{2}$
- In  $\triangle ABC$ ,  $\frac{b+c}{11} = \frac{c+a}{12} = \frac{a+b}{13}$ , Then prove that  $\frac{\cos A}{7} = \frac{\cos B}{12} = \frac{\cos C}{25}$
- 5. ay Define cosine law
  - b) In any triangle, prove that

$$\frac{\cos A}{a} + \frac{a}{bc} = \frac{\cos B}{b} + \frac{b}{ca} = \frac{\cos C}{c} + \frac{c}{ab}$$

c) Prove that

$$4\left(bc\cos^2\frac{A}{2} + ca\cos^2\frac{B}{2} + ab\cos^2\frac{C}{2}\right) = (a+b+c)^2$$

- 6. a) Prove that the total no of combinations of the set of n objects taken r at a time is given by  $C(n, r) = \frac{n!}{r!(n-r)!}$ 
  - P If C (18, r) = C (18, r + 2), find the value of r.
- 7. a) In an examination paper containing 10 questions, a candidate has to answer 7 questions. If two questions are made compulsory, in how many ways can he choose 7 questions in all.
- b) In how many ways letters of the words PRECARIOUS can be arranged so that all the vowels are always together?
- Define combination with suitable example
- A student require to answer 6 out of 10 questions which are divided into two groups each containing 5 questions and he is not permitted to attempt more than 4 from any group. In how many different ways can the selection be made?
- 9. a A person want to buy a car. There are two brands of car available in the market and each brand has 3 variant models and each model comes in five different colours. In how many ways a person can choose a car to buy?
  - b) Evaluate  $\frac{n!}{r! (n-r)!}$  when for any n with r = 3?
  - c) If  $\frac{1}{7!} + \frac{1}{8!} = \frac{A}{9!}$  then find the value of A
  - (d) Prove that  ${}^{n}P_{r} = {}^{n-1}P_{r} + r \times {}^{n-1}P_{r-1}$
- 10. a) If z be a complex number, prove that  $\left|\frac{1}{z}\right| = \frac{1}{|z|}$  and  $\operatorname{amp}\left(\frac{1}{z}\right) = -\operatorname{amp}(z)$ .
  - b) Express  $i \sqrt{3}$  in the polar form and Euler form.
- 11. a) Find the product of two complex numbers  $z_1 = r_1(\cos\theta_1 + i\sin\theta_1)$  and  $z_2 = r_2(\cos\theta_2 + i\sin\theta_2)$ 
  - b) Express  $(\sqrt{3} + i)$  in polar form and Euler form.
  - State De-moivre's theorem. Using De-moivre's theorem, evaluate  $(1 \sqrt{3} i)^6$



- 12. ⓐ Find the sum of the series:  $5^2 + 6^2 + 7^2 + \dots + 20^2$ 
  - If  $\omega$  be a complex cube root of unity, show that:  $(1 \omega + \omega^2)^4 (1 + \omega \omega^2)^4 = 256$
- 13. a) Define consistent and independent system.
  - by Is 2x + y = 3 & x + 4y = 5 is inconsistent and independent. If not why?
  - c) Use cramer's rule to solve the system:

$$3x - 2y = 0$$
,  $x + y - 5 = 0$ .

14. A mixture is to be prepared of three foods A, B and C which containts carbohydrates P, Q, R as shown in the table below. The total quantity of 30 units of P 36 units of Q and 30 units of R respectively be required.

Foods	P	Q	R	
A	2	2	4	
В	3	5	0	
C	4	3	5	

- a) Express the information in equation form.
- Solve the equation using matrix.
- If the cost per kg of the foods A, B & C are Rs. 40, Rs. 60 & Rs. 80 respectively. Find total cost of mixture by matrix method.
- 15. a Define Arithmetico-Arithmetic series (AA series)
  - Find the sum of the squares of the first n-natural numbers.
- 16. a Ram works in a reputed company. Company assumed him to provided double salary then his previous month salary. If he received Rs. 500 as his first salary.
  - i) Find the monthly salary that he received at the end of three years.
  - ii) Find the total salary he received at the end of 3 years.
  - by Find the n<sup>th</sup> term of the series: 1+3+6+10+...
  - Find the n<sup>th</sup> term of the given series:  $1^2 + (1^2 + 2^2) + (1^2 + 2^2 + 3^2) + \dots$
- 17. a) Using vector method prove that, cos(A B) = cosA cosB + sinA sinB.
  - Find a unit vector parallel to the sum of the vector  $2\vec{i} + 4\vec{j} 5\vec{k}$  and  $\vec{i} + 2\vec{j} \vec{k}$
  - c) Solve  $z^4 + 1 = 0$ , where z be a complex number.

18. a) Evaluate: 
$$\int \frac{2x+2}{\sqrt{3+2x-x^2}} dx$$

c) Evaluate: 
$$\int \frac{dx}{(a+b\cos x)}$$
, a>b

b) Evaluate: 
$$\int \frac{dx}{(a + b \cos x)}$$
, b>a

dy Evaluate: 
$$\int \frac{dx}{\sqrt{(x-\alpha)(x-\beta)}}$$
;  $(\beta > \alpha)$ 

19. a) Evaluate:

$$\int_{\overline{x^2-a^2}}^{1} dx$$

Evaluate: 
$$\int \frac{1}{1+x-x^2} dx$$

c) Evaluate: 
$$\int_{3+2x-x^2}^{(2x+2)} dx$$