

MEASUREMENT STANDARDS LABORATORY OF NEW ZEALAND

---

## **GUIDELINES ON PROFICIENCY TESTING**

*A Supplement to the MSL Quality Manual*

---

31 October 2025

Measurement Quality Council

Measurement Standards Laboratory of New Zealand

**Contents**

**1 Proficiency testing ..... 1**

**2 Small proficiency tests ..... 1**

**3 Relations between ISO/IEC 17043 and the MSL Quality System ..... 4**

    3.1 Technical requirements ..... 4

    3.2 Management requirements ..... 6

    3.3 Confidentiality..... 7

    3.4 Proficiency test design ..... 8

**References ..... 12**

---

## 1 Proficiency testing

This guide is concerned with small proficiency tests (PTs) of the type organised by MSL. The ISO/IEC 17043:2010 standard covers general requirements for proficiency testing and is similar in structure to ISO/IEC 17025:2017. However, ISO/IEC 17043 is intended for organisations that routinely organise proficiency testing, whereas MSL offers ‘small inter-laboratory comparisons’:<sup>1</sup> proficiency tests that are not offered by an accredited provider and typically involve between two to seven participants.

Advice about running small inter-laboratory comparisons, for organisations accredited to ISO/IEC 17025 but not ISO/IEC 17043, is given in a European Accreditation guidelines document [1]. This is intended to help laboratories identify those aspects of ISO/IEC 17043 that are important for small PTs and which are not already covered by ISO/IEC 17025. There are comments in EA-4/21 and reference [2] that may also be helpful to accreditation bodies when assessing the results of small PTs as part of an accreditation process.

This guide attempts to capture useful information from both the EA approach and the standard. The next section is based on information from the EA document and Section 3 is based on the standard. Inevitably, there is repetition of material and some ideas are expressed in slightly different terms; Section 3 tends to have more detail, being based on the standard. This guide is expected to be refined over time, as our experience grows. So, these slight inconsistencies will be eliminated in time.

Some aspects of PTs that do not seem to be captured in the reference documents relate to MSL's responsibility to participants when things go wrong. For example, if there very few participants register, can a PT be cancelled? Or, what should be done when a PT is significantly delayed? Recent experience shows that MSL can be exposed to reputational risk when PT programmes run badly. It would be helpful to have policy in place, to set expectations for both staff and participants.

## 2 Small proficiency tests

The requirements of ISO/IEC 17043 considered relevant to the organisation of a small proficiency tests are summarised in Section 6 of the EA Guidelines [1].

A 17025-compliant quality management system (QMS) can help to support small PTs.

The control of documents, review of requests, tenders and contracts, sub-contacting, and purchasing may all be covered by the QMS. Similarly, impartiality, confidentiality, complaints, non-conforming work, improvements and corrective actions will all be covered by an existing 17025-compliant QMS. Control of records and data will be subject to the usual quality

---

<sup>1</sup>In this document we take ‘proficiency test’ and ‘inter-laboratory comparison’ to be synonymous.

---

controls.

Internal audits should be extended to cover PTs. The Management Review should also look at the organisation of PTs and consider the efficiency of operating small PTs.

The competencies of staff should be assessed. Method-related competence would usually be recognised for routine laboratory work.

Equipment and environmental considerations would usually be covered by requirements already part of maintaining the 17025 scope of accreditation.

**PT design:** A PT must be thoroughly planned (see §3.4). Participants must be well-informed about the purpose of the PT, to allow them to decide whether it is relevant to their operations.

**Selection and preparation of test items:** Test items should be evaluated before the PT. Criteria should be established and the process of characterisation, stability testing, etc, should be documented.

**Instructions:** Participants should be informed about the PT and its timetable well before it commences.

- Requirements for handling test items
- Information about test items and test methods
- PT time schedule
- Information about preparing items for testing
- Other instructions and information, as needed, such as safety considerations
- Confidentiality (see §3.3)
- Instructions on the recording and reporting of measurement results (i.e., formatting, uncertainty, etc)
- Deadlines for the submission of results
- Contact details for the PT organiser

---

**Packaging, distribution, and handling of items:** The requirements for distributing PT items safely must be considered. Suitable packaging and item labelling is required. Consideration should be given to safety and compliance with legal regulations.

The PT protocol should ensure that records are kept of item distribution:

- Date of arrival
- Quality assurance checked by participant
- Date(s) of measurement
- Date of dispatch to organiser

**Data processing:** The organiser will be responsible for carrying out an appropriate analysis of all PT data. See references [2], [4] and [6].

**Determination of PT reference value:** This will not usually be an issue for MSL, because our measurement capability would usually be significantly better than participants. However, see [2].

**Evaluation of performance:** Participant performance can be evaluated by providing for example a z-score or an En number.

**Final reporting:** Reporting must include data covering all participants and their performances.

Reporting should be done promptly after completion of the PT (keeping to a previously advertised timetable).

The report should cover:

- A unique identifier of the report (e.g., a number and name)
- Contact details of the organiser
- A statement about the confidentiality of information reported
- A description of the PT, with dates and a description of the test items used
- Participant details

- 
- Participant results
  - Analysis of results
  - Advise on the interpretation of reported statistics
  - Comments by the organiser arising from the results
  - Information about appealing the results (e.g., who to contact and what outcome could be expected from an appeal)

### **3 Relations between ISO/IEC 17043 and the MSL Quality System**

This section considers the ISO/IEC 17043 standard and, where appropriate, associates standards clauses with sections in the MSL Quality Manual.

Sections 1 through 3 of ISO/IEC 17043 deal with: Scope, Normative references and Terms and definitions; they are not discussed below. Section 4 concerns Technical requirements and Section 5 Management requirements: these sections are considered.

#### **3.1 Technical requirements**

Technical requirements of ISO/IEC 17043 are partially met by MSL's quality control over calibration and measurement capabilities. There might be new competencies to be managed in our competency matrix. Such as, people competent to design PT protocols or validate designs, people to work through the data processing and people to check the results. These are similar distinctions to our existing A+R+W+C classifications. For the purposes of small PTs, we may fall back on those competencies but, if PTs become more routine, the competencies involved should be regarded as different and evidence collected to support individual claims.

There should be a data management plan for safeguarding and managing digital records (would be similar to our own calibration work).

In the following tables, the first column, labelled 'Clause', refers to a clause in ISO/IEC 17043 and the second column, labelled 'cross-reference(s)' refers to the MSL Quality Manual.

Clause	Cross references(s)	Comments
4.1 General	None	
4.2 Personnel	Competencies, Training and Development [3, §5]	New competency categories may be needed: PT planning; data processing and evaluate results; authorise final report
4.3 Equipment, etc	Handled by technical sections	Already covered
4.4 Design of PTs	None	There should be a PT plan/protocol that meets the requirements of this clause. (See §3.4)
4.5 Choice of method	None	I don't think this will apply to physical metrology PTs
4.6 Operation of PTs	Inwards-Outwards goods [3, §7]	Some of this will also be in the protocol document. There are also matters of policy regarding shipping items.
4.7 Data analysis	None	We will need to validate data that is sent to us; a protocol document should already determine how data will be analysed.
4.8 Reports	None	PT reports will be a new reporting category that will need to be managed in a similar way to our calibration reports. There are reporting requirements in this clause.
4.9 Communication	None	We will need a policy about communications with participants. This policy should cover status updates on a regular basis. It should also cover exceptional circumstances, such as failures that cause delays to a PT.
4.10 Confidentiality	Impartiality [3, §2.2.1] and Confidentiality [3, §9.1.2]	Privacy policy should be considered (e.g., would we need to share information with an accreditation body?)

### 3.2 Management requirements

The management requirements are almost identical to 17025. We will need to identify the types of activity, records to be managed, etc, but really the existing management system would just be expanded a little to cover these new things.

Clause	Cross references(s)	Comments
5.1 Organisation	Quality Manual [3, §2]	
5.2 Management system	This manual	Would need to explicitly mention our commitment to quality in PTs
5.3 Document control	Document control[3, §4]	We will need to issue protocols/plans in a similar way to TPs. Also, what is filed centrally and what is maintained within sections.
5.4 Review of requests	Review of requests and contracts [3, §9] .	We need to keep a record of MSL reviews of a request to carry out a PT or of an internal MSL initiative about a PT.
5.5 Subcontracting	None	Not needed?
5.6 Purchasing	None	Not needed?
5.7 Customer service	Assessing client satisfaction [3, §10.4]	Should be OK if we solicit feedback from PT participants in the same way as we survey client satisfaction for calibration work.
5.8 Complaints	Complaints [3, §10.3]	OK
5.9 Nonconforming work	See [3, §6.1] and [3, §10.2]	This is essentially our re-issue of reports and our IRF process to address problems
5.10 Improvement	Improvements [3, §10]	
5.11 Corrective actions	Improvement requests [3, §10.2]	The R&O register is also available
5.12 Preventative actions	Improvement requests [3, §10.2]	The R&O register is also available
5.13 Records control	Documents and document control [3, §4]	OK



---

5.14 Internal audit	Internal audits [3, §8.1]	OK
5.15 Management review	Management review [3, §8.2]	OK

### 3.3 Confidentiality

The same level of confidentiality that applies to calibration work shall be used for proficiency testing.

A different confidentiality statement will be needed.

The following is a possibility

*All information supplied by you as part of a proficiency testing program is treated as confidential, except where we are required by law or governmental authority, or where authorised by you. In reports and publications produced by MSL that will be seen by other participants, your data will be identified by numbers or symbols that maintain confidentiality.*

Exceptions are possible and should be flagged to the participant (at the outset):

- An interested party may require PT results to be provided directly to them (e.g., IANZ). This should be indicated to participants at the time of registration, or evidence that it is acceptable should be collected.
- A regulatory authority may require PT results to be provided directly to them. This should be indicated to participants at the time of registration, or evidence that it is acceptable should be collected.

---

**Participant identifiers:**

There may be a need to label results with anonymous IDs when reporting results. We could create a pool of IDs before registration begins and attribute them randomly and when registration closes, keeping a list of participants vs IDs for internal use.

### **3.4 Proficiency test design**

A planning document must be prepared before every PT. The plan is a requirement of 17043 (clause 4.4.1.3). The document must address the objectives and PT scheme design.

There are 21 points that must be covered in the plan. The headings are as follows, with some brief comments (§6.2.3 of the EA Guidelines summarises the minimum requirements for small PTs [1])

**a) PT provider**

Measurement Standards Laboratory of New Zealand (MSL)

**b) PT coordinator**

(Name, address, contact details). For example,

Peter Saunders

Measurement Standards Laboratory

Tel.: 04 931 3143

email: peter.saunders@measurement.govt.nz

**c) Subcontracted activities**

There are probably none, but this could relate to sample preparation and expert statistical services.

**d) Criteria to be met for participants**

*Participation is restricted to New Zealand laboratories only. Please contact your country's National Metrology Institute for information about proficiency tests available in your country.*

Note, when registering, we might want participants to supply information about their circumstances e.g., to return answers to a series of questions.<sup>2</sup>

---

<sup>2</sup>Whether to restrict participation to 17025-accredited laboratories may also be considered. Why would we allow non-accredited labs to participate (this is risky), perhaps only those intending to become accredited should be allowed (but how would we know)?

---

**e) Expected number of participants**

To be sure the PT can be properly resourced. Consider minimum as well as maximum numbers. There may be a lower limit to the number of participants that is viable.

**f) Information about the measurand**

This should cover what participants are expected to measure or test and may also include the aim of the PT. The PT protocol will also include this information. This information should be reviewed and validated internally.

**g) The expected range of measured values**

It is important to consider the diversity of responses that may be submitted. It pays to think about how labs might behave (unintended behaviour). This will determine acceptable data processing strategies (which should be decided before the results are reviewed).

**h) The major sources of measurement error**

This builds on [f\)](#) and [g\)](#). It is asking about the main features of the measurement model, which will probably be influence factors for all participants.

**i) Requirements for quality control, storage and distribution of items**

These are the things that MSL must take responsibility for (but, see [n\)](#) below). Test items must meet pre-defined quality requirements and must not become compromised during the PT. How items will be packed and shipped and how they will be checked by MSL during the PT need to be considered.

**j) Collusion between participants or falsification of results**

This should cover the procedure to be followed if collusion or falsification is suspected. We should state that such behaviour will not be tolerated and explain what will happen if we suspect that it has occurred.<sup>3</sup>

It may be possible to ask for extra information with results that would make it easier for us to detect bad behaviour (e.g, raw data immediately following a measurement).

**k) Information for participants and the time schedule**

This is usually all covered in the Technical Protocol.

**l) For continuous PTs**

A timetable for distribution of items to participants, the deadline for returns.

**m) Supplementary information on methods or procedures**

---

<sup>3</sup>The statement should allow MSL to drop a participant when there are some grounds for concern, rather than placing a burden of proof on MSL to show that someone has behaved inappropriately.

---

This may or many not be needed.

**n) Procedures to establish stability of PT items**

This is the quality assurance procedures each participant should use to establish stability of the items they receive. It is distinct from quality assurance MSL may use [i](#)).

**o) Standardised reporting formats**

A description of any requirements for the format when reporting results.

**p) Analysis of results**

A detailed description of the analysis that will be used to analyse results. This is an important technical question. Like [f](#)), this should be validated internally before the PT begins.

**q) Traceability**

How is traceability obtained?

**r) Performance criteria**

How will the performance of participants be evaluated (e.g., En values)? This relates to the purpose of the PT and what is actually being tested. This is also related to [p](#)).

**s) Interim reporting**

If interim reports, or other information will be given to participants before the end of the PT this should be noted.

Think about how participants may be informed promptly after they have submitted a result. We might issue an interim report with data that is not a full calibration report (hence unsigned). If so, general quality principles should still apply: it should be prepared by one person and checked by another, with some record of checking retained.

The publication clearance process might be used to cover the whole set of reports for on PT.

**t) Publication of information**

The extent to which participant results, and conclusions based on the outcome of the PT, are to be made public should be noted.

Will there be a final overarching report? If so, will participants maintain their anonymity in this report (we pledge this in the confidentiality statement)? We might list participant names at the beginning of the report, but not identify the results for each participant. We might prepare a report that can only be distributed among participants.

---

u) **Lost or damaged test items**

What actions will be taken if items are lost or damaged? Who is financially responsible? Has insurance been considered? Is it possible to mitigate any of the various risks. If a PT can be seriously impacted, how will communication with participants be handled, will there be refunds, etc?

---

## References

- [1] EA-4/21 INF: 2018, *Guidelines for the Assessment of the Appropriateness of Small Interlaboratory Comparisons with the Process of Laboratory Accreditation*, European Co-operation for Accreditation.
- [2] D. Milde, E. Klokočníková and A. Nižanaská, *Practical guidance for organising small interlaboratory comparisons*, Accreditation and Quality Assurance (2021) 26:17–22. Doi: 10.1007/S00769-021-01458-8.
- [3] MSL Quality Manual (currently in the EDI [Quality Manual](#) library)
- [4] BS ISO:21748:2017, *Guidance for the use of repeatability, reproducibility and trueness estimates in measurement uncertainty evaluation*, (the UK implementation of ISO 21748:2017, 2<sup>nd</sup> ed.) ISBN 978 0 580 94905 0.
- [5] BS ISO:17043:2010 (E), *Conformity assessment—General requirements for proficiency testing (ISO/CASCO 17043:2010)*, (the UK implementation of EN ISO/IEC 17043:2010) ISBN 978 0 580 56522 9.
- [6] BS ISO:13528:2015, *Statistical methods for use in proficiency testing by interlaboratory comparison*, (the UK implementation of ISO:13528:2015, 2<sup>nd</sup> ed.) ISBN 978 0 580 73566 0.